

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
18 March 2004 (18.03.2004)

PCT

(10) International Publication Number
WO 2004/022709 A2

- (51) International Patent Classification⁷: C12N (81) Designated States (*national*): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK (utility model), SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.
- (21) International Application Number: PCT/US2003/027706
- (22) International Filing Date: 5 September 2003 (05.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/409,123 6 September 2002 (06.09.2002) US (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant: MANNKIND CORPORATION [US/US]; 28903 North Avenue Paine, Valencia, CA 91355 (US).
- (72) Inventors: SIMARD, John, J., L.; Suite #7, 1684 Alberni Street, Vancouver, British Columbia Z6G1A6 (CA). DIAMOND, David, C.; 23135 Schoenborn Street, West Hills, CA 91304 (US). LIU, Liping; 22228 Victory Boulevard, H-111, Woodland Hills, CA 91367 (US). LIU, Zheng; 22216 Victory Boulevard, C302, Woodland Hills, CA 91367 (US).
- (74) Agent: MALLON, Joseph, J.; KNOBBE, MARTENS, OLSON & BEAR, LLP, 2040 Main Street, 14th Floor, Irvine, CA 92614 (US).
- Published:**
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

WO 2004/022709 A2

(54) Title: EPITOPE SEQUENCES

(57) Abstract: Disclosed herein are polypeptides, including epitopes, clusters, and antigens. Also disclosed are compositions that include said polypeptides and methods for their use.

EPITOPE SEQUENCES

Background of the Invention

Field of the Invention

5 The present invention generally relates to peptides, and nucleic acids encoding peptides, that are useful epitopes of target-associated antigens. More specifically, the invention relates to epitopes that have a high affinity for MHC class I and that are produced by target-specific proteasomes.

Description of the Related Art

10 Neoplasia and the Immune System

 The neoplastic disease state commonly known as cancer is thought to result generally from a single cell growing out of control. The uncontrolled growth state typically results from a multi-step process in which a series of cellular systems fail, resulting in the genesis of a neoplastic cell. The resulting neoplastic cell rapidly reproduces itself, forms one or more tumors, and eventually
15 may cause the death of the host.

 Because the progenitor of the neoplastic cell shares the host's genetic material, neoplastic cells are largely unassailed by the host's immune system. During immune surveillance, the process in which the host's immune system surveys and localizes foreign materials, a neoplastic cell will appear to the host's immune surveillance machinery as a "self" cell.

20 Viruses and the Immune System

 In contrast to cancer cells, virus infection involves the expression of clearly non-self antigens. As a result, many virus infections are successfully dealt with by the immune system with minimal clinical sequela. Moreover, it has been possible to develop effective vaccines for many of those infections that do cause serious disease. A variety of vaccine approaches have been used
25 successfully to combat various diseases. These approaches include subunit vaccines consisting of individual proteins produced through recombinant DNA technology. Notwithstanding these advances, the selection and effective administration of minimal epitopes for use as viral vaccines has remained problematic.

 In addition to the difficulties involved in epitope selection stands the problem of viruses
30 that have evolved the capability of evading a host's immune system. Many viruses, especially viruses that establish persistent infections, such as members of the herpes and pox virus families, produce immunomodulatory molecules that permit the virus to evade the host's immune system. The effects of these immunomodulatory molecules on antigen presentation may be overcome by the targeting of select epitopes for administration as immunogenic compositions. To better
35 understand the interaction of neoplastic cells and virally infected cells with the host's immune system, a discussion of the system's components follows below.

The immune system functions to discriminate molecules endogenous to an organism ("self" molecules) from material exogenous or foreign to the organism ("non-self" molecules). The immune system has two types of adaptive responses to foreign bodies based on the components that mediate the response: a humoral response and a cell-mediated response. The humoral response is mediated by antibodies, while the cell-mediated response involves cells classified as lymphocytes. Recent anticancer and antiviral strategies have focused on mobilizing the host immune system as a means of anticancer or antiviral treatment or therapy.

The immune system functions in three phases to protect the host from foreign bodies: the cognitive phase, the activation phase, and the effector phase. In the cognitive phase, the immune system recognizes and signals the presence of a foreign antigen or invader in the body. The foreign antigen can be, for example, a cell surface marker from a neoplastic cell or a viral protein. Once the system is aware of an invading body, antigen specific cells of the immune system proliferate and differentiate in response to the invader-triggered signals. The last stage is the effector stage in which the effector cells of the immune system respond to and neutralize the detected invader.

An array of effector cells implements an immune response to an invader. One type of effector cell, the B cell, generates antibodies targeted against foreign antigens encountered by the host. In combination with the complement system, antibodies direct the destruction of cells or organisms bearing the targeted antigen. Another type of effector cell is the natural killer cell (NK cell), a type of lymphocyte having the capacity to spontaneously recognize and destroy a variety of virus infected cells as well as malignant cell types. The method used by NK cells to recognize target cells is poorly understood.

Another type of effector cell, the T cell, has members classified into three subcategories, each playing a different role in the immune response. Helper T cells secrete cytokines which stimulate the proliferation of other cells necessary for mounting an effective immune response, while suppressor T cells down-regulate the immune response. A third category of T cell, the cytotoxic T cell (CTL), is capable of directly lysing a targeted cell presenting a foreign antigen on its surface.

The Major Histocompatibility Complex and T Cell Target Recognition

T cells are antigen-specific immune cells that function in response to specific antigen signals. B lymphocytes and the antibodies they produce are also antigen-specific entities. However, unlike B lymphocytes, T cells do not respond to antigens in a free or soluble form. For a T cell to respond to an antigen, it requires the antigen to be processed to peptides which are then bound to a presenting structure encoded in the major histocompatibility complex (MHC). This requirement is called "MHC restriction" and it is the mechanism by which T cells differentiate "self" from "non-self" cells. If an antigen is not displayed by a recognizable MHC molecule, the T cell will not recognize and act on the antigen signal. T cells specific for a peptide bound to a

recognizable MHC molecule bind to these MHC-peptide complexes and proceed to the next stages of the immune response.

There are two types of MHC, class I MHC and class II MHC. T Helper cells ($CD4^+$) predominately interact with class II MHC proteins while cytolytic T cells ($CD8^+$) predominately interact with class I MHC proteins. Both classes of MHC protein are transmembrane proteins with a majority of their structure on the external surface of the cell. Additionally, both classes of MHC proteins have a peptide binding cleft on their external portions. It is in this cleft that small fragments of proteins, endogenous or foreign, are bound and presented to the extracellular environment.

Cells called "professional antigen presenting cells" (pAPCs) display antigens to T cells using the MHC proteins but additionally express various co-stimulatory molecules depending on the particular state of differentiation/activation of the pAPC. When T cells, specific for the peptide bound to a recognizable MHC protein, bind to these MHC-peptide complexes on pAPCs, the specific co-stimulatory molecules that act upon the T cell direct the path of differentiation/activation taken by the T cell. That is, the co-stimulation molecules affect how the T cell will act on antigenic signals in future encounters as it proceeds to the next stages of the immune response.

As discussed above, neoplastic cells are largely ignored by the immune system. A great deal of effort is now being expended in an attempt to harness a host's immune system to aid in combating the presence of neoplastic cells in a host. One such area of research involves the formulation of anticancer vaccines.

Anticancer Vaccines

Among the various weapons available to an oncologist in the battle against cancer is the immune system of the patient. Work has been done in various attempts to cause the immune system to combat cancer or neoplastic diseases. Unfortunately, the results to date have been largely disappointing. One area of particular interest involves the generation and use of anticancer vaccines.

To generate a vaccine or other immunogenic composition, it is necessary to introduce to a subject an antigen or epitope against which an immune response may be mounted. Although neoplastic cells are derived from and therefore are substantially identical to normal cells on a genetic level, many neoplastic cells are known to present tumor-associated antigens (TuAAs). In theory, these antigens could be used by a subject's immune system to recognize these antigens and attack the neoplastic cells. In reality, however, neoplastic cells generally appear to be ignored by the host's immune system.

A number of different strategies have been developed in an attempt to generate vaccines with activity against neoplastic cells. These strategies include the use of tumor-associated antigens

as immunogens. For example, U.S. Patent No. 5,993,828, describes a method for producing an immune response against a particular subunit of the Urinary Tumor Associated Antigen by administering to a subject an effective dose of a composition comprising inactivated tumor cells having the Urinary Tumor Associated Antigen on the cell surface and at least one tumor associated antigen selected from the group consisting of GM-2, GD-2, Fetal Antigen and Melanoma Associated Antigen. Accordingly, this patent describes using whole, inactivated tumor cells as the immunogen in an anticancer vaccine.

Another strategy used with anticancer vaccines involves administering a composition containing isolated tumor antigens. In one approach, MAGE-A1 antigenic peptides were used as an immunogen. (See Chaux, P., *et al.*, "Identification of Five MAGE-A1 Epitopes Recognized by Cytolytic T Lymphocytes Obtained by *In Vitro* Stimulation with Dendritic Cells Transduced with MAGE-A1," J. Immunol., 163(5):2928-2936 (1999)). There have been several therapeutic trials using MAGE-A1 peptides for vaccination, although the effectiveness of the vaccination regimes was limited. The results of some of these trials are discussed in Vose, J.M., "Tumor Antigens Recognized by T Lymphocytes," 10th European Cancer Conference, Day 2, Sept. 14, 1999.

In another example of tumor associated antigens used as vaccines, Scheinberg, *et al.* treated 12 chronic myelogenous leukemia (CML) patients already receiving interferon (IFN) or hydroxyurea with 5 injections of class I-associated bcr-abl peptides with a helper peptide plus the adjuvant QS-21. Scheinberg, D.A., *et al.*, "BCR-ABL Breakpoint Derived Oncogene Fusion Peptide Vaccines Generate Specific Immune Responses in Patients with Chronic Myelogenous Leukemia (CML) [Abstract 1665], American Society of Clinical Oncology 35th Annual Meeting, Atlanta (1999). Proliferative and delayed type hypersensitivity (DTH) T cell responses indicative of T-helper activity were elicited, but no cytolytic killer T cell activity was observed within the fresh blood samples.

Additional examples of attempts to identify TuAAs for use as vaccines are seen in the recent work of Cebon, *et al.* and Scheibenbogen, *et al.* Cebon, *et al.* immunized patients with metastatic melanoma using intradermally administered MART-1₂₆₋₃₅ peptide with IL-12 in increasing doses given either subcutaneously or intravenously. Of the first 15 patients, 1 complete remission, 1 partial remission, and 1 mixed response were noted. Immune assays for T cell generation included DTH, which was seen in patients with or without IL-12. Positive CTL assays were seen in patients with evidence of clinical benefit, but not in patients without tumor regression. Cebon, *et al.*, "Phase I Studies of Immunization with Melan-A and IL-12 in HLA A2+ Positive Patients with Stage III and IV Malignant Melanoma," [Abstract 1671], American Society of Clinical Oncology 35th Annual Meeting, Atlanta (1999).

Scheibenbogen, *et al.* immunized 18 patients with 4 HLA class I restricted tyrosinase peptides, 16 with metastatic melanoma and 2 adjuvant patients. Scheibenbogen, *et al.*,

“Vaccination with Tyrosinase peptides and GM-CSF in Metastatic Melanoma: a Phase II Trial,” [Abstract 1680], American Society of Clinical Oncology 35th Annual Meeting, Atlanta (1999). Increased CTL activity was observed in 4/15 patients, 2 adjuvant patients, and 2 patients with evidence of tumor regression. As in the trial by Cebon, *et al.*, patients with progressive disease did not show boosted immunity. In spite of the various efforts expended to date to generate efficacious anticancer vaccines, no such composition has yet been developed.

Antiviral Vaccines

Vaccine strategies to protect against viral diseases have had many successes. Perhaps the most notable of these is the progress that has been made against the disease small pox, which has been driven to extinction. The success of the polio vaccine is of a similar magnitude.

Viral vaccines can be grouped into three classifications: live attenuated virus vaccines, such as vaccinia for small pox, the Sabin poliovirus vaccine, and measles mumps and rubella; whole killed or inactivated virus vaccines, such as the Salk poliovirus vaccine, hepatitis A virus vaccine and the typical influenza virus vaccines; and subunit vaccines, such as hepatitis B. Due to their lack of a complete viral genome, subunit vaccines offer a greater degree of safety than those based on whole viruses.

The paradigm of a successful subunit vaccine is the recombinant hepatitis B vaccine based on the viruses envelope protein. Despite much academic interest in pushing the reductionist subunit concept beyond single proteins to individual epitopes, the efforts have yet to bear much fruit. Viral vaccine research has also concentrated on the induction of an antibody response although cellular responses also occur. However, many of the subunit formulations are particularly poor at generating a CTL response.

Summary of the Invention

Previous methods of priming professional antigen presenting cells (pAPCs) to display target cell epitopes have relied simply on causing the pAPCs to express target-associated antigens (TAAs), or epitopes of those antigens which are thought to have a high affinity for MHC I molecules. However, the proteasomal processing of such antigens results in presentation of epitopes on the pAPC that do not correspond to the epitopes present on the target cells.

Using the knowledge that an effective cellular immune response requires that pAPCs present the same epitope that is presented by the target cells, the present invention provides epitopes that have a high affinity for MHC I, and that correspond to the processing specificity of the housekeeping proteasome, which is active in peripheral cells. These epitopes thus correspond to those presented on target cells. The use of such epitopes in compositions, such as vaccines and other immunogenic compositions (including pharmaceutical and immunotherapeutic compositions) can activate the cellular immune response to recognize the correctly processed TAA and can result in removal of target cells that present such epitopes. In some embodiments, the housekeeping

epitopes provided herein can be used in combination with immune epitopes, generating a cellular immune response that is competent to attack target cells both before and after interferon induction. In other embodiments the epitopes are useful in the diagnosis and monitoring of the target-associated disease and in the generation of immunological reagents for such purposes.

5 Embodiments of the invention relate to isolated epitopes, antigens and/or polypeptides. The isolated antigens and/or polypeptides can include the epitopes. Preferred embodiments include an epitope or antigen having the sequence as disclosed in Tables 1A or 1B. Other embodiments can include an epitope cluster comprising a polypeptide from Tables 1A or 1B. Further, embodiments include a polypeptide having substantial similarity to the already mentioned epitopes,
10 polypeptides, antigens, or clusters. Other preferred embodiments include a polypeptide having functional similarity to any of the above. Still further embodiments relate to a nucleic acid encoding the polypeptide of any of the epitopes, clusters, antigens, and polypeptides from Tables 1A or 1B and mentioned herein.

 For purposes of the following summary and discussion of other embodiments of the
15 invention, reference to "the epitope," "the epitopes," or "epitope from Tables 1A or 1B" may include without limitation to all of the foregoing forms of the epitope including an epitope with the sequence set forth in the Tables or elsewhere herein, a cluster comprising such an epitope or epitopes, a polypeptide having substantial or functional similarity to those epitopes or clusters, and the like.

20 The polypeptide or epitope can be immunologically active. The polypeptide comprising the epitope can be less than about 30 amino acids in length, more preferably, the polypeptide is 8 to 10 amino acids in length, for example. Substantial or functional similarity can include addition of at least one amino acid, for example, and the at least one additional amino acid can be at an N-terminus of the polypeptide. The substantial or functional similarity can include a substitution of at
25 least one amino acid.

 The epitope, cluster, or polypeptide comprising the same can have affinity to an HLA-A2 molecule. The affinity can be determined by an assay of binding, by an assay of restriction of epitope recognition, by a prediction algorithm, and the like. The epitope, cluster, or polypeptide comprising the same can have affinity to an HLA-B7, HLA-B51 molecule, and the like.

30 In preferred embodiments the polypeptide can be a housekeeping epitope. The epitope or polypeptide can correspond to an epitope displayed on a tumor cell, to an epitope displayed on a neovasculature cell, and the like. The epitope or polypeptide can be an immune epitope. The epitope, cluster and/or polypeptide can be a nucleic acid. The epitope, cluster and/or polypeptide can be encoded by a nucleic acid.

35 Other embodiments relate to compositions, including pharmaceutical or immunogenic compositions comprising the polypeptides, including an epitope from Tables 1A or 1B, a cluster, or

a polypeptide comprising the same, and a pharmaceutically acceptable adjuvant, carrier, diluent, excipient, and the like. The adjuvant can be a polynucleotide. The polynucleotide can include a dinucleotide, which can be CpG, for example. The adjuvant can be encoded by a polynucleotide. The adjuvant can be a cytokine and the cytokine can be, for example, GM-CSF.

5 The compositions can further include a professional antigen-presenting cell (pAPC). The pAPC can be a dendritic cell, for example. The composition can further include a second epitope. The second epitope can be a polypeptide, a nucleic acid, a housekeeping epitope, an immune epitope, and the like.

10 Still further embodiments relate to compositions, including pharmaceutical and immunogenic compositions that include any of the nucleic acids discussed herein, including those that encode polypeptides that comprise epitopes or antigens from Tables 1A or 1B. Such compositions can include a pharmaceutically acceptable adjuvant, carrier, diluent, excipient, and the like.

15 Other embodiments relate to recombinant constructs that include such a nucleic acid as described herein, including those that encode polypeptides that comprise epitopes or antigens from Tables 1A or 1B. The constructs can further include a plasmid, a viral vector, an artificial chromosome, and the like. The construct can further include a sequence encoding at least one feature, such as for example, a second epitope, an IRES, an ISS, an NIS, a ubiquitin, and the like.

20 Further embodiments relate to purified antibodies that specifically bind to at least one of the epitopes in Tables 1A or 1B. Other embodiments relate to purified antibodies that specifically bind to a peptide-MHC protein complex comprising an epitope disclosed in Tables 1A or 1B or any other suitable epitope. The antibody from any embodiment can be a monoclonal antibody or a polyclonal antibody.

25 Still other embodiments relate to multimeric MHC-peptide complexes that include an epitope, such as, for example, an epitope disclosed in Tables 1A or 1B. Also, contemplated are antibodies specific for the complexes.

30 Embodiments relate to isolated T cells expressing a T cell receptor specific for an MHC-peptide complex. The complex can include an epitope, such as, for example, an epitope disclosed in Tables 1A or 1B. The T cell can be produced by an *in vitro* immunization and can be isolated from an immunized animal. Embodiments relate to T cell clones, including cloned T cells, such as those discussed above. Embodiments also relate to polyclonal population of T cells. Such populations can include a T cell, as described above, for example.

35 Still further embodiments relate to compositions, including pharmaceutical and immunogenic compositions that include a T cell, such as those described above, for example, and a pharmaceutically acceptable adjuvant, carrier, diluent, excipient, and the like.

Embodiments of the invention relate to isolated protein molecules comprising the binding domain of a T cell receptor specific for an MHC-peptide complex. The complex can include an epitope as disclosed in Tables 1A or 1B. The protein can be multivalent. Other embodiments relate to isolated nucleic acids encoding such proteins. Still further embodiments relate to recombinant constructs that include such nucleic acids.

Other embodiments of the invention relate to host cells expressing a recombinant construct as described above and elsewhere herein. The host cells can include constructs encoding an epitope, a cluster or a polypeptide comprising said epitope or said cluster. The epitope or epitope cluster can be one or more of those disclosed in Tables 1A or 1B, for example, and as otherwise defined. The host cell can be a dendritic cell, macrophage, tumor cell, tumor-derived cell, a bacterium, fungus, protozoan, and the like. Embodiments also relate to compositions, including pharmaceutical and immunogenic compositions that include a host cell, such as those discussed herein, and a pharmaceutically acceptable adjuvant, carrier, diluent, excipient, and the like.

Still other embodiments relate to compositions including immunogenic compositions, such as for example, vaccines or immunotherapeutic compositions. The compositions can include at least one component, such as, for example, an epitope disclosed in Tables 1A or 1B or otherwise described herein; a cluster that includes such an epitope, an antigen or polypeptide that includes such an epitope; a composition as described above and herein; a construct as described above and herein, a T cell, a construct comprising a nucleic acid encoding a T cell receptor binding domain specific for an MHC-peptide complex and compositions including the same, a host cell as described above and herein, and compositions comprising the same.

Further embodiments relate to methods of treating an animal. The methods can include administering to an animal a composition, including a pharmaceutical or an immunogenic composition, such as, a vaccine or immunotherapeutic composition, including those disclosed above and herein. The administering step can include a mode of delivery, such as, for example, transdermal, intranodal, perinodal, oral, intravenous, intradermal, intramuscular, intraperitoneal, mucosal, aerosol inhalation, instillation, and the like. The method can further include a step of assaying to determine a characteristic indicative of a state of a target cell or target cells. The method can include a first assaying step and a second assaying step, wherein the first assaying step precedes the administering step, and wherein the second assaying step follows the administering step. The method can further include a step of comparing the characteristic determined in the first assaying step with the characteristic determined in the second assaying step to obtain a result. The result can be for example, evidence of an immune response, a diminution in number of target cells, a loss of mass or size of a tumor comprising target cells, a decrease in number or concentration of an intracellular parasite infecting target cells, and the like.

Embodiments relate to methods of evaluating immunogenicity of a composition, including a vaccine or an immunotherapeutic composition. The methods can include administering to an animal a vaccine or immunotherapeutic, such as those described above and elsewhere herein, and evaluating immunogenicity based on a characteristic of the animal. The animal can be MHC-transgenic.

Other embodiments relate to methods of evaluating immunogenicity that include *in vitro* stimulation of a T cell with the vaccine or immunotherapeutic composition, such as those described above and elsewhere herein, and evaluating immunogenicity based on a characteristic of the T cell. The stimulation can be a primary stimulation.

Still further embodiments relate to methods of making a passive/adoptive immunotherapeutic. The methods can include combining a T cell or a host cell, such as those described above and elsewhere herein, with a pharmaceutically acceptable adjuvant, carrier, diluent, excipient, and the like.

Other embodiments relate to methods of determining specific T cell frequency, and can include the step of contacting T cells with a MHC-peptide complex comprising an epitope disclosed in Tables 1A or 1B, or a complex comprising a cluster or antigen comprising such an epitope. The contacting step can include at least one feature, such as, for example, immunization, restimulation, detection, enumeration, and the like. The method can further include ELISPOT analysis, limiting dilution analysis, flow cytometry, *in situ* hybridization, the polymerase chain reaction, any combination thereof, and the like.

Embodiments relate to methods of evaluating immunologic response. The methods can include the above-described methods of determining specific T cell frequency carried out prior to and subsequent to an immunization step.

Other embodiments relate to methods of evaluating immunologic response. The methods can include determining frequency, cytokine production, or cytolytic activity of T cells, prior to and subsequent to a step of stimulation with MHC-peptide complexes comprising an epitope, such as, for example an epitope from Tables 1A or 1B, a cluster or a polypeptide comprising such an epitope.

Further embodiments relate to methods of diagnosing a disease. The methods can include contacting a subject tissue with at least one component, including, for example, a T cell, a host cell, an antibody, a protein, including those described above and elsewhere herein; and diagnosing the disease based on a characteristic of the tissue or of the component. The contacting step can take place *in vivo* or *in vitro*, for example.

Still other embodiments relate to methods of making a composition, including for example, a vaccine. The methods can include combining at least one component. For example, the component can be an epitope, a composition, a construct, a T cell, a host cell; including any of

those described above and elsewhere herein, and the like, with a pharmaceutically acceptable adjuvant, carrier, diluent, excipient, and the like.

Embodiments relate to computer readable media having recorded thereon the sequence of any one of SEQ ID NOS: 108-610, in a machine having a hardware or software that calculates the physical, biochemical, immunologic, molecular genetic properties of a molecule embodying said sequence, and the like.

Still other embodiments relate to methods of treating an animal. The methods can include combining the method of treating an animal that includes administering to the animal a vaccine or immunotherapeutic composition, such as described above and elsewhere herein, combined with at least one mode of treatment, including, for example, radiation therapy, chemotherapy, biochemotherapy, surgery, and the like.

Further embodiments relate to isolated polypeptides that include an epitope cluster. In preferred embodiments the cluster can be from a target-associated antigen having the sequence as disclosed in any one of Tables 68-73, wherein the amino acid sequence includes not more than about 80% of the amino acid sequence of the antigen.

Other embodiments relate to immunogenic compositions, including vaccines or immunotherapeutic products that include an isolated peptide as described above and elsewhere herein. Still other embodiments relate to isolated polynucleotides encoding a polypeptide as described above and elsewhere herein. Other embodiments relate vaccines or immunotherapeutic products that include these polynucleotides. The polynucleotide can be DNA, RNA, and the like.

Still further embodiments relate to kits comprising a delivery device and any of the embodiments mentioned above and elsewhere herein. The delivery device can be a catheter, a syringe, an internal or external pump, a reservoir, an inhaler, microinjector, a patch, and any other like device suitable for any route of delivery. As mentioned, the kit, in addition to the delivery device also includes any of the embodiments disclosed herein. For example, without limitations, the kit can include an isolated epitope, a polypeptide, a cluster, a nucleic acid, an antigen, a pharmaceutical composition that includes any of the foregoing, an antibody, a T cell, a T cell receptor, an epitope-MHC complex, a vaccine, an immunotherapeutic, and the like. The kit can also include items such as detailed instructions for use and any other like item.

Brief Description of the Drawings

Figure 1A-1C is a sequence alignment of NY-ESO-1 and several similar protein sequences.

Figure 2 graphically represents a plasmid vaccine backbone useful for delivering nucleic acid-encoded epitopes.

Figures 3A and 3B are FACS profiles showing results of HLA-A2 binding assays for tyrosinase₂₀₇₋₂₁₅ and tyrosinase₂₀₈₋₂₁₆.

Figure 3C shows cytolytic activity against a tyrosinase epitope by human CTL induced by *in vitro* immunization.

Figure 4 is a T=120 min. time point mass spectrum of the fragments produced by proteasomal cleavage of SSX-2₃₁₋₆₈.

5 Figure 5 shows a binding curve for HLA-A2:SSX-2₄₁₋₄₉ with controls.

Figure 6 shows specific lysis of SSX-2₄₁₋₄₉-pulsed targets by CTL from SSX-2₄₁₋₄₉-immunized HLA-A2 transgenic mice.

Figure 7A, B, and C show results of N-terminal pool sequencing of a T=60 min. time point aliquot of the PSMA₁₆₃₋₁₉₂ proteasomal digest.

10 Figure 8 shows binding curves for HLA-A2:PSMA₁₆₈₋₁₇₇ and HLA-A2:PSMA₂₈₈₋₂₉₇ with controls.

Figure 9 shows results of N-terminal pool sequencing of a T=60 min. time point aliquot of the PSMA₂₈₁₋₃₁₀ proteasomal digest.

15 Figure 10 shows binding curves for HLA-A2:PSMA₄₆₁₋₄₆₉, HLA-A2:PSMA₄₆₀₋₄₆₉, and HLA-A2:PSMA₆₆₃₋₆₇₁, with controls.

Figure 11 shows the results of a γ (gamma)-IFN-based ELISPOT assay detecting PSMA₄₆₃₋₄₇₁-reactive HLA-A1⁺ CD8⁺ T cells.

Figure 12 shows blocking of reactivity of the T cells used in figure 10 by anti-HLA-A1 mAb, demonstrating HLA-A1-restricted recognition.

20 Figure 13 shows a binding curve for HLA-A2:PSMA₆₆₃₋₆₇₁, with controls.

Figure 14 shows a binding curve for HLA-A2:PSMA₆₆₂₋₆₇₁, with controls.

Figure 15. Comparison of anti-peptide CTL responses following immunization with various doses of DNA by different routes of injection.

25 Figure 16. Growth of transplanted gp33 expressing tumor in mice immunized by i.ln. injection of gp33 epitope-expressing, or control, plasmid.

Figure 17. Amount of plasmid DNA detected by real-time PCR in injected or draining lymph nodes at various times after i.ln. of i.m. injection, respectively.

Figures 18-70 are proteasomal digestion maps depicting the mapping of mass spectrum peaks from the digest onto the sequence of the indicated substrate.

30 Detailed Description of the Preferred Embodiment

Definitions

Unless otherwise clear from the context of the use of a term herein, the following listed terms shall generally have the indicated meanings for purposes of this description.

35 PROFESSIONAL ANTIGEN-PRESENTING CELL (pAPC) – a cell that possesses T cell costimulatory molecules and is able to induce a T cell response. Well characterized pAPCs include dendritic cells, B cells, and macrophages.

PERIPHERAL CELL – a cell that is not a pAPC.

HOUSEKEEPING PROTEASOME – a proteasome normally active in peripheral cells, and generally not present or not strongly active in pAPCs.

IMMUNE PROTEASOME – a proteasome normally active in pAPCs; the immune
5 proteasome is also active in some peripheral cells in infected tissues.

EPITOPE – a molecule or substance capable of stimulating an immune response. In preferred embodiments, epitopes according to this definition include but are not necessarily limited to a polypeptide and a nucleic acid encoding a polypeptide, wherein the polypeptide is capable of stimulating an immune response. In other preferred embodiments, epitopes according to this
10 definition include but are not necessarily limited to peptides presented on the surface of cells, the peptides being non-covalently bound to the binding cleft of class I MHC, such that they can interact with T cell receptors (TCR). Epitopes presented by class I MHC may be in immature or mature form. “Mature” refers to an MHC epitope in distinction to any precursor (“immature”) that may include or consist essentially of a housekeeping epitope, but also includes other sequences in a
15 primary translation product that are removed by processing, including without limitation, alone or in any combination proteasomal digestion, N-terminal trimming, or the action of exogenous enzymatic activities. Thus, a mature epitope may be provided embedded in a somewhat longer polypeptide, the immunological potential of which is due, at least in part, to the embedded epitope; or in its ultimate form that can bind in the MHC binding cleft to be recognized by TCR,
20 respectively.

MHC EPITOPE – a polypeptide having a known or predicted binding affinity for a mammalian class I or class II major histocompatibility complex (MHC) molecule.

HOUSEKEEPING EPITOPE – In a preferred embodiment, a housekeeping epitope is defined as a polypeptide fragment that is an MHC epitope, and that is displayed on a cell in which
25 housekeeping proteasomes are predominantly active. In another preferred embodiment, a housekeeping epitope is defined as a polypeptide containing a housekeeping epitope according to the foregoing definition, that is flanked by one to several additional amino acids. In another preferred embodiment, a housekeeping epitope is defined as a nucleic acid that encodes a housekeeping epitope according to the foregoing definitions.

IMMUNE EPITOPE – In a preferred embodiment, an immune epitope is defined as a polypeptide fragment that is an MHC epitope, and that is displayed on a cell in which immune proteasomes are predominantly active. In another preferred embodiment, an immune epitope is defined as a polypeptide containing an immune epitope according to the foregoing definition, that is flanked by one to several additional amino acids. In another preferred embodiment, an immune
35 epitope is defined as a polypeptide including an epitope cluster sequence, having at least two polypeptide sequences having a known or predicted affinity for a class I MHC. In yet another

preferred embodiment, an immune epitope is defined as a nucleic acid that encodes an immune epitope according to any of the foregoing definitions.

TARGET CELL – a cell to be targeted by the vaccines and methods of the invention. Examples of target cells according to this definition include but are not necessarily limited to: a
5 neoplastic cell and a cell harboring an intracellular parasite, such as, for example, a virus, a bacterium, or a protozoan.

TARGET-ASSOCIATED ANTIGEN (TAA) – a protein or polypeptide present in a target cell.

TUMOR-ASSOCIATED ANTIGENS (TuAA) – a TAA, wherein the target cell is a
10 neoplastic cell.

HLA EPITOPE – a polypeptide having a known or predicted binding affinity for a human class I or class II HLA complex molecule.

ANTIBODY – a natural immunoglobulin (Ig), poly- or monoclonal, or any molecule composed in whole or in part of an Ig binding domain, whether derived biochemically or by use of
15 recombinant DNA. Examples include *inter alia*, F(ab), single chain Fv, and Ig variable region-phage coat protein fusions.

ENCODE – an open-ended term such that a nucleic acid encoding a particular amino acid sequence can consist of codons specifying that (poly)peptide, but can also comprise additional sequences either translatable, or for the control of transcription, translation, or replication, or to
20 facilitate manipulation of some host nucleic acid construct.

SUBSTANTIAL SIMILARITY – this term is used to refer to sequences that differ from a reference sequence in an inconsequential way as judged by examination of the sequence. Nucleic acid sequences encoding the same amino acid sequence are substantially similar despite differences in degenerate positions or modest differences in length or composition of any non-coding regions.
25 Amino acid sequences differing only by conservative substitution or minor length variations are substantially similar. Additionally, amino acid sequences comprising housekeeping epitopes that differ in the number of N-terminal flanking residues, or immune epitopes and epitope clusters that differ in the number of flanking residues at either terminus, are substantially similar. Nucleic acids that encode substantially similar amino acid sequences are themselves also substantially similar.

30 FUNCTIONAL SIMILARITY – this term is used to refer to sequences that differ from a reference sequence in an inconsequential way as judged by examination of a biological or biochemical property, although the sequences may not be substantially similar. For example, two nucleic acids can be useful as hybridization probes for the same sequence but encode differing amino acid sequences. Two peptides that induce cross-reactive CTL responses are functionally
35 similar even if they differ by non-conservative amino acid substitutions (and thus do not meet the substantial similarity definition). Pairs of antibodies, or TCRs, that recognize the same epitope can

be functionally similar to each other despite whatever structural differences exist. In testing for functional similarity of immunogenicity one would generally immunize with the "altered" antigen and test the ability of the elicited response (Ab, CTL, cytokine production, etc.) to recognize the target antigen. Accordingly, two sequences may be designed to differ in certain respects while
 5 retaining the same function. Such designed sequence variants are among the embodiments of the present invention.

VACCINE – this term is used to refer to those immunogenic compositions that are capable of eliciting prophylactic and/or therapeutic responses that prevent, cure, or ameliorate disease.

IMMUNOGENIC COMPOSITION - this term is used to refer to compositions capable of
 10 inducing an immune response, a reaction, an effect, and/or an event. In some embodiments, such responses, reactions, effects, and/or events can be induced *in vitro* or *in vivo*, for example. Included among these embodiments are the induction, activation, or expansion of cells involved in cell mediated immunity, for example. One example of such cells is cytotoxic T lymphocytes (CTLs). A vaccine is one type of immunogenic composition. Another example of such a
 15 composition is one that induces, activates, or expands CTLs *in vitro*. Further examples include pharmaceutical compositions and the like.

Table 1A. SEQ ID NOS.* including epitopes in Examples 1-7, 13, 14.

SEQ ID NO	IDENTITY	SEQUENCE
1	Tyr 207-216	FLPWHRLFL
2	Tyrosinase protein	Accession number*: P14679
3	SSX-2 protein	Accession number: NP_003138
4	PSMA protein	Accession number: NP_004467
5	Tyrosinase cDNA	Accession number: NM_000372
6	SSX-2 cDNA	Accession number: NM_003147
7	PSMA cDNA	Accession number: NM_004476
8	Tyr 207-215	FLPWHRLFL
9	Tyr 208-216	LPWHRLFL
10	SSX-2 31-68	YFSKEEWEKMKASEKIFYVYMKRKYEAMTKLGF KATLP
11	SSX-2 32-40	FSKEEWEKM
12	SSX-2 39-47	KMKASEKIF
13	SSX-2 40-48	MKASEKIFY
14	SSX-2 39-48	KMKASEKIFY
15	SSX-2 41-49	KASEKIFYV
16	SSX-2 40-49	MKASEKIFYV
17	SSX-2 41-50	KASEKIFYVY
18	SSX-2 42-49	ASEKIFYVY
19	SSX-2 53-61	RKYEAMTKL
20	SSX-2 52-61	KRKYEAMTKL
21	SSX-2 54-63	KYEAMTKLGF
22	SSX-2 55-63	YEAMTKLGF
23	SSX-2 56-63	EAMTKLGF

SEQ ID NO	IDENTITY	SEQUENCE
24	HBV18-27	FLPSDYFPSV
25	HLA-B44 binder	AEMGKYSFY
26	SSX-1 41-49	KYSEKISYV
27	SSX-3 41-49	KVSEKIVYV
28	SSX-4 41-49	KSSEKIVYV
29	SSX-5 41-49	KASEKIVYV
30	PSMA163-192	AFSPQGMPEGDLVYVNYARTEDFFKLERDM
31	PSMA 168-190	GMPEGDLVYVNYARTEDFFKLER
32	PSMA 169-177	MPEGDLVYV
33	PSMA 168-177	GMPEGDLVYV
34	PSMA 168-176	GMPEGDLVY
35	PSMA 167-176	QGMPEGDLVY
36	PSMA 169-176	MPEGDLVY
37	PSMA 171-179	EGDLVYVNY
38	PSMA 170-179	PEGDLVYVNY
39	PSMA 174-183	LVYVNYARTE
40	PSMA 177-185	VNYARTEDF
41	PSMA 176-185	YVNYARTEDF
42	PSMA 178-186	NYARTEDF
43	PSMA 179-186	YARTEDF
44	PSMA 181-189	RTEDFFKLE
45	PSMA 281-310	RGIAEAVGLPSIPVHPIGYYDAQKLEKMG
46	PSMA 283-307	IAEAVGLPSIPVHPIGYYDAQKLE
47	PSMA 289-297	LPSIPVHPI
48	PSMA 288-297	GLPSIPVHPI
49	PSMA 297-305	IGYYDAQKL
50	PSMA 296-305	PIGYYDAQKL
51	PSMA 291-299	SIPVHPIGY
52	PSMA 290-299	PSIPVHPIGY
53	PSMA 292-299	IPVHPIGY
54	PSMA 299-307	YYDAQKLE
55	PSMA454-481	SSIEGNYTLRVDCTPLMYSLVHLTKEL
56	PSMA 456-464	IEGNYTLRV
57	PSMA 455-464	SIEGNYTLRV
58	PSMA 457-464	EGNYTLRV
59	PSMA 461-469	TLRVDCTPL
60	PSMA 460-469	YTLRVDCTPL
61	PSMA 462-470	LRVDCTPLM
62	PSMA 463-471	RVDCTPLMY
63	PSMA 462-471	LRVDCTPLMY
64	PSMA653-687	FDKSNPIVLRMMNDQLMFLERAFIDPLGLPDRPFY
65	PSMA 660-681	VLRMMNDQLMFLERAFIDPLGL
66	PSMA 663-671	MMNDQLMFL
67	PSMA 662-671	RMMNDQLMFL
68	PSMA 662-670	RMMNDQLMF
69	Tyr 1-17	MLLAVLYCLLWSFQ TSA
70	GP100 protein ²	Accession number: P40967
71	MAGE-1 protein	Accession number: P43355
72	MAGE-2 protein	Accession number: P43356

SEQ ID NO	IDENTITY	SEQUENCE
73	MAGE-3 protein	Accession number: P43357
74	NY-ESO-1 protein	Accession number: P78358
75	LAGE-1a protein	Accession number: CAA11116
76	LAGE-1b protein	Accession number: CAA11117
77	PRAME protein	Accession number: NP 006106
78	PSA protein	Accession number: P07288
79	PSCA protein	Accession number: O43653
80	GP100 cds	Accession number: U20093
81	MAGE-1 cds	Accession number: M77481
82	MAGE-2 cds	Accession number: L18920
83	MAGE-3 cds	Accession number: U03735
84	NY-ESO-1 cDNA	Accession number: U87459
85	PRAME cDNA	Accession number: NM 006115
86	PSA cDNA	Accession number: NM 001648
87	PSCA cDNA	Accession number: AF043498
88	CEA protein	Accession number: P06731
89	CEA cDNA	Accession number: NM 004363
90	Her2/Neu protein	Accession number: P04626
91	Her2/Neu cDNA	Accession number: M11730
92	SCP-1 protein	Accession number: Q15431
93	SCP-1 cDNA	Accession number: X95654
94	SSX-4 protein	Accession number: O60224
95	SSX-4 cDNA	Accession number: NM 005636
96	GAGE-1 protein	Accession number: Q13065
97	GAGE-1 cDNA	Accession number: U19142
98	Suvinin protein	Accession number: O15392
99	Survivin cDNA	Accession number: NM 001168
100	Melan-A protein	Accession number: Q16655
101	Melan-A cDNA	Accession number: U06452
102	BAGE protein	Accession number: Q13072
103	BAGE cDNA	Accession number: U19180
104	PSA 59-67	WVLTAAHCI
105	Glandular Kallikrein 1	Accession number: P06870
106	Elastase 2A	Accession number: P08217
107	Pancreatic elastase IIB	Accession number: NP_056933

Table 1B. SEQ ID NOS.* including epitopes in Examples 15-67.

SEQ ID NO	IDENTITY	SEQUENCE
108	Tyr 171-179	NIYDLFVWM
109	Tyr 173-182	YDLFVWMHY Y
110	Tyr 174-182	DLFVWMHY Y
111	Tyr 186-194	DALLGGSEI
112	Tyr 191-200	GSEIWRDIDF
113	Tyr 192-200	SEIWRDIDF
114	Tyr 193-201	EIWRDIDFA

SEQ ID NO	IDENTITY	SEQUENCE
115	Tyr 407-416	LQEVYPEANA
116	Tyr 409-418	EVYPEANAPI
117	Tyr 410-418	VYPEANAPI
118	Tyr 411-418	YPEANAPI
119	Tyr 411-420	YPEANAPIGH
120	Tyr 416-425	APIGHNRESY
121	Tyr 417-425	PIGHNRESY
122	Tyr 417-426	PIGHNRESYM
123	Tyr 416-425	APIGHNRESY
124	Tyr 417-425	PIGHNRESY
125	Tyr 423-430	ESYMPVFI
126	Tyr 423-432	ESYMPVFIPL
127	Tyr 424-432	SYMVPFIPL
128	Tyr 424-433	SYMVPFIPLY
129	Tyr 425-433	YMPVFIPLY
130	Tyr 426-434	MVPFIPLYR
131	Tyr 426-435	MVPFIPLYRN
132	Tyr 427-434	VPFIPLYR
133	Tyr 430-437	IPLYRNGD
134	Tyr 430-439	IPLYRNGDFF
135	Tyr 431-439	PLYRNGDFF
136	Tyr 431-440	PLYRNGDFFI
137	Tyr 434-443	RNGDFFISSK
138	Tyr 435-443	NGDFFISSK
139	Tyr 463-471	YIKSYLEQA
140	Tyr 466-474	SYLEQASRI
141	Tyr 469-478	EQASRIWSWL
142	Tyr 470-478	QASRIWSWL
143	Tyr 471-478	ASRIWSWL
144	Tyr 471-479	ASRIWSWLL
145	Tyr 473-481	RIWSWLLGA
146	CEA 92-100	GPAYSGREI
147	CEA 92-101	GPAYSGREII
148	CEA 93-100	PAYSGREI
149	CEA 93-101	PAYSGREII
150	CEA 93-102	PAYSGREIITY
151	CEA 94-102	AYSGREIITY
152	CEA 97-105	GREIITYPNA
153	CEA 98-107	REIITYPNASL
154	CEA 99-107	EIITYPNASL
155	CEA 99-108	EIITYPNASLL
156	CEA 100-107	IITYPNASL
157	CEA 100-108	IITYPNASLL
158	CEA 100-109	IITYPNASLLI
159	CEA 102-109	YPNASLLI
160	CEA 107-116	LLIQNIQND
161	CEA 132-141	EEATGQFRVY
162	CEA 133-141	EATGQFRVY
163	CEA 141-149	YPELPKPSI

SEQ ID NO	IDENTITY	SEQUENCE
164	CEA 142-149	PELPKPSI
165	CEA 225-233	RSDSVILNV
166	CEA 225-234	RSDSVILNVL
167	CEA 226-234	SDSVILNVL
168	CEA 226-235	SDSVILNVLY
169	CEA 227-235	DSVILNVLY
170	CEA 233-242	VLYGPDAPTI
171	CEA 234-242	LYGPDAPTI
172	CEA 235-242	YGPDAPTI
173	CEA 236-245	GPDAPTISPL
174	CEA 237-245	PDAPTISPL
175	CEA 238-245	DAPTISPL
176	CEA 239-247	APTISPLNT
177	CEA 240-249	PTISPLNTSY
178	CEA 241-249	TISPLNTSY
179	CEA 240-249	PTISPLNTSY
180	CEA 241-249	TISPLNTSY
181	CEA 246-255	NTSYRSGENL
182	CEA 247-255	TSYRSGENL
183	CEA 248-255	SYRSGENL
184	CEA 248-257	SYRSGENLNL
185	CEA 249-257	YRSGENLNL
186	CEA 251-259	SGENLNLSC
187	CEA 253-262	ENLNLSCHAA
188	CEA 254-262	NLNLSCHAA
189	CEA 260-269	HAASNPPAQY
190	CEA 261-269	AASNPPAQY
191	CEA 264-273	NPPAQYSWFV
192	CEA 265-273	PPAQYSWFV
193	CEA 266-273	PAQYSWFV
194	CEA 272-280	FVNGTFQQS
195	CEA 310-319	RTTVTTITVY
196	CEA 311-319	TTVTTITVY
197	CEA 319-327	YAEPPKPFI
198	CEA 319-328	YAEPPKPFIT
199	CEA 320-327	AEPPKPFI
200	CEA 321-328	EPPKPFIT
201	CEA 321-329	EPPKPFITS
202	CEA 322-329	PPKPFITS
203	CEA 382-391	SVTRNDVGPY
204	CEA 383-391	VTRNDVGPY
205	CEA 389-397	GPYECGIQN
206	CEA 391-399	YECGIQNEL
207	CEA 394-402	GIQNELSVD
208	CEA 403-411	HSDPVILNV
209	CEA 403-412	HSDPVILNVL
210	CEA 404-412	SDPVILNVL
211	CEA 404-413	SDPVILNVLY
212	CEA 405-412	DPVILNVL

SEQ ID NO	IDENTITY	SEQUENCE
213	CEA 405-413	DPVILNVLY
214	CEA 408-417	ILNVLYGPDD
215	CEA 411-420	VLYGPDDPTI
216	CEA 412-420	LYGPDDPTI
217	CEA 413-420	YGPDDPTI
218	CEA 417-425	DPTISPSYT
219	CEA 418-427	PTISPSYTTY
220	CEA 419-427	TISPSYTTY
221	CEA 418-427	PTISPSYTTY
222	CEA 419-427	TISPSYTTY
223	CEA 419-428	TISPSYTTYR
224	CEA 424-433	YTYRPGVNL
225	CEA 425-433	TYRPGVNL
226	CEA 426-433	YYRPGVNL
227	CEA 426-435	YYRPGVNL
228	CEA 427-435	YRPGVNL
229	CEA 428-435	RPGVNL
230	CEA 428-437	RPGVNL
231	CEA 430-438	GVNL
232	CEA 431-440	VNLS
233	CEA 432-440	NLS
234	CEA 438-447	HAASNPPAQY
235	CEA 439-447	AASNPPAQY
236	CEA 442-451	NPPAQY
237	CEA 443-451	PPAQY
238	CEA 444-451	PAQY
239	CEA 449-458	WLIDGNIQQH
240	CEA 450-458	LIDGNIQQH
241	CEA 450-459	LIDGNIQQHT
242	CEA 581-590	RSDPVTLDVL
243	CEA 582-590	SDPVTLDVL
244	CEA 582-591	SDPVTLDVLY
245	CEA 583-590	DPVTLDVL
246	CEA 583-591	DPVTLDVLY
247	CEA 588-597	DVLYGPDTP
248	CEA 589-597	VLYGPDTP
249	CEA 596-605	PIISPDPSSY
250	CEA 597-605	IISPDPSSY
251	CEA 597-606	IISPDPSSYL
252	CEA 599-606	SPPDPSSYL
253	CEA 600-608	PPDPSSYLSG
254	CEA 600-609	PPDPSSYLSGA
255	CEA 602-611	DSSYLSGANL
256	CEA 603-611	SSYLSGANL
257	CEA 604-613	SYLSGANL
258	CEA 605-613	YLSGANL
259	CEA 610-618	NLNLSCHSA
260	CEA 620-629	NPSQYSWRI
261	CEA 622-629	SPQYSWRI

SEQ ID NO	IDENTITY	SEQUENCE
262	CEA 627-635	WRINGIPQQ
263	CEA 628-636	RINGIPQOH
264	CEA 628-637	RINGIPQOHT
265	CEA 631-639	GIPOQHTQV
266	CEA 632-639	IPOQHTQV
267	CEA 644-653	KITPNNNGTY
268	CEA 645-653	ITPNNNGTY
269	CEA 647-656	PNNNGTYACF
270	CEA 648-656	NNNGTYACF
271	CEA 650-657	NGTYACFV
272	CEA 661-670	ATGRNNSIVK
273	CEA 662-670	TGRNNSIVK
274	CEA 664-672	RNNSIVKSI
275	CEA 666-674	NSIVKSITV
276	GAGE-1 7-16	STYRPRRRY
277	GAGE-1 8-16	TYRPRRRY
278	GAGE-1 10-18	RPRRRYVE
279	GAGE-1 16-23	YVEPPEMI
280	GAGE-1 22-31	MIGPMRPEQF
281	GAGE-1 23-31	IGPMRPEQF
282	GAGE-1 24-31	GPMRPEQF
283	GAGE-1 105-114	KTPEEEMRSH
284	GAGE-1 106-115	TPEEEMRSHY
285	GAGE-1 107-115	PEEEMRSHY
286	GAGE-1 110-119	EMRSHYVAQT
287	GAGE-1 113-121	SHYVAQTGI
288	GAGE-1 115-124	YVAQTGILWL
289	GAGE-1 116-124	VAQTGILWL
290	GAGE-1 116-125	VAQTGILWLL
291	GAGE-1 117-125	AQTGILWLL
292	GAGE-1 118-126	QTGILWLLM
293	GAGE-1 118-127	QTGILWLLMN
294	GAGE-1 120-129	GILWLLMNNC
295	GAGE-1 121-129	ILWLLMNNC
296	GAGE-1 124-131	LLMNNCFL
297	GAGE-1 123-131	WLLMNNCFL
298	GAGE-1 122-130	LWLLMNNCF
299	GAGE-1 121-130	ILWLLMNNCF
300	GAGE-1 121-129	ILWLLMNNC
301	GAGE-1 120-129	GILWLLMNNC
302	GAGE-1 118-127	QTGILWLLMN
303	GAGE-1 118-126	QTGILWLLM
304	GAGE-1 117-125	AQTGILWLL
305	GAGE-1 116-125	VAQTGILWLL
306	GAGE-1 116-124	VAQTGILWL
307	GAGE-1 115-124	YVAQTGILWL
308	GAGE-1 113-121	SHYVAQTGI
309	MAGE-1 62-70	SAFPTTINF
310	MAGE-1 61-70	ASAFPTTINF

SEQ ID NO	IDENTITY	SEQUENCE
311	MAGE-1 60-68	GASAFPTTI
312	MAGE-1 57-66	SPQGASAFPT
313	MAGE-1 144-151	FGKASESL
314	MAGE-1 143-151	IFGKASESL
315	MAGE-1 142-151	EIFGKASESL
316	MAGE-1 142-149	EIFGKASE
317	MAGE-1 133-140	IKNYKHCF
318	MAGE-1 132-140	VIKNYKHCF
319	MAGE-1 131-140	SVIKNYKHCF
320	MAGE-1 132-139	VIKNYKHC
321	MAGE-1 131-139	SVIKNYKHC
322	MAGE-1 128-136	MLESVIKNY
323	MAGE-1 127-136	EMLESVIKNY
324	MAGE-1 126-134	AEMLESVIK
325	MAGE-2 274-283	GPRALIETSY
326	MAGE-2 275-283	PRALIETSY
327	MAGE-2 276-284	RALIETSYV
328	MAGE-2 277-286	ALIETSYVKV
329	MAGE-2 278-286	LIETSYVKV
330	MAGE-2 278-287	LIETSYVKVL
331	MAGE-2 279-287	IETSYVKVL
332	MAGE-2 280-289	ETSYVKVLHH
333	MAGE-2 282-291	SYVKVLHHTL
334	MAGE-2 283-291	YVKVLHHTL
335	MAGE-2 285-293	KVLHHTLKI
336	MAGE-2 303-311	PLHERALRE
337	MAGE-2 302-309	PPLHERAL
338	MAGE-2 301-309	YPPLHERAL
339	MAGE-2 300-309	SYPPPLHERAL
340	MAGE-2 299-307	ISYPPLHER
341	MAGE-2 298-307	HISYPPLHER
342	MAGE-2 292-299	KIGGEPHI
343	MAGE-2 291-299	LKIGGEPHI
344	MAGE-2 290-299	TLKIGGEPHI
345	MAGE-3 303-311	PLHEWVLRE
346	MAGE-3 302-309	PPLHEWVL
347	MAGE-3 301-309	YPPLHEWVL
348	MAGE-3 301-308	YPPLHEWV
349	MAGE-3 300-308	SYPPPLHEWV
350	MAGE-3 299-308	ISYPPLHEWV
351	MAGE-3 298-307	HISYPPLHEW
352	MAGE-3 293-301	ISGGPHISY
353	MAGE-3 292-301	KISGGPHISY
354	Melan-A 45-54	CWYCRRRNGY
355	Melan-A 46-54	WYCRRRNGY
356	Melan-A 47-55	YCRRRNGYR
357	Melan-A 49-57	RRRNGYRAL
358	Melan-A 51-60	RNGYRALMDK
359	Melan-A 52-60	NGYRALMDK

SEQ ID NO	IDENTITY	SEQUENCE
360	Melan-A 55-63	RALMDKSLH
361	Melan-A 56-63	ALMDKSLH
362	Melan-A 55-64	RALMDKSLHV
363	Melan-A 56-64	ALMDKSLHV
364	PRAME 275-284	YISPEKEEQY
365	PRAME 276-284	ISPEKEEQY
366	PRAME 277-285	SPEKEEQYI
367	PRAME 278-285	PEKEEQYI
368	PRAME 279-288	EKEEQYIAQF
369	PRAME 280-288	KEEQYIAQF
370	PRAME 283-292	QYIAQFTSQF
371	PRAME 284-292	YIAQFTSQF
372	PRAME 284-293	YIAQFTSQFL
373	PRAME 285-293	IAQFTSQFL
374	PRAME 286-295	AQFTSQFLSL
375	PRAME 287-295	QFTSQFLSL
376	PRAME 290-298	SQFLSLQCL
377	PRAME 439-448	VLYPVPLESY
378	PRAME 440-448	LYPVPLESY
379	PRAME 446-455	ESYEDIHGTL
380	PRAME 448-457	YEDIHGTLHL
381	PRAME 449-457	EDIHGTLHL
382	PRAME 451-460	IHGTLHLERL
383	PRAME 454-463	TLHLERLAYL
384	PRAME 455-463	LHLERLAYL
385	PRAME 456-463	HLERLAYL
386	PRAME 456-465	HLERLAYLHA
387	PRAME 458-467	ERLAYLHARL
388	PRAME 459-467	RLAYLHARL
389	PRAME 459-468	RLAYLHARLR
390	PRAME 460-467	LAYLHARL
391	PRAME 460-468	LAYLHARLR
392	PRAME 461-470	AYLHARLREL
393	PRAME 462-470	YLHARLREL
394	PRAME 462-471	YLHARLRELL
395	PRAME 463-471	LHARLRELL
396	PRAME 464-471	HARLRELL
397	PRAME 464-472	HARLRELLC
398	PRAME 469-478	ELLCELGRPS
399	PRAME 470-478	LLCELGRPS
400	PSA 144-153	QEPALGTTCY
401	PSA 145-153	EPALGTTCY
402	PSA 162-171	PEEFLTPKKL
403	PSA 163-171	EEFLTPKKL
404	PSA 165-173	FLTPKKLQC
405	PSA 165-174	FLTPKKLQCV
406	PSA 166-174	LTPKKLQCV
407	PSA 167-174	TPKKLQCV
408	PSA 167-175	TPKKLQCVD

SEQ ID NO	IDENTITY	SEQUENCE
409	PSA 170-179	KLQCVDLHVI
410	PSA 171-179	LQCVDLHVI
411	PSCA 73-81	DSQDYVVGK
412	PSCA 74-82	SQDYVVGKK
413	PSCA 74-83	SQDYVVGKKN
414	PSCA 76-84	DYYVGGKNI
415	PSCA 77-84	YVVGKKNI
416	PSCA 78-86	YVGKKNITC
417	PSCA 78-87	YVGKKNITCC
418	PSMA 381-390	WVFGGIDPQS
419	PSMA 385-394	GIDPQSGAAV
420	PSMA 386-394	IDPQSGAAV
421	PSMA 387-394	DPQSGAAV
422	PSMA 387-395	DPQSGAAVV
423	PSMA 387-396	DPQSGAAVVH
424	PSMA 388-396	PQSGAAVVH
425	PSMA 389-398	QSGAAVVHEI
426	PSMA 390-398	SGAAVVHEI
427	PSMA 391-398	GAADVHEI
428	PSMA 391-399	GAADVHEIV
429	PSMA 392-399	AAVVHEIV
430	PSMA 597-605	CRDYAVVLR
431	PSMA 598-607	RDYAVVLRKY
432	PSMA 599-607	DYAVVLRKY
433	PSMA 600-607	YAVVLRKY
434	PSMA 602-611	VVLRKYADKI
435	PSMA 603-611	VLRKYADKI
436	PSMA 603-612	VLRKYADKIY
437	PSMA 604-611	LRKYADKI
438	PSMA 604-612	LRKYADKIY
439	PSMA 605-614	RKYADKIYSI
440	PSMA 606-614	KYADKIYSI
441	PSMA 607-614	YADKIYSI
442	PSMA 616-625	MKHPQEMKTY
443	PSMA 617-625	KHPQEMKTY
444	PSMA 618-627	HPQEMKTYSV
445	SCP-1 62-71	IDSDPALQKV
446	SCP-1 63-71	DSDPALQKV
447	SCP-1 67-76	ALQKVNFLPV
448	SCP-1 70-78	KVNFLPVLE
449	SCP-1 71-80	VNFLPVLEQV
450	SCP-1 72-80	NFLPVLEQV
451	SCP-1 75-84	PVLEQVGNSD
452	SCP-1 76-84	VLEQVGNSD
453	SCP-1 202-210	YEREETRQV
454	SCP-1 202-211	YEREETRQVY
455	SCP-1 203-211	EREETRQVY
456	SCP-1 203-212	EREETRQVYM
457	SCP-1 204-212	REETRQVYM

SEQ ID NO	IDENTITY	SEQUENCE
458	SCP-1 211-220	YMDLNSNIEK
459	SCP-1 213-221	DLNSNIEKM
460	SCP-1 216-226	SNIEKMITAF
461	SCP-1 217-225	NIEKMITAF
462	SCP-1 218-225	IEKMITAF
463	SCP-1 397-406	RLENYEDQLI
464	SCP-1 398-406	LENYEDQLI
465	SCP-1 398-407	LENYEDQLII
466	SCP-1 399-407	ENYEDQLII
467	SCP-1 399-408	ENYEDQLIIL
468	SCP-1 400-408	NYEDQLIIL
469	SCP-1 400-409	NYEDQLIILT
470	SCP-1 401-409	YEDQLIILT
471	SCP-1 401-410	YEDQLIILTM
472	SCP-1 402-410	EDQLIILTM
473	SCP-1 406-415	IILTMELQKT
474	SCP-1 407-415	ILTMELQKT
475	SCP-1 424-432	KLTNNKEVE
476	SCP-1 424-433	KLTNNKEVEL
477	SCP-1 425-433	LTNNKEVEL
478	SCP-1 429-438	KEVELEELKK
479	SCP-1 430-438	EVELEELKK
480	SCP-1 430-439	EVELEELKKV
481	SCP-1 431-439	VELEELKKV
482	SCP-1 530-539	ETSDMTLELK
483	SCP-1 531-539	TSDMTLELK
484	SCP-1 548-556	NKKQEERML
485	SCP-1 553-562	ERMLTQIENL
486	SCP-1 554-562	RMLTQIENL
487	SCP-1 555-562	MLTQIENL
488	SCP-1 555-564	MLTQIENLQE
489	SCP-1 560-569	ENLQETETQL
490	SCP-1 561-569	NLQETETQL
491	SCP-1 561-570	NLQETETQLR
492	SCP-1 567-576	TQLRNELEYV
493	SCP-1 568-576	QLRNELEYV
494	SCP-1 571-580	NELEYVREEL
495	SCP-1 572-580	ELEYVREEL
496	SCP-1 573-580	LEYVREEL
497	SCP-1 574-583	EYVREELKQK
498	SCP-1 575-583	YVREELKQK
499	SCP-1 675-684	LLEEVEKAKV
500	SCP-1 676-684	LEEVEKAKV
501	SCP-1 676-685	LEEVEKAKVI
502	SCP-1 677-685	EEVEKAKVI
503	SCP-1 681-690	KAKVIADAV
504	SCP-1 683-692	KVIADAVKL
505	SCP-1 684-692	VIADAVKL
506	SCP-1 685-692	IADAVKL

SEQ ID NO	IDENTITY	SEQUENCE
507	SCP-1 694-702	KEIDKRCQH
508	SCP-1 694-703	KEIDKRCQHK
509	SCP-1 695-703	EIDKRCQHK
510	SCP-1 695-704	EIDKRCQHKI
511	SCP-1 696-704	IDKRCQHKI
512	SCP-1 697-704	DKRCQHKI
513	SCP-1 698-706	KRCQHKIAE
514	SCP-1 698-707	KRCQHKIAEM
515	SCP-1 699-707	RCQHKIAEM
516	SCP-1 701-710	QHKAEMVAL
517	SCP-1 702-710	HKIAEMVAL
518	SCP-1 703-710	KIAEMVAL
519	SCP-1 737-746	QEQSSLRASL
520	SCP-1 738-746	EQSSLRASL
521	SCP-1 739-746	QSSLRASL
522	SCP-1 741-750	SLRASLEIEL
523	SCP-1 742-750	LRASLEIEL
524	SCP-1 743-750	RASLEIEL
525	SCP-1 744-753	ASLEIELSNL
526	SCP-1 745-753	SLEIELSNL
527	SCP-1 745-754	SLEIELSNLK
528	SCP-1 746-754	LEIELSNLK
529	SCP-1 747-755	EIELSNLKA
530	SCP-1 749-758	ELSNLKAELL
531	SCP-1 750-758	LSNLKAELL
532	SCP-1 751-760	SNLKAELLSV
533	SCP-1 752-760	NLKAELLSV
534	SCP-1 752-761	NLKAELLSVK
535	SCP-1 753-761	LKAELLSVK
536	SCP-1 753-762	LKAELLSVKK
537	SCP-1 754-762	KAELLSVKK
538	SCP-1 755-763	AELLSVKKQ
539	SCP-1 787-796	EKKDKKTQTF
540	SCP-1 788-796	KKDKKTQTF
541	SCP-1 789-796	KDKKTQTF
542	SCP-1 797-806	LLETPDIYWK
543	SCP-1 798-806	LETPDIYWK
544	SCP-1 798-807	LETPDIYWKL
545	SCP-1 799-807	ETPDIYWKL
546	SCP-1 800-807	TPDIYWKL
547	SCP-1 809-817	SKAVPSQTV
548	SCP-1 810-817	KAVPSQTV
549	SCP-1 812-821	VPSQTVSRNF
550	SCP-1 815-824	QTVSRNFTSV
551	SCP-1 816-824	TVSRNFTSV
552	SCP-1 816-825	TVSRNFTSVD
553	SCP-1 823-832	SVDHGISKDK
554	SCP-1 829-838	SKDKRDYLWT
555	SCP-1 832-840	KRDYLTWSA

SEQ ID NO	IDENTITY	SEQUENCE
556	SCP-1 832-841	KRDYLWTS AK
557	SCP-1 833-841	RDYLWTS AK
558	SCP-1 835-843	YLWTS AKNT
559	SCP-1 835-844	YLWTS AKNTL
560	SCP-1 837-844	WTS AKNTL
561	SCP-1 841-850	KNTLSTPLPK
562	SCP-1 842-850	NTLSTPLPK
563	SCP-1 832-840	KRDYLWTS A
564	SCP-1 832-841	KRDYLWTS AK
565	SCP-1 833-841	RDYLWTS AK
566	SCP-1 835-843	YLWTS AKNT
567	SCP-1 839-846	SAKNTLST
568	SCP-1 841-850	KNTLSTPLPK
569	SCP-1 842-850	NTLSTPLPK
570	SCP-1 843-852	TLSTPLPKAY
571	SCP-1 844-852	LSTPLPKAY
572	SSX-2 5-12	DAFARRPT
573	SSX-2 7-15	FARRPTVGA
574	SSX-2 8-17	ARRPTVGAQI
575	SSX-2 9-17	RRPTVGAQI
576	SSX-2 10-17	RPTVGAQI
577	SSX-2 13-21	VGAQIPEKI
578	SSX-2 14-21	GAQIPEKI
579	SSX-2 15-24	AQIPEKIQKA
580	SSX-2 16-24	QIPEKIQKA
581	SSX-2 16-25	QIPEKIQKAF
582	SSX-2 17-24	IPEKIQKA
583	SSX-2 17-25	IPEKIQKAF
584	SSX-2 18-25	PEKIQKAF
585	Survivin 116-124	ETNNKKKEF
586	Survivin 117-124	TNNKKKEF
587	Survivin 122-131	KEFEETAKKV
588	Survivin 123-131	EFEETAKKV
589	Survivin 127-134	TAKKVRRRA
590	Survivin 126-134	ETAKKVRRRA
591	Survivin 128-136	AKKVRRRAIE
592	Survivin 129-138	KKVRRRAIEQL
593	Survivin 130-138	KVRRRAIEQL
594	Survivin 130-139	KVRRRAIEQLA
595	Survivin 131-138	VRRAIEQL
596	BAGE 24-31	SPVVS WRL
597	BAGE 21-29	KEESP VVS W
598	BAGE 19-27	LMKEESP VV
599	BAGE 18-27	RLMKEESP VV
600	BAGE 18-26	RLMKEESP V
601	BAGE 14-22	LLQARLMKE
602	BAGE 13-22	QLLQARLMKE
603	Survivin 13-28	FLKDHRISTFKNWPFL
604	Survivin 79-111	KHSSGCAFLSVKKQFEELTLGEFLKLDRE RAKN

SEQ ID NO	IDENTITY	SEQUENCE
605	Survivin 130-141	KVRRRAIEQLAAM
606	GAGE-1 116-133	VAQTGILWLLMNNCFNL
607	BAGE 7-17	FLALSAQLLQA
608	BAGE 18-27	RLMKEESPVV
609	BAGE 2-27	AARAVFLALSAQLLQARLMKEESPVV
610	BAGE 30-39	RLEPEDGTAL

*Any of SEQ ID NOS. 108-602 can be useful as epitopes in any of the various embodiments of the invention. Any of SEQ ID NOS. 603-610 can be useful as sequences containing epitopes or epitope clusters, as described in various embodiments of the invention.

**All accession numbers used here and throughout can be accessed through the NCBI databases, for example, through the Entrez seek and retrieval system on the world wide web.

Note that the following discussion sets forth the inventors' understanding of the operation of the invention. However, it is not intended that this discussion limit the patent to any particular theory of operation not set forth in the claims.

In pursuing the development of epitope vaccines others have generated lists of predicted epitopes based on MHC binding motifs. Such peptides can be immunogenic, but may not correspond to any naturally produced antigenic fragment. Therefore, whole antigen will not elicit a similar response or sensitize a target cell to cytolysis by CTL. Therefore such lists do not differentiate between those sequences that can be useful as vaccines and those that cannot. Efforts to determine which of these predicted epitopes are in fact naturally produced have often relied on screening their reactivity with tumor infiltrating lymphocytes (TIL). However, TIL are strongly biased to recognize immune epitopes whereas tumors (and chronically infected cells) will generally present housekeeping epitopes. Thus, unless the epitope is produced by both the housekeeping and immuno- proteasomes, the target cell will generally not be recognized by CTL induced with TIL-identified epitopes. The epitopes of the present invention, in contrast, are generated by the action of a specified proteasome, indicating that they can be naturally produced, and enabling their appropriate use. The importance of the distinction between housekeeping and immune epitopes to vaccine design is more fully set forth in PCT publication WO 01/82963A2. The teachings and embodiments disclosed in said PCT publication are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

The epitopes of the invention include or encode polypeptide fragments of TAAs that are precursors or products of proteasomal cleavage by a housekeeping or immune proteasome, and that contain or consist of a sequence having a known or predicted affinity for at least one allele of MHC I. In some embodiments, the epitopes include or encode a polypeptide of about 6 to 25 amino acids in length, preferably about 7 to 20 amino acids in length, more preferably about 8 to 15 amino acids in length, and still more preferably 9 or 10 amino acids in length. However, it is understood that the polypeptides can be larger as long as N-terminal trimming can produce the MHC epitope or that

they do not contain sequences that cause the polypeptides to be directed away from the proteasome or to be destroyed by the proteasome. For immune epitopes, if the larger peptides do not contain such sequences, they can be processed in the pAPC by the immune proteasome. Housekeeping epitopes may also be embedded in longer sequences provided that the sequence is adapted to facilitate liberation of the epitope's C-terminus by action of the immunoproteasome. The foregoing discussion has assumed that processing of longer epitopes proceeds through action of the immunoproteasome of the pAPC. However, processing can also be accomplished through the contrivance of some other mechanism, such as providing an exogenous protease activity and a sequence adapted so that action of the protease liberates the MHC epitope. The sequences of these epitopes can be subjected to computer analysis in order to calculate physical, biochemical, immunologic, or molecular genetic properties such as mass, isoelectric point, predicted mobility in electrophoresis, predicted binding to other MHC molecules, melting temperature of nucleic acid probes, reverse translations, similarity or homology to other sequences, and the like.

In constructing the polynucleotides encoding the polypeptide epitopes of the invention, the gene sequence of the associated TAA can be used, or the polynucleotide can be assembled from any of the corresponding codons. For a 10 amino acid epitope this can constitute on the order of 10^6 different sequences, depending on the particular amino acid composition. While large, this is a distinct and readily definable set representing a miniscule fraction of the $>10^{18}$ possible polynucleotides of this length, and thus in some embodiments, equivalents of a particular sequence disclosed herein encompass such distinct and readily definable variations on the listed sequence. In choosing a particular one of these sequences to use in a vaccine, considerations such as codon usage, self-complementarity, restriction sites, chemical stability, etc. can be used as will be apparent to one skilled in the art.

The invention contemplates producing peptide epitopes. Specifically these epitopes are derived from the sequence of a TAA, and have known or predicted affinity for at least one allele of MHC I. Such epitopes are typically identical to those produced on target cells or pAPCs.

Compositions Containing Active Epitopes

Embodiments of the present invention provide polypeptide compositions, including vaccines, therapeutics, diagnostics, pharmacological and pharmaceutical compositions. The various compositions include newly identified epitopes of TAAs, as well as variants of these epitopes. Other embodiments of the invention provide polynucleotides encoding the polypeptide epitopes of the invention. The invention further provides vectors for expression of the polypeptide epitopes for purification. In addition, the invention provides vectors for the expression of the polypeptide epitopes in an APC for use as an anti-tumor vaccine. Any of the epitopes or antigens, or nucleic acids encoding the same, from Table 1 can be used. Other embodiments relate to methods of making and using the various compositions.

A general architecture for a class I MHC-binding epitope can be described, and has been reviewed more extensively in Madden, D.R. *Annu. Rev. Immunol.* 13:587-622, 1995. Much of the binding energy arises from main chain contacts between conserved residues in the MHC molecule and the N- and C-termini of the peptide. Additional main chain contacts are made but vary among MHC alleles. Sequence specificity is conferred by side chain contacts of so-called anchor residues with pockets that, again, vary among MHC alleles. Anchor residues can be divided into primary and secondary. Primary anchor positions exhibit strong preferences for relatively well-defined sets of amino acid residues. Secondary positions show weaker and/or less well-defined preferences that can often be better described in terms of less favored, rather than more favored, residues. Additionally, residues in some secondary anchor positions are not always positioned to contact the pocket on the MHC molecule at all. Thus, a subset of peptides exists that bind to a particular MHC molecule and have a side chain-pocket contact at the position in question and another subset exists that show binding to the same MHC molecule that does not depend on the conformation the peptide assumes in the peptide-binding groove of the MHC molecule. The C-terminal residue (P Ω ; omega) is preferably a primary anchor residue. For many of the better studied HLA molecules (e.g. A2, A68, B27, B7, B35, and B53) the second position (P2) is also an anchor residue. However, central anchor residues have also been observed including P3 and P5 in HLA-B8, as well as P5 and P Ω (omega)-3 in the murine MHC molecules H-2D^b and H-2K^b, respectively. Since more stable binding will generally improve immunogenicity, anchor residues are preferably conserved or optimized in the design of variants, regardless of their position.

Because the anchor residues are generally located near the ends of the epitope, the peptide can buckle upward out of the peptide-binding groove allowing some variation in length. Epitopes ranging from 8-11 amino acids have been found for HLA-A68, and up to 13 amino acids for HLA-A2. In addition to length variation between the anchor positions, single residue truncations and extensions have been reported and the N- and C-termini, respectively. Of the non-anchor residues, some point up out of the groove, making no contact with the MHC molecule but being available to contact the TCR, very often P1, P4, and P Ω (omega)-1 for HLA-A2. Others of the non-anchor residues can become interposed between the upper edges of the peptide-binding groove and the TCR, contacting both. The exact positioning of these side chain residues, and thus their effects on binding, MHC fine conformation, and ultimately immunogenicity, are highly sequence dependent. For an epitope to be highly immunogenic it must not only promote stable enough TCR binding for activation to occur, but the TCR must also have a high enough off-rate that multiple TCR molecules can interact sequentially with the same peptide-MHC complex (Kalergis, A.M. et al., *Nature Immunol.* 2:229-234, 2001). Thus, without further information about the ternary complex, both conservative and non-conservative substitutions at these positions merit consideration when designing variants.

The polypeptide epitope variants can be made, for example, using any of the techniques and guidelines for conservative and non-conservative mutations. Variants can be derived from substitution, deletion or insertion of one or more amino acids as compared with the native sequence. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a threonine with a serine, for example. Such replacements are referred to as conservative amino acid replacements, and all appropriate conservative amino acid replacements are considered to be embodiments of one invention. Insertions or deletions can optionally be in the range of about 1 to 4, preferably 1 to 2, amino acids. It is generally preferable to maintain the "anchor positions" of the peptide which are responsible for binding to the MHC molecule in question. Indeed, immunogenicity of peptides can be improved in many cases by substituting more preferred residues at the anchor positions (Franco, et al., *Nature Immunology*, 1(2):145-150, 2000). Immunogenicity of a peptide can also often be improved by substituting bulkier amino acids for small amino acids found in non-anchor positions while maintaining sufficient cross-reactivity with the original epitope to constitute a useful vaccine. The variation allowed can be determined by routine insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the polypeptide epitope. Because the polypeptide epitope is often 9 amino acids, the substitutions preferably are made to the shortest active epitope, for example, an epitope of 9 amino acids.

Variants can also be made by adding any sequence onto the N-terminus of the polypeptide epitope variant. Such N-terminal additions can be from 1 amino acid up to at least 25 amino acids. Because peptide epitopes are often trimmed by N-terminal exopeptidases active in the pAPC, it is understood that variations in the added sequence can have no effect on the activity of the epitope. In preferred embodiments, the amino acid residues between the last upstream proteasomal cleavage site and the N-terminus of the MHC epitope do not include a proline residue. Serwold, T. et al., *Nature Immunol.* 2:644-651, 2001. Accordingly, effective epitopes can be generated from precursors larger than the preferred 9-mer class I motif.

Generally, peptides are useful to the extent that they correspond to epitopes actually displayed by MHC I on the surface of a target cell or a pACP. A single peptide can have varying affinities for different MHC molecules, binding some well, others adequately, and still others not appreciably (Table 2). MHC alleles have traditionally been grouped according to serologic reactivity which does not reflect the structure of the peptide-binding groove, which can differ among different alleles of the same type. Similarly, binding properties can be shared across types; groups based on shared binding properties have been termed supertypes. There are numerous alleles of MHC I in the human population; epitopes specific to certain alleles can be selected based on the genotype of the patient.

Table 2.

Predicted Binding of Tyrosinase₂₀₇₋₂₁₆ (SEQ ID NO. 1) to Various MHC types

MHC I type	*Half time of dissociation (min)
A1	0.05
A*0201	1311.
A*0205	50.4
A3	2.7
A*1101 (part of the A3 supertype)	0.012
A24	6.0
B7	4.0
B8	8.0
B14 (part of the B27 supertype)	60.0
B*2702	0.9
B*2705	30.0
B*3501 (part of the B7 supertype)	2.0
B*4403	0.1
B*5101 (part of the B7 supertype)	26.0
B*5102	55.0
B*5801	0.20
B60	0.40
B62	2.0

5 *HLA Peptide Binding Predictions (world wide web hypertext transfer protocol "access at bimas.dcrf.nih.gov/molbio/hla_bin").

10 In further embodiments of the invention, the epitope, as peptide or encoding polynucleotide, can be administered as a pharmaceutical composition, such as, for example, a vaccine or an immunogenic composition, alone or in combination with various adjuvants, carriers, or excipients. It should be noted that although the term vaccine may be used throughout the discussion herein, the concepts can be applied and used with any other pharmaceutical composition, including those mentioned herein. Particularly advantageous adjuvants include various cytokines and oligonucleotides containing immunostimulatory sequences (as set forth in greater detail in the co-pending applications referenced herein). Additionally the polynucleotide encoded epitope can be contained in a virus (e.g. *vaccinia* or adenovirus) or in a microbial host cell (e.g. *Salmonella* or *Listeria monocytogenes*) which is then used as a vector for the polynucleotide (Dietrich, G. et al. Nat. Biotech. 16:181-185, 1998). Alternatively a pAPC can be transformed, *ex vivo*, to express the epitope, or pulsed with peptide epitope, to be itself administered as a vaccine. To increase efficiency of these processes, the encoded epitope can be carried by a viral or bacterial vector, or complexed with a ligand of a receptor found on pAPC. Similarly the peptide epitope can be complexed with or conjugated to a pAPC ligand. A vaccine can be composed of more than a single epitope.

20 Particularly advantageous strategies for incorporating epitopes and/or epitope clusters, into a vaccine or pharmaceutical composition are disclosed in PCT Publication WO 01/82963 and U.S.

Patent Application No. 09/560,465 entitled "EPITOPE SYNCHRONIZATION IN ANTIGEN PRESENTING CELLS," filed on April 28, 2000. The teaching and embodiments disclosed in said PCT publication are contemplated as supporting principals and embodiments related to and useful in connection with the present invention. Epitope clusters for use in connection with this invention
5 are disclosed in PCT Publication WO 01/82963 and U.S. Patent Application No. 09/561,571 entitled "EPITOPE CLUSTERS," filed on April 28, 2000. The teaching and embodiments disclosed in said PCT publication are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

Preferred embodiments of the present invention are directed to vaccines and methods for
10 causing a pAPC or population of pAPCs to present housekeeping epitopes that correspond to the epitopes displayed on a particular target cell. Any of the epitopes or antigens in Table 1, can be used for example. In one embodiment, the housekeeping epitope is a TuAA epitope processed by the housekeeping proteasome of a particular tumor type. In another embodiment, the housekeeping epitope is a virus-associated epitope processed by the housekeeping proteasome of a cell infected
15 with a virus. This facilitates a specific T cell response to the target cells. Concurrent expression by the pAPCs of multiple epitopes, corresponding to different induction states (pre- and post-attack), can drive a CTL response effective against target cells as they display either housekeeping epitopes or immune epitopes.

By having both housekeeping and immune epitopes present on the pAPC, this embodiment
20 can optimize the cytotoxic T cell response to a target cell. With dual epitope expression, the pAPCs can continue to sustain a CTL response to the immune-type epitope when the tumor cell switches from the housekeeping proteasome to the immune proteasome with induction by IFN, which, for example, may be produced by tumor-infiltrating CTLs.

In a preferred embodiment, immunization of a patient is with a vaccine that includes a
25 housekeeping epitope. Many preferred TAAs are associated exclusively with a target cell, particularly in the case of infected cells. In another embodiment, many preferred TAAs are the result of deregulated gene expression in transformed cells, but are found also in tissues of the testis, ovaries and fetus. In another embodiment, useful TAAs are expressed at higher levels in the target cell than in other cells. In still other embodiments, TAAs are not differentially expressed in the
30 target cell compare to other cells, but are still useful since they are involved in a particular function of the cell and differentiate the target cell from most other peripheral cells; in such embodiments, healthy cells also displaying the TAA may be collaterally attacked by the induced T cell response, but such collateral damage is considered to be far preferable to the condition caused by the target cell.

35 The vaccine contains a housekeeping epitope in a concentration effective to cause a pAPC or populations of pAPCs to display housekeeping epitopes. Advantageously, the vaccine can

include a plurality of housekeeping epitopes or one or more housekeeping epitopes optionally in combination with one or more immune epitopes. Formulations of the vaccine contain peptides and/or nucleic acids in a concentration sufficient to cause pAPCs to present the epitopes. The formulations preferably contain epitopes in a total concentration of about 1 μ g-1mg/100 μ l of vaccine preparation. Conventional dosages and dosing for peptide vaccines and/or nucleic acid vaccines can be used with the present invention, and such dosing regimens are well understood in the art. In one embodiment, a single dosage for an adult human may advantageously be from about 1 to about 5000 μ l of such a composition, administered one time or multiple times, e.g., in 2, 3, 4 or more dosages separated by 1 week, 2 weeks, 1 month, or more. insulin pump delivers 1 ul per hour (lowest frequency) ref intranodal method patent.

The compositions and methods of the invention disclosed herein further contemplate incorporating adjuvants into the formulations in order to enhance the performance of the vaccines. Specifically, the addition of adjuvants to the formulations is designed to enhance the delivery or uptake of the epitopes by the pAPCs. The adjuvants contemplated by the present invention are known by those of skill in the art and include, for example, GMCSF, GCSF, IL-2, IL-12, BCG, tetanus toxoid, osteopontin, and ETA-1.

In some embodiments of the invention, the vaccines can include a recombinant organism, such as a virus, bacterium or parasite, genetically engineered to express an epitope in a host. For example, *Listeria monocytogenes*, a gram-positive, facultative intracellular bacterium, is a potent vector for targeting TuAAs to the immune system. In a preferred embodiment, this vector can be engineered to express a housekeeping epitope to induce therapeutic responses. The normal route of infection of this organism is through the gut and can be delivered orally. In another embodiment, an adenovirus (Ad) vector encoding a housekeeping epitope for a TuAA can be used to induce anti-virus or anti-tumor responses. Bone marrow-derived dendritic cells can be transduced with the virus construct and then injected, or the virus can be delivered directly via subcutaneous injection into an animal to induce potent T-cell responses. Another embodiment employs a recombinant vaccinia virus engineered to encode amino acid sequences corresponding to a housekeeping epitope for a TAA. Vaccinia viruses carrying constructs with the appropriate nucleotide substitutions in the form of a minigene construct can direct the expression of a housekeeping epitope, leading to a therapeutic T cell response against the epitope.

The immunization with DNA requires that APCs take up the DNA and express the encoded proteins or peptides. It is possible to encode a discrete class I peptide on the DNA. By immunizing with this construct, APCs can be caused to express a housekeeping epitope, which is then displayed on class I MHC on the surface of the cell for stimulating an appropriate CTL response. Constructs generally relying on termination of translation or non-proteasomal proteases for generation of proper termini of housekeeping epitopes have been described in PCT Publication

WO 01/82963 and U.S. Patent application No. 09/561,572 entitled EXPRESSION VECTORS ENCODING EPITOPES OF TARGET-ASSOCIATED ANTIGENS, filed on April 28, 2000. The teaching and embodiments disclosed in said PCT publication are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

5 As mentioned, it can be desirable to express housekeeping peptides in the context of a larger protein. Processing can be detected even when a small number of amino acids are present beyond the terminus of an epitope. Small peptide hormones are usually proteolytically processed from longer translation products, often in the size range of approximately 60-120 amino acids. This fact has led some to assume that this is the minimum size that can be efficiently translated. In
10 some embodiments, the housekeeping peptide can be embedded in a translation product of at least about 60 amino acids. In other embodiments the housekeeping peptide can be embedded in a translation product of at least about 50, 30, or 15 amino acids.

Due to differential proteasomal processing, the immune proteasome of the pAPC produces peptides that are different from those produced by the housekeeping proteasome in peripheral body
15 cells. Thus, in expressing a housekeeping peptide in the context of a larger protein, it is preferably expressed in the APC in a context other than its full length native sequence, because, as a housekeeping epitope, it is generally only efficiently processed from the native protein by the housekeeping proteasome, which is not active in the APC. In order to encode the housekeeping epitope in a DNA sequence encoding a larger protein, it is useful to find flanking areas on either
20 side of the sequence encoding the epitope that permit appropriate cleavage by the immune proteasome in order to liberate that housekeeping epitope. Altering flanking amino acid residues at the N-terminus and C-terminus of the desired housekeeping epitope can facilitate appropriate cleavage and generation of the housekeeping epitope in the APC. Sequences embedding housekeeping epitopes can be designed *de novo* and screened to determine which can be
25 successfully processed by immune proteasomes to liberate housekeeping epitopes.

Alternatively, another strategy is very effective for identifying sequences allowing production of housekeeping epitopes in APC. A contiguous sequence of amino acids can be generated from head to tail arrangement of one or more housekeeping epitopes. A construct expressing this sequence is used to immunize an animal, and the resulting T cell response is
30 evaluated to determine its specificity to one or more of the epitopes in the array. By definition, these immune responses indicate housekeeping epitopes that are processed in the pAPC effectively. The necessary flanking areas around this epitope are thereby defined. The use of flanking regions of about 4-6 amino acids on either side of the desired peptide can provide the necessary information to facilitate proteasome processing of the housekeeping epitope by the immune
35 proteasome. Therefore, a sequence ensuring epitope synchronization of approximately 16-22 amino acids can be inserted into, or fused to, any protein sequence effectively to result in that

housekeeping epitope being produced in an APC. In alternate embodiments the whole head-to-tail array of epitopes, or just the epitopes immediately adjacent to the correctly processed housekeeping epitope can be similarly transferred from a test construct to a vaccine vector.

In a preferred embodiment, the housekeeping epitopes can be embedded between known
5 immune epitopes, or segments of such, thereby providing an appropriate context for processing. The abutment of housekeeping and immune epitopes can generate the necessary context to enable the immune proteasome to liberate the housekeeping epitope, or a larger fragment, preferably including a correct C-terminus. It can be useful to screen constructs to verify that the desired epitope is produced. The abutment of housekeeping epitopes can generate a site cleavable by the
10 immune proteasome. Some embodiments of the invention employ known epitopes to flank housekeeping epitopes in test substrates; in others, screening as described below are used whether the flanking regions are arbitrary sequences or mutants of the natural flanking sequence, and whether or not knowledge of proteasomal cleavage preferences are used in designing the substrates.

15 Cleavage at the mature N-terminus of the epitope, while advantageous, is not required, since a variety of N-terminal trimming activities exist in the cell that can generate the mature N-terminus of the epitope subsequent to proteasomal processing. It is preferred that such N-terminal extension be less than about 25 amino acids in length and it is further preferred that the extension have few or no proline residues. Preferably, in screening, consideration is given not only to
20 cleavage at the ends of the epitope (or at least at its C-terminus), but consideration also can be given to ensure limited cleavage within the epitope.

Shotgun approaches can be used in designing test substrates and can increase the efficiency of screening. In one embodiment multiple epitopes can be assembled one after the other, with individual epitopes possibly appearing more than once. The substrate can be screened to determine
25 which epitopes can be produced. In the case where a particular epitope is of concern a substrate can be designed in which it appears in multiple different contexts. When a single epitope appearing in more than one context is liberated from the substrate additional secondary test substrates, in which individual instances of the epitope are removed, disabled, or are unique, can be used to determine which are being liberated and truly constitute sequences ensuring epitope synchronization.

30 Several readily practicable screens exist. A preferred *in vitro* screen utilizes proteasomal digestion analysis, using purified immune proteasomes, to determine if the desired housekeeping epitope can be liberated from a synthetic peptide embodying the sequence in question. The position of the cleavages obtained can be determined by techniques such as mass spectrometry, HPLC, and N-terminal pool sequencing; as described in greater detail in U. S. Patent Applications entitled
35 METHOD OF EPITOPE DISCOVERY, EPITOPE SYNCHRONIZATION IN ANTIGEN

PRESENTING CELLS, PCT Publication, U.S. applications and Provisional U. S. Patent Applications entitled EPITOPE SEQUENCES.

Alternatively, *in vivo* screens such as immunization or target sensitization can be employed. For immunization a nucleic acid construct capable of expressing the sequence in question is used. Harvested CTL can be tested for their ability to recognize target cells presenting the housekeeping epitope in question. Such targets cells are most readily obtained by pulsing cells expressing the appropriate MHC molecule with synthetic peptide embodying the mature housekeeping epitope. Alternatively, cells known to express housekeeping proteasome and the antigen from which the housekeeping epitope is derived, either endogenously or through genetic engineering, can be used. To use target sensitization as a screen, CTL, or preferably a CTL clone, that recognizes the housekeeping epitope can be used. In this case it is the target cell that expresses the embedded housekeeping epitope (instead of the pAPC during immunization) and it must express immune proteasome. Generally, the target cell can be transformed with an appropriate nucleic acid construct to confer expression of the embedded housekeeping epitope. Loading with a synthetic peptide embodying the embedded epitope using peptide loaded liposomes or a protein transfer reagent such as BIOPORTER™ (Gene Therapy Systems, San Diego, CA) represents an alternative.

Additional guidance on nucleic acid constructs useful as vaccines in accordance with the present invention are disclosed in WO 01/82963 and U.S. Patent Application No. 09/561,572 entitled "EXPRESSION VECTORS ENCODING EPITOPES OF TARGET-ASSOCIATED ANTIGENS," filed on April 28, 2000. Further, expression vectors and methods for their design, which are useful in accordance with the present invention are disclosed in PCT Publication WO 03/063770; U.S. Patent Application No. 10/292,413, filed on November 7, 2002; and U.S. Provisional Application No. 60/336,968 (attorney docket number CTLIMM.022PR) entitled "EXPRESSION VECTORS ENCODING EPITOPES OF TARGET-ASSOCIATED ANTIGENS AND METHODS FOR THEIR DESIGN," filed on 11/7/2001. The teaching and embodiments disclosed in said PCT publications are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

A preferred embodiment of the present invention includes a method of administering a vaccine including an epitope (or epitopes) to induce a therapeutic immune response. The vaccine is administered to a patient in a manner consistent with the standard vaccine delivery protocols that are known in the art. Methods of administering epitopes of TAAs including, without limitation, transdermal, intranodal, perinodal, oral, intravenous, intradermal, intramuscular, intraperitoneal, and mucosal administration, including delivery by injection, instillation or inhalation. A particularly useful method of vaccine delivery to elicit a CTL response is disclosed in Australian Patent No. 739189 issued January 17, 2002; PCT Publication No. WO 099/02183; U.S. Patent

Application No. 09/380,534, filed on September 1, 1999; a Continuation-in-Part thereof U.S. Patent Application No. 09/776,232 both entitled "A METHOD OF INDUCING A CTL RESPONSE," filed on February 2, 2001, published as 20020007173; and PCT Publication No. WO 02/062368. The teachings and embodiments disclosed in said publications and applications are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

Reagents Recognizing Epitopes

In another aspect of the invention, proteins with binding specificity for the epitope and/or the epitope-MHC molecule complex are contemplated, as well as the isolated cells by which they can be expressed. In one set of embodiments these reagents take the form of immunoglobulins: polyclonal sera or monoclonal antibodies (mAb), methods for the generation of which are well known in the art. Generation of mAb with specificity for peptide-MHC molecule complexes is known in the art. See, for example, Aharoni et al. *Nature* 351:147-150, 1991; Andersen et al. *Proc. Natl. Acad. Sci. USA* 93:1820-1824, 1996; Dadaglio et al. *Immunity* 6:727-738, 1997; Duc et al. *Int. Immunol.* 5:427-431, 1993; Eastman et al. *Eur. J. Immunol.* 26:385-393, 1996; Engberg et al. *Immunotechnology* 4:273-278, 1999; Porgdor et al. *Immunity* 6:715-726, 1997; Puri et al. *J. Immunol.* 158:2471-2476, 1997; and Polakova, K., et al. *J. Immunol.* 165 342-348, 2000.

In other embodiments the compositions can be used to induce and generate, *in vivo* and *in vitro*, T-cells specific for the any of the epitopes and/or epitope-MHC complexes. In preferred embodiments the epitope can be any one or more of those listed in TABLE 1, for example. Thus, embodiments also relate to and include isolated T cells, T cell clones, T cell hybridomas, or a protein containing the T cell receptor (TCR) binding domain derived from the cloned gene, as well as a recombinant cell expressing such a protein. Such TCR derived proteins can be simply the extra-cellular domains of the TCR, or a fusion with portions of another protein to confer a desired property or function. One example of such a fusion is the attachment of TCR binding domains to the constant regions of an antibody molecule so as to create a divalent molecule. The construction and activity of molecules following this general pattern have been reported, for example, Plaksin, D. et al. *J. Immunol.* 158:2218-2227, 1997 and Lebowitz, M.S. et al. *Cell Immunol.* 192:175-184, 1999. The more general construction and use of such molecules is also treated in U.S. patent 5,830,755 entitled T CELL RECEPTORS AND THEIR USE IN THERAPEUTIC AND DIAGNOSTIC METHODS.

The generation of such T cells can be readily accomplished by standard immunization of laboratory animals, and reactivity to human target cells can be obtained by immunizing with human target cells or by immunizing HLA-transgenic animals with the antigen/epitope. For some therapeutic approaches T cells derived from the same species are desirable. While such a cell can be created by cloning, for example, a murine TCR into a human T cell as contemplated above, *in*

vitro immunization of human cells offers a potentially faster option. Techniques for *in vitro* immunization, even using naive donors, are known in the field, for example, Stauss et al., *Proc. Natl. Acad. Sci. USA* 89:7871-7875, 1992; Salgaller et al. *Cancer Res.* 55:4972-4979, 1995; Tsai et al., *J. Immunol.* 158:1796-1802, 1997; and Chung et al., *J. Immunother.* 22:279-287, 1999.

5 Any of these molecules can be conjugated to enzymes, radiochemicals, fluorescent tags, and toxins, so as to be used in the diagnosis (imaging or other detection), monitoring, and treatment of the pathogenic condition associated with the epitope. Thus a toxin conjugate can be administered to kill tumor cells, radiolabeling can facilitate imaging of epitope positive tumor, an enzyme conjugate can be used in an ELISA-like assay to diagnose cancer and confirm epitope
10 expression in biopsied tissue. In a further embodiment, such T cells as set forth above, following expansion accomplished through stimulation with the epitope and/or cytokines, can be administered to a patient as an adoptive immunotherapy.

Reagents Comprising Epitopes

A further aspect of the invention provides isolated epitope-MHC complexes. In a
15 particularly advantageous embodiment of this aspect of the invention, the complexes can be soluble, multimeric proteins such as those described in U. S. Patent No. 5,635,363 (tetramers) or U. S. Patent No. 6,015,884 (Ig-dimers). Such reagents are useful in detecting and monitoring specific T cell responses, and in purifying such T cells.

Isolated MHC molecules complexed with epitopic peptides can also be incorporated into
20 planar lipid bilayers or liposomes. Such compositions can be used to stimulate T cells *in vitro* or, in the case of liposomes, *in vivo*. Co-stimulatory molecules (e.g. B7, CD40, LFA-3) can be incorporated into the same compositions or, especially for *in vitro* work, co-stimulation can be provided by anti-co-receptor antibodies (e.g. anti-CD28, anti-CD154, anti-CD2) or cytokines (e.g. IL-2, IL-12). Such stimulation of T cells can constitute vaccination, drive expansion of T cells *in*
25 *vitro* for subsequent infusion in an immunotherapy, or constitute a step in an assay of T cell function.

The epitope, or more directly its complex with an MHC molecule, can be an important constituent of functional assays of antigen-specific T cells at either an activation or readout step or both. Of the many assays of T cell function current in the art (detailed procedures can be found in
30 standard immunological references such as *Current Protocols in Immunology* 1999 John Wiley & Sons Inc., N.Y.) two broad classes can be defined, those that measure the response of a pool of cells and those that measure the response of individual cells. Whereas the former conveys a global measure of the strength of a response, the latter allows determination of the relative frequency of responding cells. Examples of assays measuring global response are cytotoxicity assays, ELISA,
35 and proliferation assays detecting cytokine secretion. Assays measuring the responses of individual cells (or small clones derived from them) include limiting dilution analysis (LDA),

ELISPOT, flow cytometric detection of unsecreted cytokine (described in U.S. Patent No. 5,445,939, entitled "METHOD FOR ASSESSMENT OF THE MONONUCLEAR LEUKOCYTE IMMUNE SYSTEM" and U.S. Patent Nos 5,656,446; and 5,843,689, both entitled "METHOD FOR THE ASSESSMENT OF THE MONONUCLEAR LEUKOCYTE IMMUNE SYSTEM,"

5 reagents for which are sold by Becton, Dickinson & Company under the tradename 'FASTIMMUNE') and detection of specific TCR with tetramers or Ig-dimers as stated and referenced above. The comparative virtues of these techniques have been reviewed in Yee, C. et al. *Current Opinion in Immunology*, 13:141-146, 2001. Additionally detection of a specific TCR rearrangement or expression can be accomplished through a variety of established nucleic acid

10 based techniques, particularly in situ and single-cell PCR techniques, as will be apparent to one of skill in the art.

These functional assays are used to assess endogenous levels of immunity, response to an immunologic stimulus (e.g. a vaccine), and to monitor immune status through the course of a disease and treatment. Except when measuring endogenous levels of immunity, any of these assays

15 presume a preliminary step of immunization, whether *in vivo* or *in vitro* depending on the nature of the issue being addressed. Such immunization can be carried out with the various embodiments of the invention described above or with other forms of immunogen (e.g., pAPC-tumor cell fusions) that can provoke similar immunity. With the exception of PCR and tetramer/Ig-dimer type analyses which can detect expression of the cognate TCR, these assays generally benefit from a

20 step of *in vitro* antigenic stimulation which can advantageously use various embodiments of the invention as described above in order to detect the particular functional activity (highly cytolytic responses can sometimes be detected directly). Finally, detection of cytolytic activity requires epitope-displaying target cells, which can be generated using various embodiments of the invention. The particular embodiment chosen for any particular step depends on the question to be

25 addressed, ease of use, cost, and the like, but the advantages of one embodiment over another for any particular set of circumstances will be apparent to one of skill in the art.

The peptide MHC complexes described in this section have traditionally been understood to be non-covalent associations. However it is possible, and can be advantageous, to create a covalent linkages, for example by encoding the epitope and MHC heavy chain or the epitope, β 2-microglobulin, and MHC heavy chain as a single protein (Yu, Y.L.Y., et al., *J. Immunol.* 168:3145-3149, 2002; Mottez, E., et al., *J. Exp. Med.* 181:493,1995; Dela Cruz, C. S., et al., *Int. Immunol.* 12:1293, 2000; Mage, M. G., et al., *Proc. Natl. Acad. Sci. USA* 89:10658,1992; Toshitani, K., et al., *Proc. Natl. Acad. Sci. USA* 93:236,1996; Lee, L., et al., *Eur. J. Immunol.* 24:2633,1994; Chung, D. H., et al., *J. Immunol.* 163:3699,1999; Uger, R. A. and B. H. Barber, *J. Immunol.* 160:1598,

30 1998; Uger, R. A., et al., *J. Immunol.* 162:6024,1999; and White, J., et al., *J. Immunol.* 162:2671, 1999). Such constructs can have superior stability and overcome roadblocks in the processing-

presentation pathway. They can be used in the already described vaccines, reagents, and assays in similar fashion.

Tumor Associated Antigens

Epitopes of the present invention are derived from the TuAAs tyrosinase (SEQ ID NO. 2),
5 SSX-2, (SEQ ID NO. 3), PSMA (prostate-specific membrane antigen) (SEQ ID NO. 4), MAGE-1
(SEQ ID NO. 71), MAGE-2 (SEQ ID NO. 72), MAGE-3 (SEQ ID NO. 73), PRAME, (SEQ ID NO.
77), PSA, (SEQ ID NO. 78), PSCA, (SEQ ID NO. 79), CEA (carcinoembryonic antigen), (SEQ ID
NO. 88), SCP-1 (SEQ ID NO. 92), GAGE-1, (SEQ ID NO. 96), survivin, (SEQ ID NO. 98), Melan-
A/MART-1 (SEQ ID NO. 100), and BAGE (SEQ ID NO. 102). The natural coding sequences for
10 these fifteen proteins, or any segments within them, can be determined from their cDNA or
complete coding (cds) sequences, SEQ ID NOS. 5-7, 81-83, 85-87, 89, 93, 97, 99, 101, and 103,
respectively.

Tyrosinase is a melanin biosynthetic enzyme that is considered one of the most specific
markers of melanocytic differentiation. Tyrosinase is expressed in few cell types, primarily in
15 melanocytes, and high levels are often found in melanomas. The usefulness of tyrosinase as a
TuAA is taught in U.S. Patent 5,747,271 entitled "METHOD FOR IDENTIFYING INDIVIDUALS
SUFFERING FROM A CELLULAR ABNORMALITY SOME OF WHOSE ABNORMAL
CELLS PRESENT COMPLEXES OF HLA-A2/TYROSINASE DERIVED PEPTIDES, AND
METHODS FOR TREATING SAID INDIVIDUALS."

20 GP100, also known as PMel17, also is a melanin biosynthetic protein expressed at high
levels in melanomas. GP100 as a TuAA is disclosed in U.S. Patent 5,844,075 entitled
"MELANOMA ANTIGENS AND THEIR USE IN DIAGNOSTIC AND THERAPEUTIC
METHODS."

Melan-A, also called MART-1 (Melanoma Antigen Recognized by T cells), is another
25 melanin biosynthetic protein expressed at high levels in melanomas. The usefulness of Melan-
A/MART-1 as a TuAA is taught in U.S. Patent Nos. 5,874,560 and 5,994,523 both entitled
"MELANOMA ANTIGENS AND THEIR USE IN DIAGNOSTIC AND THERAPEUTIC
METHODS," as well as U.S. Patent No. 5,620,886, entitled "ISOLATED NUCLEIC ACID
SEQUENCE CODING FOR A TUMOR REJECTION ANTIGEN PRECURSOR PROCESSED
30 TO AT LEAST ONE TUMOR REJECTION ANTIGEN PRESENTED BY HLA-A2."

SSX-2, also know as Hom-Mel-40, is a member of a family of highly conserved cancer-
testis antigens (Gure, A.O. et al. *Int. J. Cancer* 72:965-971, 1997). Its identification as a TuAA is
taught in U.S. Patent 6,025,191 entitled "ISOLATED NUCLEIC ACID MOLECULES WHICH
ENCODE A MELANOMA SPECIFIC ANTIGEN AND USES THEREOF." Cancer-testis
35 antigens are found in a variety of tumors, but are generally absent from normal adult tissues except
testis. Expression of different members of the SSX family have been found variously in tumor cell

lines. Due to the high degree of sequence identity among SSX family members, similar epitopes from more than one member of the family will be generated and able to bind to an MHC molecule, so that some vaccines directed against one member of this family can cross-react and be effective against other members of this family (see example 3 below).

5 MAGE-1, MAGE-2, and MAGE-3 are members of another family of cancer-testis antigens originally discovered in melanoma (MAGE is a contraction of melanoma-associated antigen) but found in a variety of tumors. The identification of MAGE proteins as TuAAs is taught in U.S. Patent 5,342,774 entitled NUCLEOTIDE SEQUENCE ENCODING THE TUMOR REJECTION ANTIGEN PRECURSOR, MAGE-1, and in numerous subsequent patents. Currently there are 17
10 entries for (human) MAGE in the SWISS Protein database. There is extensive similarity among these proteins so in many cases, an epitope from one can induce a cross-reactive response to other members of the family. A few of these have not been observed in tumors, most notably MAGE-H1 and MAGE-D1, which are expressed in testes and brain, and bone marrow stromal cells, respectively. The possibility of cross-reactivity on normal tissue is ameliorated by the fact that they
15 are among the least similar to the other MAGE proteins.

 GAGE-1 is a member of the GAGE family of cancer testis antigens (Van den Eynde, B., et al., *J. Exp. Med.* 182: 689-698, 1995; U.S. Patent Nos. 5,610,013; 5,648,226; 5,858,689; 6,013,481; and 6,069,001). The PubGene database currently lists 12 distinct accessible members, some of which are synonymously known as PAGE or XAGE. GAGE-1 through GAGE-8 have a very high
20 degree of sequence identity, so most epitopes can be shared among multiple members of the family.

 BAGE is a cancer-testis antigen commonly expressed in melanoma, particularly metastatic melanoma, as well as in carcinomas of the lung, breast, bladder, and squamous cells of the head and neck. It's usefulness as a TuAA is taught in U.S. Patent Nos. 5,683,88 entitled "TUMOR REJECTION ANTIGENS WHICH CORRESPOND TO AMINO ACID SEQUENCES IN TUMOR
25 REJECTION ANTIGEN PRECURSOR BAGE, AND USES THEREOF" and 5,571,711 entitled "ISOLATED NUCLEIC ACID MOLECULES CODING FOR BAGE TUMOR REJECTION ANTIGEN PRECURSORS."

 NY-ESO-1, is a cancer-testis antigen found in a wide variety of tumors, also known as CTAG-1 (Cancer-Testis Antigen-1) and CAG-3 (Cancer Antigen-3). NY-ESO-1 as a TuAA is
30 disclosed in U.S. Patent 5,804,381 entitled ISOLATED NUCLEIC ACID MOLECULE ENCODING AN ESOPHAGEAL CANCER ASSOCIATED ANTIGEN, THE ANTIGEN ITSELF, AND USES THEREOF. A paralogous locus encoding antigens with extensive sequence identity, LAGE-1a/s (SEQ ID NO. 75) and LAGE-1b/L (SEQ ID NO. 76), have been disclosed in publicly available assemblies of the human genome, and have been concluded to arise through alternate
35 splicing. Additionally, CT-2 (or CTAG-2, Cancer-Testis Antigen-2) appears to be either an allele, a mutant, or a sequencing discrepancy of LAGE-1b/L. Due to the extensive sequence identity,

many epitopes from NY-ESO-1 can also induce immunity to tumors expressing these other antigens. See figure 1. The proteins are virtually identical through amino acid 70. From 71-134 the longest run of identities between NY-ESO-1 and LAGE is 6 residues, but potentially cross-reactive sequences are present. And from 135-180 NY-ESO and LAGE-1a/s are identical except for a single residue, but LAGE-1b/L is unrelated due to the alternate splice. The CAMEL and LAGE-2 antigens appear to derive from the LAGE-1 mRNA, but from alternate reading frames, thus giving rise to unrelated protein sequences. More recently, GenBank Accession AF277315.5, Homo sapiens chromosome X clone RP5-865E18, RP5-1087L19, complete sequence, reports three independent loci in this region which are labeled as LAGE1 (corresponding to CTAG-2 in the genome assemblies), plus LAGE2-A and LAGE2-B (both corresponding to CTAG-1 in the genome assemblies).

PSMA (prostate-specific membranes antigen), a TuAA described in U.S. Patent 5,538,866 entitled "PROSTATE-SPECIFIC MEMBRANES ANTIGEN", is expressed by normal prostate epithelium and, at a higher level, in prostatic cancer. It has also been found in the neovasculature of non-prostatic tumors. PSMA can thus form the basis for vaccines directed to both prostate cancer and to the neovasculature of other tumors. This later concept is more fully described in U.S. Patent Publication No. 20030046714; PCT Publication No. WO 02/069907; and a provisional U.S. Patent application No. 60/274,063 entitled ANTI-NEOVASCULAR VACCINES FOR CANCER, filed March 7, 2001, and U.S. Application No. 10/094,699, attorney docket number CTLIMM.015A, filed on March 7, 2002, entitled "ANTI-NEOVASCULAR PREPARATIONS FOR CANCER." The teachings and embodiments disclosed in said publications and applications are contemplated as supporting principals and embodiments related to and useful in connection with the present invention. Briefly, as tumors grow they recruit ingrowth of new blood vessels. This is understood to be necessary to sustain growth as the centers of unvascularized tumors are generally necrotic and angiogenesis inhibitors have been reported to cause tumor regression. Such new blood vessels, or neovasculature, express antigens not found in established vessels, and thus can be specifically targeted. By inducing CTL against neovascular antigens the vessels can be disrupted, interrupting the flow of nutrients to (and removal of wastes from) tumors, leading to regression.

Alternate splicing of the PSMA mRNA also leads to a protein with an apparent start at Met₅₈, thereby deleting the putative membrane anchor region of PSMA as described in U.S. Patent 5,935,818 entitled "ISOLATED NUCLEIC ACID MOLECULE ENCODING ALTERNATIVELY SPLICED PROSTATE-SPECIFIC MEMBRANES ANTIGEN AND USES THEREOF." A protein termed PSMA-like protein, Genbank accession number AF261715, is nearly identical to amino acids 309-750 of PSMA and has a different expression profile. Thus the most preferred epitopes are those with an N-terminus located from amino acid 58 to 308.

PRAME, also known as MAPE, DAGE, and OIP4, was originally observed as a melanoma antigen. Subsequently, it has been recognized as a CT antigen, but unlike many CT antigens (e.g., MAGE, GAGE, and BAGE) it is expressed in acute myeloid leukemias. PRAME is a member of the MAPE family which consists largely of hypothetical proteins with which it shares limited sequence similarity. The usefulness of PRAME as a TuAA is taught in U.S. Patent 5,830,753
5 entitled "ISOLATED NUCLEIC ACID MOLECULES CODING FOR TUMOR REJECTION ANTIGEN PRECURSOR DAGE AND USES THEREOF."

PSA, prostate specific antigen, is a peptidase of the kallikrein family and a differentiation antigen of the prostate. Expression in breast tissue has also been reported. Alternate names include
10 gamma-seminoprotein, kallikrein 3, seminogelase, seminin, and P-30 antigen. PSA has a high degree of sequence identity with the various alternate splicing products prostatic/glandular kallikrein-1 and -2, as well as kallikrein 4, which is also expressed in prostate and breast tissue. Other kallikreins generally share less sequence identity and have different expression profiles. Nonetheless, cross-reactivity that might be provoked by any particular epitope, along with the
15 likelihood that that epitope would be liberated by processing in non-target tissues (most generally by the housekeeping proteasome), should be considered in designing a vaccine.

PSCA, prostate stem cell antigen, and also known as SCAH-2, is a differentiation antigen preferentially expressed in prostate epithelial cells, and overexpressed in prostate cancers. Lower level expression is seen in some normal tissues including neuroendocrine cells of the digestive tract and collecting ducts of the kidney. PSCA is described in U.S. Patent 5,856,136 entitled "HUMAN
20 STEM CELL ANTIGENS."

Synaptonemal complex protein 1 (SCP-1), also known as HOM-TES-14, is a meiosis-associated protein and also a cancer-testis antigen (Tureci, O., et al. *Proc. Natl. Acad. Sci. USA* 95:5211-5216, 1998). As a cancer antigen its expression is not cell-cycle regulated and it is found
25 frequently in gliomas, breast, renal cell, and ovarian carcinomas. It has some similarity to myosins, but with few enough identities that cross-reactive epitopes are not an immediate prospect.

The ED-B domain of fibronectin is also a potential target. Fibronectin is subject to developmentally regulated alternative splicing, with the ED-B domain being encoded by a single exon that is used primarily in oncofetal tissues (Matsuura, H. and S. Hakomori *Proc. Natl. Acad. Sci. USA* 82:6517-6521, 1985; Camemolla, B. et al. *J. Cell Biol.* 108:1139-1148, 1989; Loidon-
30 Rosa, B. et al. *Cancer Res.* 50:1608-1612, 1990; Nicolo, G. et al. *Cell Differ. Dev.* 32:401-408, 1990; Borsi, L. et al. *Exp. Cell Res.* 199:98-105, 1992; Oyama, F. et al. *Cancer Res.* 53:2005-2011, 1993; Mandel, U. et al. *APMIS* 102:695-702, 1994; Farnoud, M.R. et al. *Int. J. Cancer* 61:27-34, 1995; Pujuguet, P. et al. *Am. J. Pathol.* 148:579-592, 1996; Gabler, U. et al. *Heart* 75:358-362, 1996; Chevalier, X. *Br. J. Rheumatol.* 35:407-415, 1996; Midulla, M. *Cancer Res.* 60:164-169, 2000).
35

The ED-B domain is also expressed in fibronectin of the neovasculature (Kaczmarek, J. et al. *Int. J. Cancer* 59:11-16, 1994; Castellani, P. et al. *Int. J. Cancer* 59:612-618, 1994; Neri, D. et al. *Nat. Biotech.* 15:1271-1275, 1997; Karelina, T.V. and A.Z. Eisen *Cancer Detect. Prev.* 22:438-444, 1998; Tarli, L. et al. *Blood* 94:192-198, 1999; Castellani, P. et al. *Acta Neurochir. (Wien)* 142:277-282, 2000). As an oncofetal domain, the ED-B domain is commonly found in the fibronectin expressed by neoplastic cells in addition to being expressed by the neovasculature. Thus, CTL-inducing vaccines targeting the ED-B domain can exhibit two mechanisms of action: direct lysis of tumor cells, and disruption of the tumor's blood supply through destruction of the tumor-associated neovasculature. As CTL activity can decay rapidly after withdrawal of vaccine, interference with normal angiogenesis can be minimal. The design and testing of vaccines targeted to neovasculature is described in Provisional U.S. Patent Application No. 60/274,063 entitled "ANTI-NEOVASCULATURE VACCINES FOR CANCER" and in U.S. Patent Application No. 10/094,699, attorney docket number CTLIMM.015A, entitled "ANTI-NEOVASCULATURE PREPARATIONS FOR CANCER, filed on date even with this application (March 7, 2002). A tumor cell line is disclosed in Provisional U.S. Application No. 60/363,131, filed on March 7, 2002, attorney docket number CTLIMM.028PR, entitled "HLA-TRANSGENIC MURINE TUMOR CELL LINE."

Carcinoembryonic antigen (CEA) is a paradigmatic oncofetal protein first described in 1965 (Gold and Freedman, *J. Exp. Med.* 121: 439-462, 1965. Fuller references can be found in the Online Medelian Inheritance in Man; record *114890). It has officially been renamed carcinoembryonic antigen-related cell adhesion molecule 5 (CEACAM5). Its expression is most strongly associated with adenocarcinomas of the epithelial lining of the digestive tract and in fetal colon. CEA is a member of the immunoglobulin supergene family and the defining member of the CEA subfamily.

Survivin, also known as Baculoviral IAP Repeat-Containing Protein 5 (BIRC5), is another protein with an oncofetal pattern of expression. It is a member of the inhibitor of apoptosis protein (IAP) gene family. It is widely overexpressed in cancers (Ambrosini, G. et al., *Nat. Med.* 3:917-921, 1997; Velculescu V.E. et al., *Nat. Genet.* 23:387-388, 1999) and its function as an inhibitor of apoptosis is believed to contribute to the malignant phenotype.

HER2/NEU is an oncogene related to the epidermal growth factor receptor (van de Vijver, et al., *New Eng. J. Med.* 319:1239-1245, 1988), and apparently identical to the c-ERBB2 oncogene (Di Fiore, et al., *Science* 237: 178-182, 1987). The over-expression of ERBB2 has been implicated in the neoplastic transformation of prostate cancer. As HER2 it is amplified and over-expressed in 25-30% of breast cancers among other tumors where expression level is correlated with the aggressiveness of the tumor (Slamon, et al., *New Eng. J. Med.* 344:783-792, 2001). A more detailed description is available in the Online Medelian Inheritance in Man; record *164870.

Useful epitopes were identified and tested as described in the following examples. However, these examples are intended for illustration purposes only, and should not be construed as limiting the scope of the invention in any way.

EXAMPLES

5 Example 1

Manufacture of epitopes.

A. Synthetic production of epitopes

Peptides having an amino acid sequence of any of SEQ ID NO: 1, 8, 9, 11-23, 26-29, 32-44, 47-54, 56-63, 66-68, or 108-602 are synthesized using either FMOC or tBOC solid phase synthesis methodologies. After synthesis, the peptides are cleaved from their supports with either trifluoroacetic acid or hydrogen fluoride, respectively, in the presence of appropriate protective scavengers. After removing the acid by evaporation, the peptides are extracted with ether to remove the scavengers and the crude, precipitated peptide is then lyophilized. Purity of the crude peptides is determined by HPLC, sequence analysis, amino acid analysis, counterion content analysis and other suitable means. If the crude peptides are pure enough (greater than or equal to about 90% pure), they can be used as is. If purification is required to meet drug substance specifications, the peptides are purified using one or a combination of the following: re-precipitation; reverse-phase, ion exchange, size exclusion or hydrophobic interaction chromatography; or counter-current distribution.

20 Drug product formulation

GMP-grade peptides are formulated in a parenterally acceptable aqueous, organic, or aqueous-organic buffer or solvent system in which they remain both physically and chemically stable and biologically potent. Generally, buffers or combinations of buffers or combinations of buffers and organic solvents are appropriate. The pH range is typically between 6 and 9. Organic modifiers or other excipients can be added to help solubilize and stabilize the peptides. These include detergents, lipids, co-solvents, antioxidants, chelators and reducing agents. In the case of a lyophilized product, sucrose or mannitol or other lyophilization aids can be added. Peptide solutions are sterilized by membrane filtration into their final container-closure system and either lyophilized for dissolution in the clinic, or stored until use.

30 B. Construction of expression vectors for use as nucleic acid vaccines

The construction of three generic epitope expression vectors is presented below. The particular advantages of these designs are set forth in PCT Publication No. WO 01/82963 and U.S. Patent Application No. 09/561,572 entitled "EXPRESSION VECTORS ENCODING EPITOPES OF TARGET-ASSOCIATED ANTIGENS." Additional vectors strategies for their design are disclosed in PCT Publication WO 03/063770; U.S. Patent Application No. 10/292,413, filed on November 7, 2002; and Provisional U.S. Patent application No. 60/336,968 entitled

"EXPRESSION VECTORS ENCODING EPITOPES OF TARGET-ASSOCIATED ANTIGENS AND METHODS FOR THEIR DESIGN," filed on November 7, 2001. The teachings and embodiments disclosed in said PCT publications and applications are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

5 A suitable *E. coli* strain was then transfected with the plasmid and plated out onto a selective medium. Several colonies were grown up in suspension culture and positive clones were identified by restriction mapping. The positive clone was then grown up and aliquotted into storage vials and stored at -70°C.

10 A mini-prep (QIAprep Spin Mini-prep: Qiagen, Valencia, CA) of the plasmid was then made from a sample of these cells and automated fluorescent dideoxy sequence analysis was used to confirm that the construct had the desired sequence.

B.1 Construction of pVAX-EP1-IRES-EP2

Overview:

15 The starting plasmid for this construct is pVAX1 purchased from Invitrogen (Carlsbad, CA). Epitopes EP1 and EP2 were synthesized by GIBCO BRL (Rockville, MD). The IRES was excised from pIRES purchased from Clontech (Palo Alto, CA).

Procedure:

- 20 1. pIRES was digested with EcoRI and NotI. The digested fragments were separated by agarose gel electrophoresis, and the IRES fragment was purified from the excised band.
2. pVAX1 was digested with EcoRI and NotI, and the pVAX1 fragment was gel-purified.
3. The purified pVAX1 and IRES fragments were then ligated together.
4. Competent *E. coli* of strain DH5 α were transformed with the ligation mixture.
5. Minipreps were made from 4 of the resultant colonies.
- 25 6. Restriction enzyme digestion analysis was performed on the miniprep DNA. One recombinant colony having the IRES insert was used for further insertion of EP1 and EP2. This intermediate construct was called pVAX-IRES.
7. Oligonucleotides encoding EP1 and EP2 were synthesized.
8. EP1 was subcloned into pVAX-IRES between AflII and EcoRI sites, to make pVAX-EP1-IRES;
- 30 9. EP2 was subcloned into pVAX-EP1-IRES between SalI and NotI sites, to make the final construct pVAX-EP1-IRES-EP2.
10. The sequence of the EP1-IRES-EP2 insert was confirmed by DNA sequencing.

B 2. Construction of pVAX-EP1-IRES-EP2-ISS-NIS

Overview:

The starting plasmid for this construct was pVAX-EP1-IRES-EP2 (Example 1). The ISS (immunostimulatory sequence) introduced into this construct is AACGTT, and the NIS (standing
5 for nuclear import sequence) used is the SV40 72bp repeat sequence. ISS-NIS was synthesized by GIBCO BRL. See Figure 2.

Procedure:

1. pVAX-EP1-IRES-EP2 was digested with NruI; the linearized plasmid was gel-purified.
2. ISS-NIS oligonucleotide was synthesized.
- 10 3. The purified linearized pVAX-EP1-IRES-EP2 and synthesized ISS-NIS were ligated together.
4. Competent E. coli of strain DH5 α were transformed with the ligation product.
5. Minipreps were made from resultant colonies.
6. Restriction enzyme digestions of the minipreps were carried out.
- 15 7. The plasmid with the insert was sequenced.

B3. Construction of pVAX-EP2-UB-EP1

Overview:

The starting plasmid for this construct was pVAX1 (Invitrogen). EP2 and EP1 were synthesized by GIBCO BRL. Wild type Ubiquitin cDNA encoding the 76 amino acids in the
20 construct was cloned from yeast.

Procedure:

1. RT-PCR was performed using yeast mRNA. Primers were designed to amplify the complete coding sequence of yeast Ubiquitin.
2. The RT-PCR products were analyzed using agarose gel electrophoresis. A band with
25 the predicted size was gel-purified.
3. The purified DNA band was subcloned into pZERO1 at EcoRV site. The resulting clone was named pZERO-UB.
4. Several clones of pZERO-UB were sequenced to confirm the Ubiquitin sequence before further manipulations.
- 30 5. EP1 and EP2 were synthesized.
6. EP2, Ubiquitin and EP1 were ligated and the insert cloned into pVAX1 between BamHI and EcoRI, putting it under control of the CMV promoter.
7. The sequence of the insert EP2-UB-EP1 was confirmed by DNA sequencing.

Example 2Identification of useful epitope variants.

The 10-mer FLPWHRLFLL (SEQ ID NO. 1) is identified as a useful epitope. Based on this sequence, numerous variants are made. Variants exhibiting activity in HLA binding assays (see Example 3, section 6) are identified as useful, and are subsequently incorporated into vaccines. Variants that increase the stability of binding, assayed can be particularly useful, for example as described in WO 97/41440 entitled "Methods for Selecting and Producing T Cell Peptide Epitopes and Vaccines Incorporating Said Selected Epitopes." The teachings and embodiments disclosed in said PCT publication are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

The HLA-A2 binding of length variants of FLPWHRLFLL have been evaluated. Proteasomal digestion analysis indicates that the C-terminus of the 9-mer FLPWHRLFL (SEQ ID NO. 8) is also produced. Additionally the 9-mer LPWHRLFLL (SEQ ID NO. 9) can result from N-terminal trimming of the 10-mer. Both are predicted to bind to the HLA-A*0201 molecule, however of these two 9-mers, FLPWHRLFL displayed more significant binding and is preferred (see Figs. 3A and B).

In vitro proteasome digestion and N-terminal pool sequencing indicates that tyrosinase₂₀₇₋₂₁₆ (SEQ ID NO. 1) is produced more commonly than tyrosinase₂₀₇₋₂₁₅ (SEQ ID NO. 8), however the latter peptide displays superior immunogenicity, a potential concern in arriving at an optimal vaccine design. FLPWHRLFL, tyrosinase₂₀₇₋₂₁₅ (SEQ ID NO. 8) was used in an in vitro immunization of HLA-A2⁺ blood to generate CTL (see CTL Induction Cultures below). Using peptide pulsed T2 cells as targets in a standard chromium release assay it was found that the CTL induced by tyrosinase₂₀₇₋₂₁₅ (SEQ ID NO. 8) recognize tyrosinase₂₀₇₋₂₁₆ (SEQ ID NO. 1) targets equally well (see fig. 3C). These CTL also recognize the HLA-A2⁺, tyrosinase⁺ tumor cell lines 624.38 and HTB64, but not 624.28 an HLA-A2⁻ derivative of 624.38 (fig. 3C). Thus the relative amounts of these two epitopes produced in vivo, does not become a concern in vaccine design.

CTL induction cultures

PBMCs from normal donors were purified by centrifugation in Ficoll-Hypaque from buffy coats. All cultures were carried out using the autologous plasma (AP) to avoid exposure to potential xenogeneic pathogens and recognition of FBS peptides. To favor the in vitro generation of peptide-specific CTL, we employed autologous dendritic cells (DC) as APCs. DC were generated and CTL were induced with DC and peptide from PBMCs as described (Keogh et al., 2001). Briefly, monocyte-enriched cell fractions were cultured for 5 days with GM-CSF and IL-4 and were cultured for 2 additional days in culture media with 2 µg/ml CD40 ligand to induce maturation. 2 x10⁶ CD8⁺-enriched T lymphocytes/well and 2 x10⁵ peptide-pulsed DC/well were co-cultured in 24-well plates in 2 ml RPMI supplemented with 10% AP, 10 ng/ml IL-7 and 20

IU/ml IL-2. Cultures were restimulated on days 7 and 14 with autologous irradiated peptide-pulsed DC.

Sequence variants of FLPWHRLFL are constructed as follow. Consistent with the binding coefficient table (see Table 3) from the NIH/BIMAS MHC binding prediction program (see reference in example 3 below), binding can be improved by changing the L at position 9, an anchor position, to V. Binding can also be altered, though generally to a lesser extent, by changes at non-anchor positions. Referring generally to Table 3, binding can be increased by employing residues with relatively larger coefficients. Changes in sequence can also alter immunogenicity independently of their effect on binding to MHC. Thus binding and/or immunogenicity can be improved as follows:

By substituting F,L,M,W, or Y for P at position 3; these are all bulkier residues that can also improve immunogenicity independent of the effect on binding. The amine and hydroxyl-bearing residues, Q and N; and S and T; respectively, can also provoke a stronger, cross-reactive response.

By substituting D or E for W at position 4 to improve binding; this addition of a negative charge can also make the epitope more immunogenic, while in some cases reducing cross-reactivity with the natural epitope. Alternatively the conservative substitutions of F or Y can provoke a cross-reactive response.

By substituting F for H at position 5 to improve binding. H can be viewed as partially charged, thus in some cases the loss of charge can hinder cross-reactivity. Substitution of the fully charged residues R or K at this position can enhance immunogenicity without disrupting charge-dependent cross-reactivity.

By substituting I, L, M, V, F, W, or Y for R at position 6. The same caveats and alternatives apply here as at position 5.

By substituting W or F for L at position 7 to improve binding. Substitution of V, I, S, T, Q, or N at this position are not generally predicted to reduce binding affinity by this model (the NIH algorithm), yet can be advantageous as discussed above.

Y and W, which are equally preferred as the Fs at positions 1 and 8, can provoke a useful cross-reactivity. Finally, while substitutions in the direction of bulkiness are generally favored to improve immunogenicity, the substitution of smaller residues such as A, S, and C, at positions 3-7 can be useful according to the theory that contrast in size, rather than bulkiness per se, is an important factor in immunogenicity. The reactivity of the thiol group in C can introduce other properties as discussed in Chen, J.-L., et al. *J. Immunol.* 165:948-955, 2000.

Table 3. 9-mer Coefficient Table for HLA-A*0201*

HLA Coefficient table for file "A_0201_standard"									
Amino Acid Type	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th	9 th
A	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
C	1.000	0.470	1.000	1.000	1.000	1.000	1.000	1.000	1.000
D	0.075	0.100	0.400	4.100	1.000	1.000	0.490	1.000	0.003
E	0.075	1.400	0.064	4.100	1.000	1.000	0.490	1.000	0.003
F	4.600	0.050	3.700	1.000	3.800	1.900	5.800	5.500	0.015
G	1.000	0.470	1.000	1.000	1.000	1.000	0.130	1.000	0.015
H	0.034	0.050	1.000	1.000	1.000	1.000	1.000	1.000	0.015
I	1.700	9.900	1.000	1.000	1.000	2.300	1.000	0.410	2.100
K	3.500	0.100	0.035	1.000	1.000	1.000	1.000	1.000	0.003
L	1.700	72.000	3.700	1.000	1.000	2.300	1.000	1.000	4.300
M	1.700	52.000	3.700	1.000	1.000	2.300	1.000	1.000	1.000
N	1.000	0.470	1.000	1.000	1.000	1.000	1.000	1.000	0.015
P	0.022	0.470	1.000	1.000	1.000	1.000	1.000	1.000	0.003
Q	1.000	7.300	1.000	1.000	1.000	1.000	1.000	1.000	0.003
R	1.000	0.010	0.076	1.000	1.000	1.000	0.200	1.000	0.003
S	1.000	0.470	1.000	1.000	1.000	1.000	1.000	1.000	0.015
T	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.500
V	1.700	6.300	1.000	1.000	1.000	2.300	1.000	0.410	14.000
W	4.600	0.010	8.300	1.000	1.000	1.700	7.500	5.500	0.015
Y	4.600	0.010	3.200	1.000	1.000	1.500	1.000	5.500	0.015

*This table and other comparable data that are publicly available are useful in designing epitope variants and in determining whether a particular variant is substantially similar, or is functionally similar.

Example 3

Cluster Analysis (SSX-2₃₁₋₆₈).

1. Epitope cluster region prediction:

The computer algorithms: SYFPEITHI (internet [http:// access at syfpeithi.bmi-heidelberg.com/Scripts/MHCServer.dll/EpPredict.htm](http://access.at.syfpeithi.bmi-heidelberg.com/Scripts/MHCServer.dll/EpPredict.htm)), based on the book "MHC Ligands and Peptide Motifs" by H.G.Rammensee, J.Bachmann and S.Stevanovic; and HLA Peptide Binding Predictions (NIH) (internet [http:// access at bimas.dcrn.nih.gov/molbio/hla_bin](http://access.at.bimas.dcrn.nih.gov/molbio/hla_bin)), described in Parker, K. C., et al., *J. Immunol.* 152:163, 1994; were used to analyze the protein sequence of SSX-2 (GI:10337583). Epitope clusters (regions with higher than average density of peptide fragments with high predicted MHC affinity) were defined as described fully in U.S. Patent Application No. 09/561,571 entitled "EPITOPE CLUSTERS," filed on April 28, 2000. Using a epitope density ratio cutoff of 2, five and two clusters were defined using the SYFPETHI and NIH algorithms, respectively, and peptides score cutoffs of 16 (SYFPETHI) and 5 (NIH). The highest scoring peptide with the NIH algorithm, SSX-2₄₁₋₄₉, with an estimated halftime of dissociation of

>1000 min., does not overlap any other predicted epitope but does cluster with SSX-2₅₇₋₆₅ in the NIH analysis.

2. Peptide synthesis and characterization:

SSX-2₃₁₋₆₈, YFSKEEWEKMKASEKIFYVYMKRKYEAMTKLGFKATLP (SEQ ID NO. 10) was synthesized by MPS (Multiple Peptide Systems, San Diego, CA 92121) using standard solid phase chemistry. According to the provided 'Certificate of Analysis', the purity of this peptide was 95%.

3. Proteasome digestion:

Proteasome was isolated from human red blood cells using the proteasome isolation protocol described in PCT Publication No. WO 01/82963 and U.S. Patent Application No. 09/561,074 entitled "METHOD OF EPITOPE DISCOVERY," filed on April 28, 2000. The teachings and embodiments disclosed in said PCT publication and application are contemplated as supporting principals and embodiments related to and useful in connection with the present invention. SDS-PAGE, western-blotting, and ELISA were used as quality control assays. The final concentration of proteasome was 4 mg/ml, which was determined by non-interfering protein assay (Geno Technologies Inc.). Proteasomes were stored at -70°C in 25 µl aliquots.

SSX-2₃₁₋₆₈ was dissolved in Milli-Q water, and a 2 mM stock solution prepared and 20µL aliquots stored at -20°C.

1 tube of proteasome (25 µL) was removed from storage at -70°C and thawed on ice. It was then mixed thoroughly with 12.5µL of 2mM peptide by repipetting (samples were kept on ice). A 5µL sample was immediately removed after mixing and transferred to a tube containing 1.25µL 10%TFA (final concentration of TFA was 2%); the T=0 min sample. The proteasome digestion reaction was then started and carried out at 37°C in a programmable thermal controller. Additional 5µL samples were taken out at 15, 30, 60, 120, 180 and 240 min respectively, the reaction was stopped by adding the sample to 1.25µL 10% TFA as before. Samples were kept on ice or frozen until being analyzed by MALDI-MS. All samples were saved and stored at -20°C for HPLC analysis and N-terminal sequencing. Peptide alone (without proteasome) was used as a blank control: 2 µL peptide + 4µL Tris buffer (20 mM, pH 7.6) + 1.5µL TFA.

4. MALDI-TOF MS measurements:

For each time point 0.3 µL of matrix solution (10mg/ml α-cyano-4-hydroxycinnamic acid in AcCN/H₂O (70:30)) was first applied on a sample slide, and then an equal volume of digested sample was mixed gently with matrix solution on the slide. The slide was allowed to dry at ambient air for 3-5 min. before acquiring the mass spectra. MS was performed on a Lasermat 2000 MALDI-TOF mass spectrometer that was calibrated with peptide/protein standards. To improve the accuracy of measurement, the molecular ion weight (MH⁺) of the peptide substrate was used as

an internal calibration standard. The mass spectrum of the T=120 min. digested sample is shown in figure 4.

5. MS data analysis and epitope identification:

To assign the measured mass peaks, the computer program MS-Product, a tool from the UCSF Mass Spectrometry Facility (<http://prospector.ucsf.edu/ucsfhtml3.4/msprod.htm>), was used to generate all possible fragments (N- and C-terminal ions, and internal fragments) and their corresponding molecular weights. Due to the sensitivity of the mass spectrometer, average molecular weight was used. The mass peaks observed over the course of the digestion were identified as summarized in Table 4.

10 Fragments co-C-terminal with 8-10 amino acid long sequences predicted to bind HLA by the SYFPEITHI or NIH algorithms were chosen for further study. The digestion and prediction steps of the procedure can be usefully practiced in any order. Although the substrate peptide used in proteasomal digest described here was specifically designed to include predicted HLA-A2.1 binding sequences, the actual products of digestion can be checked after the fact for actual or
15 predicted binding to other MHC molecules. Selected results are shown in Table 5.

Table 4. SSX-2₃₁₋₆₈ Mass Peak Identification.

MS PEAK (measured)	PEPTIDE	SEQUENCE	CALCULATED MASS (MH ⁺)
988.23	31-37	YFSKEEW	989.08
1377.68±2.38	31-40	YFSKEEWEKM	1377.68
1662.45±1.30	31-43	YFSKEEWEKMKAS	1663.90
2181.72±0.85	31-47	YFSKEEWEKMKASEKIF	2181.52
2346.6	31-48	YFSKEEWEKMKASEKIFY	2344.71
1472.16±1.54	38-49	EKMKASEKIFYV	1473.77
2445.78±1.18	31-49*	YFSKEEWEKMKASEKIFYV	2443.84
2607.	31-50	YFSKEEWEKMKASEKIFYVY	2607.02
1563.3	50-61	YMKRKYEAMTKL	1562.93
3989.9	31-61	YFSKEEWEKMKASEKIFYVYMKRKYEAMTKL	3987.77
1603.74±1.53	51-63	MKRKYEAMTKLGF	1603.98
1766.45±1.5	50-63	YMKRKYEAMTKLGF	1767.16
1866.32±1.22	49-63	VYMKRKYEAMTKLGF	1866.29
4192.6	31-63	YFSKEEWEKMKASEKIFYVYMKRKYEAMTKLGF	4192.00
4392.1	31-65**	YFSKEEWEKMKASEKIFYVYMKRKYEAMTKLGFKA	4391.25

Boldface sequence correspond to peptides predicted to bind to MHC.

20 * On the basis of mass alone this peak could also have been assigned to the peptide 32-50, however proteasomal removal of just the N-terminal amino acid is unlikely. N-terminal sequencing (below) verifies the assignment to 31-49.

** On the basis of mass this fragment might also represent 33-68. N-terminal sequencing below is consistent with the assignment to 31-65.

25

Table 5. Predicted HLA binding by proteasomally generated fragments

SEQ ID NO.	PEPTIDE	HLA	SYFPEITHI	NIH
11	FSKEWEKEM	B*3501	NP†	90
12	KMKASEKIF	B*08	17	<5
13 & (14)	(K)MKASEKIFY	A1	19 (19)	<5
15 & (16)	(M)KASEKIFYV	A*0201	22 (16)	1017
		B*08	17	<5
		B*5101	22 (13)	60
		B*5102	NP	133
		B*5103	NP	121
17 & (18)	(K)ASEKIFYVY	A1	34 (19)	14
19 & (20)	(K)RKYEAMTKL	A*0201	15	<5
		A26	15	NP
		B14	NP	45 (60)
		B*2705	21	15
		B*2709	16	NP
		B*5101	15	<5
21	KYEAMTKLGF	A1	16	<5
22	YEAMTKLGF	A24	NP	300
23	EAMTKLGF	B*4403	NP	80
		B*08	22	<5

†No prediction

As seen in Table 5, N-terminal addition of authentic sequence to epitopes can generate epitopes for the same or different MHC restriction elements. Note in particular the pairing of (K)RKYEAMTKL (SEQ ID NOS 19 and (20)) with HLA-B14, where the 10-mer has a longer predicted halftime of dissociation than the co-C-terminal 9-mer. Also note the case of the 10-mer KYEAMTKLGF (SEQ ID NO. 21) which can be used as a vaccine useful with several MHC types by relying on N-terminal trimming to create the epitopes for HLA-B*4403 and -B*08.

6. HLA-A0201 binding assay:

Binding of the candidate epitope KASEKIFYV, SSX-2₄₁₋₄₉, (SEQ ID NO. 15) to HLA-A2.1 was assayed using a modification of the method of Stauss et al., (Proc Natl Acad Sci USA 89(17):7871-5 (1992)). Specifically, T2 cells, which express empty or unstable MHC molecules on their surface, were washed twice with Iscove's modified Dulbecco's medium (IMDM) and cultured overnight in serum-free AIM-V medium (Life Technologies, Inc., Rockville, MD) supplemented with human β 2-microglobulin at 3 μ g/ml (Sigma, St. Louis, MO) and added peptide, at 800, 400, 200, 100, 50, 25, 12.5, and 6.25 μ g/ml in a 96-well flat-bottom plate at 3×10^5 cells/200 μ l (microliter)/well. Peptide was mixed with the cells by repipeting before distributing to the plate (alternatively peptide can be added to individual wells), and the plate was rocked gently for 2 minutes. Incubation was in a 5% CO₂ incubator at 37°C. The next day the unbound peptide was removed by washing twice with serum free RPMI medium and a saturating amount of anti-class I HLA monoclonal antibody, fluorescein isothiocyanate (FITC)-conjugated anti-HLA A2, A28 (One

Lambda, Canoga Park, CA) was added. After incubation for 30 minutes at 4°C, cells were washed 3 times with PBS supplemented with 0.5% BSA, 0.05%(w/v) sodium azide, pH 7.4-7.6 (staining buffer). (Alternatively W6/32 (Sigma) can be used as the anti-class I HLA monoclonal antibody the cells washed with staining buffer and then incubated with fluorescein isothiocyanate (FITC)-conjugated goat F(ab') antimouse-IgG (Sigma) for 30 min at 4°C and washed 3 times as before.) The cells were resuspended in 0.5 ml staining buffer. The analysis of surface HLA-A2.1 molecules stabilized by peptide binding was performed by flow cytometry using a FACScan (Becton Dickinson, San Jose, CA). If flow cytometry is not to be performed immediately the cells can be fixed by adding a quarter volume of 2% paraformaldehyde and storing in the dark at 4°C.

The results of the experiment are shown in Figure 5. SSX-2₄₁₋₄₉ (SEQ ID NO. 15) was found to bind HLA-A2.1 to a similar extent as the known A2.1 binder FLPSDYFPSV (HBV₁₈₋₂₇; SEQ ID NO: 24) used as a positive control. An HLA-B44 binding peptide, AEMGKYSFY (SEQ ID NO: 25), was used as a negative control. The fluorescence obtained from the negative control was similar to the signal obtained when no peptide was used in the assay. Positive and negative control peptides were chosen from Table 18.3.1 in *Current Protocols in Immunology* p. 18.3.2, John Wiley and Sons, New York, 1998.

7. Immunogenicity:

A. In vivo immunization of mice.

HHD1 transgenic A*0201 mice (Pascolo, S., et al. *J. Exp. Med.* 185:2043-2051, 1997) were anesthetized and injected subcutaneously at the base of the tail, avoiding lateral tail veins, using 100 µl containing 100 nmol of SSX-2₄₁₋₄₉ (SEQ ID NO. 15) and 20 µg of HTL epitope peptide in PBS emulsified with 50 µl of IFA (incomplete Freund's adjuvant).

B. Preparation of stimulating cells (LPS blasts).

Using spleens from 2 naive mice for each group of immunized mice, un-immunized mice were sacrificed and the carcasses were placed in alcohol. Using sterile instruments, the top dermal layer of skin on the mouse's left side (lower mid-section) was cut through, exposing the peritoneum. The peritoneum was saturated with alcohol, and the spleen was aseptically extracted. The spleen was placed in a petri dish with serum-free media. Splenocytes were isolated by using sterile plungers from 3 ml syringes to mash the spleens. Cells were collected in a 50 ml conical tubes in serum-free media, rinsing dish well. Cells were centrifuged (12000 rpm, 7 min) and washed one time with RPMI. Fresh spleen cells were resuspended to a concentration of 1x10⁶ cells per ml in RPMI-10%FCS (fetal calf serum). 25g/ml lipopolysaccharide and 7 µg/ml Dextran Sulfate were added. Cell were incubated for 3 days in T-75 flasks at 37°C, with 5% CO₂. Splenic blasts were collected in 50 ml tubes pelleted (12000 rpm, 7 min) and resuspended to 3X10⁷/ml in RPMI. The blasts were pulsed with the priming peptide at 50 µg/ml, RT 4hr. mitomycin C-treated at 25µg/ml, 37⁰C, 20 min and washed three times with DMEM.

C. In vitro stimulation.

3 days after LPS stimulation of the blast cells and the same day as peptide loading, the primed mice were sacrificed (at 14 days post immunization) to remove spleens as above. 3×10^6 splenocytes were co-cultured with 1×10^6 LPS blasts/well in 24-well plates at 37°C , with 5% CO_2 in DMEM media supplemented with 10% FCS, 5×10^{-5} M β -mercaptoethanol, $100 \mu\text{g/ml}$ streptomycin and 100 IU/ml penicillin. Cultures were fed 5% (vol/vol) ConA supernatant on day 3 and assayed for cytolytic activity on day 7 in a ^{51}Cr -release assay.

D. Chromium-release assay measuring CTL activity.

To assess peptide specific lysis, 2×10^6 T2 cells were incubated with 100 μCi sodium chromate together with 50 $\mu\text{g/ml}$ peptide at 37°C for 1 hour. During incubation they were gently shaken every 15 minutes. After labeling and loading, cells were washed three times with 10 ml of DMEM-10% FCS, wiping each tube with a fresh Kimwipe after pouring off the supernatant. Target cells were resuspended in DMEM-10% FBS $1 \times 10^5/\text{ml}$. Effector cells were adjusted to $1 \times 10^7/\text{ml}$ in DMEM-10% FCS and 100 μl serial 3-fold dilutions of effectors were prepared in U-bottom 96-well plates. 100 μl of target cells were added per well. In order to determine spontaneous release and maximum release, six additional wells containing 100 μl of target cells were prepared for each target. Spontaneous release was revealed by incubating the target cells with 100 μl medium; maximum release was revealed by incubating the target cells with 100 μl of 2% SDS. Plates were then centrifuged for 5 min at 600 rpm and incubated for 4 hours at 37°C in 5% CO_2 and 80% humidity. After the incubation, plates were then centrifuged for 5 min at 1200 rpm. Supernatants were harvested and counted using a gamma counter. Specific lysis was determined as follows: % specific release = $[(\text{experimental release} - \text{spontaneous release}) / (\text{maximum release} - \text{spontaneous release})] \times 100$.

Results of the chromium release assay demonstrating specific lysis of peptide pulsed target cells are shown in figure 6.

8. Cross-reactivity with other SSX proteins:

SSX-2₄₁₋₄₉ (SEQ ID NO. 15) shares a high degree of sequence identity with the same region of the other SSX proteins. The surrounding regions have also been generally well conserved. Thus the housekeeping proteasome can cleave following V₄₉ in all five sequences. Moreover, SSX₄₁₋₄₉ is predicted to bind HLA-A*0201 (see Table 6). CTL generated by immunization with SSX-2₄₁₋₄₉ cross-react with tumor cells expressing other SSX proteins.

Table 6. SSX₄₁₋₄₉ - A*0201 Predicted Binding

SEQ ID NO.	Family Member	Sequence	SYFPEITHI Score	NIH Score
15	SSX-2	KASEKIFYV	22	1017
26	SSX-1	KYSEKISYV	18	1.7
27	SSX-3	KVSEKIVYV	24	1105
28	SSX-4	KSSEKIVYV	20	82
29	SSX-5	KASEKIYV	22	175

Example 4Cluster Analysis (PSMA₁₆₃₋₁₉₂).

- 5 [0227] A peptide, AFSPQGMPEGDLVYVNYARTEDFFKLERDM, PSMA₁₆₃₋₁₉₂, (SEQ ID NO. 30), containing an A1 epitope cluster from prostate specific membrane antigen, PSMA₁₆₈₋₁₉₀ (SEQ ID NO. 31) was synthesized using standard solid-phase F-moc chemistry on a 433A ABI Peptide synthesizer. After side chain deprotection and cleavage from the resin, peptide first dissolved in formic acid and then diluted into 30% Acetic acid, was run on a reverse-phase preparative HPLC C4 column at following conditions: linear AB gradient (5% B/min) at a flow rate of 4 ml/min, where eluent A is 0.1% aqueous TFA and eluent B is 0.1% TFA in acetonitrile. A fraction at time 16.642 min containing the expected peptide, as judged by mass spectrometry, was pooled and lyophilized. The peptide was then subjected to proteasome digestion and mass spectrum analysis essentially as described above. Prominent peaks from the mass spectra are summarized in Table 7.

Table 7. PSMA₁₆₃₋₁₉₂ Mass Peak Identification.

PEPTIDE	SEQUENCE	CALCULATED MASS (MH ⁺)
163-177	AFSPQGMPEGDLVYV	1610.0
178-189	NYARTEDFFKLE	1533.68
170-189	PEGDLVYVNYARTEDFFKLE	2406.66
178-191	NYARTEDFFKLERD	1804.95
170-191	PEGDLVYVNYARTEDFFKLERD	2677.93
178-192	NYARTEDFFKLERDM	1936.17
163-176	AFSPQGMPEGDLVY	1511.70
177-192	VNYARTEDFFKLERDM	2035.30
163-179	AFSPQGMPEGDLVYVNY	1888.12
180-192	ARTEDFFKLERDM	1658.89
163-183	AFSPQGMPEGDLVYVNYARTE	2345.61
184-192	DDFKLERDM	1201.40
176-192	YVNYARTEDFFKLERDM	2198.48
167-185	QGMPEGDLVYVNYARTEDF	2205.41
178-186	NYARTEDFF	1163.22

Boldface sequences correspond to peptides predicted to bind to MHC, see Table 8.

N-terminal Pool Sequence Analysis

One aliquot at one hour of the proteasomal digestion (see Example 3 part 3 above) was subjected to N-terminal amino acid sequence analysis by an ABI 473A Protein Sequencer (Applied Biosystems, Foster City, CA). Determination of the sites and efficiencies of cleavage was based on
 5 consideration of the sequence cycle, the repetitive yield of the protein sequencer, and the relative yields of amino acids unique in the analyzed sequence. That is if the unique (in the analyzed sequence) residue X appears only in the nth cycle a cleavage site exists n-1 residues before it in the N-terminal direction. In addition to helping resolve any ambiguity in the assignment of mass to sequences, these data also provide a more reliable indication of the relative yield of the various
 10 fragments than does mass spectrometry.

For PSMA₁₆₃₋₁₉₂ (SEQ ID NO. 30) this pool sequencing supports a single major cleavage site after V₁₇₇ and several minor cleavage sites, particularly one after Y₁₇₉. Reviewing the results presented in figures 7A-C reveals the following:

- S at the 3rd cycle indicating presence of the N-terminus of the substrate.
- 15 Q at the 5th cycle indicating presence of the N-terminus of the substrate.
- N at the 1st cycle indicating cleavage after V₁₇₇.
- N at the 3rd cycle indicating cleavage after V₁₇₅. Note the fragment 176-192 in Table 7.
- T at the 5th cycle indicating cleavage after V₁₇₇.
- T at the 1st–3rd cycles, indicating increasingly common cleavages after R₁₈₁, A₁₈₀ and Y₁₇₉.
- 20 Only the last of these correspond to peaks detected by mass spectrometry; 163-179 and 180-192, see Table 7. The absence of the others can indicate that they are on fragments smaller than were examined in the mass spectrum.
- K at the 4th, 8th, and 10th cycles indicating cleavages after E₁₈₃, Y₁₇₉, and V₁₇₇, respectively, all of which correspond to fragments observed by mass spectroscopy. See Table 7.
- 25 A at the 1st and 3rd cycles indicating presence of the N-terminus of the substrate and cleavage after V₁₇₇, respectively.
- P at the 4th and 8th cycles indicating presence of the N-terminus of the substrate.
- G at the 6th and 10th cycles indicating presence of the N-terminus of the substrate.
- M at the 7th cycle indicating presence of the N-terminus of the substrate and/or cleavage
 30 after F₁₈₅.
- M at the 15th cycle indicating cleavage after V₁₇₇.
- The 1st cycle can indicate cleavage after D₁₉₁, see Table 7.
- R at the 4th and 13th cycle indicating cleavage after V₁₇₇.
- R at the 2nd and 11th cycle indicating cleavage after Y₁₇₉.
- 35 V at the 2nd, 6th, and 13th cycle indicating cleavage after V₁₇₅, M₁₆₉ and presence of the N-terminus of the substrate, respectively. Note fragments beginning at 176 and 170 in Table 7.

Y at the 1st, 2nd, and 14th cycles indicating cleavage after V₁₇₅, V₁₇₇, and presence of the N-terminus of the substrate, respectively.

L at the 11th and 12th cycles indicating cleavage after V₁₇₇, and presence of the N-terminus of the substrate, respectively, is the interpretation most consistent with the other data. Comparing to the mass spectrometry results we see that L at the 2nd, 5th, and 9th cycles is consistent with cleavage after F₁₈₆, E₁₈₃ or M₁₆₉, and Y₁₇₉, respectively. See Table 7.

Epitope Identification

Fragments co-C-terminal with 8-10 amino acid long sequences predicted to bind HLA by the SYFPEITHI or NIH algorithms were chosen for further analysis. The digestion and prediction steps of the procedure can be usefully practiced in any order. Although the substrate peptide used in proteasomal digest described here was specifically designed to include a predicted HLA-A1 binding sequence, the actual products of digestion can be checked after the fact for actual or predicted binding to other MHC molecules. Selected results are shown in Table 8.

15 Table 8. Predicted HLA binding by proteasomally generated fragments

SEQ ID NO	PEPTIDE	HLA	SYFPEITHI	NIH
32 & (33)	(G)MPEGDLVYV	A*0201	17 (27)	(2605)
		B*0702	20	<5
		B*5101	22	314
34 & (35)	(Q)GMPEGDLVY	A1	24 (26)	<5
		A3	16 (18)	36
		B*2705	17	25
		B*5101	15	NP†
36	MPEGDLVY			
37 & (38)	(P)EGDLVYVNY	A1	27 (15)	12
		A26	23 (17)	NP
39	LVYVNYARTE	A3	21	<5
40 & (41)	(Y)VNYARTEDF	A26	(20)	NP
		B*08	15	<5
		B*2705	12	50
42	NYARTEDFF	A24	NP†	100
		Cw*0401	NP	120
43	YARTEDFF	B*08	16	<5
44	RTEDFFKLE	A1	21	<5
		A26	15	NP

†No prediction

HLA-A*0201 binding assay:

HLA-A*0201 binding studies were performed with PSMA₁₆₈₋₁₇₇, GMPEGDLVYV, (SEQ ID NO. 33) essentially as described in Example 3 above. As seen in figure 8, this epitope exhibits significant binding at even lower concentrations than the positive control peptides. The Melan-A peptide used as a control in this assay (and throughout this disclosure), ELAIGILTV, is actually a variant of the natural sequence (EAAGIGILTV) and exhibits a high affinity in this assay.

Example 5Cluster Analysis (PSMA₂₈₁₋₃₁₀).

Another peptide, RGIAEAVGLPSIPVHPIGYYDAQKLEKMG, PSMA₂₈₁₋₃₁₀, (SEQ ID NO. 45), containing an A1 epitope cluster from prostate specific membrane antigen, PSMA₂₈₃₋₃₀₇ (SEQ ID NO. 46), was synthesized using standard solid-phase F-moc chemistry on a 433A ABI Peptide synthesizer. After side chain deprotection and cleavage from the resin, peptide in ddH₂O was run on a reverse-phase preparative HPLC C18 column at following conditions: linear AB gradient (5% B/min) at a flow rate of 4 ml/min, where eluent A is 0.1% aqueous TFA and eluent B is 0.1% TFA in acetonitrile. A fraction at time 17.061 min containing the expected peptide as judged by mass spectrometry, was pooled and lyophilized. The peptide was then subjected to proteasome digestion and mass spectrum analysis essentially as described above. Prominent peaks from the mass spectra are summarized in Table 9.

Table 9. PSMA₂₈₁₋₃₁₀ Mass Peak Identification.

PEPTIDE	SEQUENCE	CALCULATE D MASS (MH ⁺)
281-297	RGIAEAVGLPSIPVHPI*	1727.07
286-297	AVGLPSIPVHPI**	1200.46
287-297	VGLPSIPVHPI	1129.38
288-297	GLPSIPVHPI [†]	1030.25
298-310	GYDAQKLEKMG [‡]	1516.5
298-305	GYDAQKLS	958.05
281-305	RGIAEAVGLPSIPVHPIGYYDAQKL	2666.12
281-307	RGIAEAVGLPSIPVHPIGYYDAQKLE	2908.39
286-307	AVGLPSIPVHPIGYYDAQKLE¶	2381.78
287-307	VGLPSIPVHPIGYYDAQKLE	2310.70
288-307	GLPSIPVHPIGYYDAQKLE#	2211.57
281-299	RGIAEAVGLPSIPVHPIGY	1947
286-299	AVGLPSIPVHPIGY	1420.69
287-299	VGLPSIPVHPIGY	1349.61
288-299	GLPSIPVHPIGY	1250.48
287-310	VGLPSIPVHPIGYYDAQKLEKMG	2627.14
288-310	GLPSIPVHPIGYYDAQKLEKMG	2528.01

Boldface sequences correspond to peptides predicted to bind to MHC, see Table 10.

*By mass alone this peak could also have been 296-310 or 288-303.

**By mass alone this peak could also have been 298-307. Combination of HPLC and mass spectrometry show that at some later time points this peak is a mixture of both species.

[†] By mass alone this peak could also have been 289-298.

? By mass alone this peak could also have been 281-295 or 294-306.

§ By mass alone this peak could also have been 297-303.

¶ By mass alone this peak could also have been 285-306.

By mass alone this peak could also have been 288-303.

None of these alternate assignments are supported N-terminal pool sequence analysis.

N-terminal Pool Sequence Analysis

One aliquot at one hour of the proteasomal digestion (see Example 3 part 3 above) was subjected to N-terminal amino acid sequence analysis by an ABI 473A Protein Sequencer (Applied Biosystems, Foster City, CA). Determination of the sites and efficiencies of cleavage was based on consideration of the sequence cycle, the repetitive yield of the protein sequencer, and the relative yields of amino acids unique in the analyzed sequence. That is if the unique (in the analyzed sequence) residue X appears only in the nth cycle a cleavage site exists n-1 residues before it in the N-terminal direction. In addition to helping resolve any ambiguity in the assignment of mass to sequences, these data also provide a more reliable indication of the relative yield of the various fragments than does mass spectrometry.

For PSMA₂₈₁₋₃₁₀ (SEQ ID NO. 45) this pool sequencing supports two major cleavage sites after V₂₈₇ and I₂₉₇ among other minor cleavage sites. Reviewing the results presented in Fig. 9 reveals the following:

S at the 4th and 11th cycles indicating cleavage after V₂₈₇ and presence of the N-terminus of the substrate, respectively.

H at the 8th cycle indicating cleavage after V₂₈₇. The lack of decay in peak height at positions 9 and 10 versus the drop in height present going from 10 to 11 can suggest cleavage after A₂₈₆ and E₂₈₅ as well, rather than the peaks representing latency in the sequencing reaction.

D at the 2nd, 4th, and 7th cycles indicating cleavages after Y₂₉₉, I₂₉₇, and V₂₉₄, respectively. This last cleavage is not observed in any of the fragments in Table 10 or in the alternate assignments in the notes below.

Q at the 6th cycle indicating cleavage after I₂₉₇.

M at the 10th and 12th cycle indicating cleavages after Y₂₉₉ and I₂₉₇, respectively.

Epitope Identification

Fragments co-C-terminal with 8-10 amino acid long sequences predicted to bind HLA by the SYFPEITHI or NIH algorithms were chosen for further study. The digestion and prediction steps of the procedure can be usefully practiced in any order. Although the substrate peptide used in proteasomal digest described here was specifically designed to include a predicted HLA-A1 binding sequence, the actual products of digestion can be checked after the fact for actual or predicted binding to other MHC molecules. Selected results are shown in Table 10.

Table 10.

Predicted HLA binding by proteasomally generated fragments: PSMA₂₈₁₋₃₁₀

SEQ ID NO.	PEPTIDE	HLA	SYFPEITHI	NIH
47 & (48)	(G)LPSPVHPI	A*0201	16 (24)	(24)
		B*0702/B7	23	12
		B*5101	24	572
		Cw*0401	NP†	20
49 & (50)	(P)IGYYDAQKL	A*0201	(16)	<5
		A26	(20)	NP
		B*2705	16	25
		B*2709	15	NP
		B*5101	21	57
		Cw*0301	NP	24
51 & (52)	(P)SIPVHPIGY	A1	21 (27)	<5
		A26	22	NP
		A3	16	<5
		B*5101	16	NP
53	IPVHPIGY			
54	YYDAQKLE	A1	22	<5

†No prediction

- 5 As seen in Table 10, N-terminal addition of authentic sequence to epitopes can often generate still useful, even better epitopes, for the same or different MHC restriction elements. Note for example the pairing of (G)LPSPVHPI with HLA-A*0201, where the 10-mer can be used as a vaccine useful with several MHC types by relying on N-terminal trimming to create the epitopes for HLA-B7, -B*5101, and Cw*0401.

10 HLA-A*0201 binding assay:

HLA-A*0201 binding studies were performed with PSMA₂₈₈₋₂₉₇, GLPSIPVHPI, (SEQ ID NO. 48) essentially as described in Examples 3 and 4 above. As seen in figure 8, this epitope exhibits significant binding at even lower concentrations than the positive control peptides.

Example 6

15 Cluster Analysis (PSMA₄₅₄₋₄₈₁).

Another peptide, SSIEGNYTLRV DCTPLMYSLVHLTKEL, PSMA₄₅₄₋₄₈₁, (SEQ ID NO. 55) containing an epitope cluster from prostate specific membrane antigen, was synthesized by MPS (purity >95%) and subjected to proteasome digestion and mass spectrum analysis as described above. Prominent peaks from the mass spectra are summarized in Table 11.

20

Table 11. PSMA₄₅₄₋₄₈₁ Mass Peak Identification.

MS PEAK (measured)	PEPTIDE	SEQUENCE	CALCULATED MASS (MH ⁺)
1238.5	454-464	SSIEGNYTLRV	1239.78

1768.38±0.60	454-469	SSIEGNYTLRV DCTPL	1768.99
1899.8	454-470	SSIEGNYTLRV DCTPLM	1900.19
1097.63±0.91	463-471	RVDCTPLMY	1098.32
2062.87±0.68	454-471*	SSIEGNYTLRV DCTPLMY	2063.36
1153	472-481**	SLVHNLTKEL	1154.36
1449.93±1.79	470-481	MYSLVHNLTKEL	1448.73

Boldface sequence correspond to peptides predicted to bind to MHC, see Table 12.

* On the basis of mass alone this peak could equally well be assigned to the peptide 455-472 however proteasomal removal of just the N-terminal amino acid is considered unlikely. If the issue were important it could be resolved by N-terminal sequencing.

**On the basis of mass this fragment might also represent 455-464.

Epitope Identification

Fragments co-C-terminal with 8-10 amino acid long sequences predicted to bind HLA by the SYFPEITHI or NIH algorithms were chosen for further study. The digestion and prediction steps of the procedure can be usefully practiced in any order. Although the substrate peptide used in proteasomal digest described here was specifically designed to include predicted HLA-A2.1 binding sequences, the actual products of digestion can be checked after the fact for actual or predicted binding to other MHC molecules. Selected results are shown in Table 12.

Table 12. Predicted HLA binding by proteasomally generated fragments

SEQ ID NO	PEPTIDE	HLA	SYFPEITHI	NIH
56 & (57)	(S) IEGNYTLRV	A1	(19)	<5
58	EGNYTLRV	A*0201	16 (22)	<5
		B*5101	15	NP†
59 & (60)	(Y) TLRVDCTPL	A*0201	20 (18)	(5)
		A26	16 (18)	NP
		B7	14	40
		B8	23	<5
		B*2705	12	30
		Cw*0301	NP	(30)
		B*2705	20	600
61	LRVDCTPLM	B*2709	20	NP
		A1	32 (22)	125 (13.5)
62 & (63)	(L) RVDCTPLMY	A3	25	<5
		A26	22	NP
		B*2702	NP	(200)
		B*2705	13 (NP)	(1000)

†No prediction

As seen in Table 12, N-terminal addition of authentic sequence to epitopes can often generate still useful, even better epitopes, for the same or different MHC restriction elements. Note for example the pairing of (L)RVDCTPLMY (SEQ ID NOS 62 and (63)) with HLA-B*2702/5, where the 10-mer has substantial predicted halftimes of dissociation and the co-C-

terminal 9-mer does not. Also note the case of SIEGNYTLRV (SEQ ID NO 57) a predicted HLA-A*0201 epitope which can be used as a vaccine useful with HLA-B*5101 by relying on N-terminal trimming to create the epitope.

HLA-A*0201 binding assay

5 HLA-A*0201 binding studies were performed, essentially as described in Example 3 above, with PSMA₄₆₀₋₄₆₉, TLRVDCTPL, (SEQ ID NO. 60). As seen in figure 10, this epitope was found to bind HLA-A2.1 to a similar extent as the known A2.1 binder FLPSDYFPSV (HBV₁₈₋₂₇; SEQ ID NO: 24) used as a positive control. Additionally, PSMA₄₆₁₋₄₆₉, (SEQ ID NO. 59) binds nearly as well.

10 ELISPOT analysis: PSMA₄₆₃₋₄₇₁ (SEQ ID NO. 62)

The wells of a nitrocellulose-backed microtiter plate were coated with capture antibody by incubating overnight at 4°C using 50 µl (microliter)/well of 4µg/ml murine anti-human γ (gamma)-IFN monoclonal antibody in coating buffer (35 mM sodium bicarbonate, 15 mM sodium carbonate, pH 9.5). Unbound antibody was removed by washing 4 times 5 min. with PBS. Unbound sites on
15 the membrane then were blocked by adding 200µl (microliter)/well of RPMI medium with 10% serum and incubating 1 hr. at room temperature. Antigen stimulated CD8⁺ T cells, in 1:3 serial dilutions, were seeded into the wells of the microtiter plate using 100µl (microliter)/well, starting at 2x10⁵ cells/well. (Prior antigen stimulation was essentially as described in Scheibenbogen, C. et al. *Int. J. Cancer* 71:932-936, 1997. PSMA₄₆₂₋₄₇₁ (SEQ ID NO. 62) was added to a final
20 concentration of 10µg/ml and IL-2 to 100 U/ml and the cells cultured at 37°C in a 5% CO₂, water-saturated atmosphere for 40 hrs. Following this incubation the plates were washed with 6 times 200 µl (microliter)/well of PBS containing 0.05% Tween-20 (PBS-Tween). Detection antibody, 50µl (microliter)/well of 2g/ml biotinylated murine anti-human γ (gamma)-IFN monoclonal antibody in PBS+10% fetal calf serum, was added and the plate incubated at room temperature for
25 2 hrs. Unbound detection antibody was removed by washing with 4 times 200 µl of PBS-Tween. 100µl of avidin-conjugated horseradish peroxidase (Pharmingen, San Diego, CA) was added to each well and incubated at room temperature for 1 hr. Unbound enzyme was removed by washing with 6 times 200 µl of PBS-Tween. Substrate was prepared by dissolving a 20 mg tablet of 3-amino 9-ethylcoarbasole in 2.5 ml of N, N-dimethylformamide and adding that solution to 47,5 ml of 0.05
30 M phosphate-citrate buffer (pH 5.0). 25 µl of 30% H₂O₂ was added to the substrate solution immediately before distributing substrate at 100 µl (microliter)/well and incubating the plate at room temperature. After color development (generally 15-30 min.), the reaction was stopped by washing the plate with water. The plate was air dried and the spots counted using a stereomicroscope.

35 Figure 11 shows the detection of PSMA₄₆₃₋₄₇₁ (SEQ ID NO. 62)-reactive HLA-A1⁺ CD8⁺ T cells previously generated in cultures of HLA-A1⁺ CD8⁺ T cells with autologous dendritic cells

plus the peptide. No reactivity is detected from cultures without peptide (data not shown). In this case it can be seen that the peptide reactive T cells are present in the culture at a frequency between 1 in 2.2×10^4 and 1 in 6.7×10^4 . That this is truly an HLA-A1-restricted response is demonstrated by the ability of anti-HLA-A1 monoclonal antibody to block γ (gamma) IFN production; see figure 12.

5 Example 7

Cluster Analysis (PSMA₆₅₃₋₆₈₇).

Another peptide, FDKSNPIVLRMMNDQLMFLERAFIDPLGLPDRP FY PSMA₆₅₃₋₆₈₇, (SEQ ID NO. 64) containing an A2 epitope cluster from prostate specific membrane antigen, PSMA₆₆₀₋₆₈₁ (SEQ ID NO 65), was synthesized by MPS (purity >95%) and subjected to proteasome
10 digestion and mass spectrum analysis as described above. Prominent peaks from the mass spectra are summarized in Table 13.

Table 13. PSMA₆₅₃₋₆₈₇ Mass Peak Identification.

MS PEAK (measured)	PEPTIDE	SEQUENCE	CALCULATED MASS (MH ⁺)
906.17±0.65	681-687**	LPDRPFY	908.05
1287.73±0.76	677-687**	DPLGLPDRPFY	1290.47
1400.3±1.79	676-687	IDPLGLPDRPFY	1403.63
1548.0±1.37	675-687	FIDPLGLPDRPFY	1550.80
1619.5±1.51	674-687**	AFIDPLGLPDRPFY	1621.88
1775.48±1.32	673-687*	RAFIDPLGLPDRPFY	1778.07
2440.2±1.3	653-672	FDKSNPIVLRMMNDQLMFLE	2442.93
1904.63±1.56	672-687*	ERAFIDPLGLPDRPFY	1907.19
2310.6±2.5	653-671	FDKSNPIVLRMMNDQLMFL	2313.82
2017.4±1.94	671-687	LERAFIDPLGLPDRPFY	2020.35
2197.43±1.78	653-670	FDKSNPIVLRMMNDQLMF	2200.66

15 **Boldface** sequence correspond to peptides predicted to bind to MHC, see Table 13.

* On the basis of mass alone this peak could equally well be assigned to a peptide beginning at 654, however proteasomal removal of just the N-terminal amino acid is considered unlikely. If the issue were important it could be resolved by N-terminal sequencing.

20 ** On the basis of mass alone these peaks could have been assigned to internal fragments, but given the overall pattern of digestion it was considered unlikely.

Epitope Identification

Fragments co-C-terminal with 8-10 amino acid long sequences predicted to bind HLA by the SYFPEITHI or NIH algorithms were chosen for further study. The digestion and prediction
25 steps of the procedure can be usefully practiced in any order. Although the substrate peptide used in proteasomal digest described here was specifically designed to include predicted HLA-A2.1

binding sequences, the actual products of digestion can be checked after the fact for actual or predicted binding to other MHC molecules. Selected results are shown in Table 14.

Table 14. Predicted HLA binding by proteasomally generated fragments

SEQ ID NO	PEPTIDE	HLA	SYFPEITHI	NIH
66 & (67)	(R)MMNDQLMF L	A*0201	24 (23)	1360 (722)
		A*0205	NP†	71 (42)
		A26	15	NP
		B*2705	12	50
68	RMMNDQLMF	B*2705	17	75

†No prediction

As seen in Table 14, N-terminal addition of authentic sequence to epitopes can generate still useful, even better epitopes, for the same or different MHC restriction elements. Note for example the pairing of (R)MMNDQLMFL (SEQ ID NOS. 66 and (67)) with HLA-A*02, where the 10-mer retains substantial predicted binding potential.

HLA-A*0201 binding assay

HLA-A*0201 binding studies were preformed, essentially as described in Example 3 above, with PSMA₆₆₃₋₆₇₁, (SEQ ID NO. 66) and PSMA₆₆₂₋₆₇₁, RMMNDQLMFL (SEQ NO. 67). As seen in figures 10, 13 and 14, this epitope exhibits significant binding at even lower concentrations than the positive control peptide (FLPSDYFPSV (HBV₁₈₋₂₇); SEQ ID NO: 24). Though not run in parallel, comparison to the controls suggests that PSMA₆₆₂₋₆₇₁ (which approaches the Melan A peptide in affinity) has the superior binding activity of these two PSMA peptides.

Example 8

Vaccinating with epitope vaccines.

1. Vaccination with peptide vaccines:

A. Intranodal delivery

A formulation containing peptide in aqueous buffer with an antimicrobial agent, an antioxidant, and an immunomodulating cytokine, was injected continuously over several days into the inguinal lymph node using a miniature pumping system developed for insulin delivery (MiniMed; Northridge, CA). This infusion cycle was selected in order to mimic the kinetics of antigen presentation during a natural infection.

B. Controlled release

A peptide formulation is delivered using controlled PLGA microspheres as is known in the art, which alter the pharmacokinetics of the peptide and improve immunogenicity. This formulation is injected or taken orally.

C. Gene gun delivery

5 A peptide formulation is prepared wherein the peptide is adhered to gold microparticles as is known in the art. The particles are delivered in a gene gun, being accelerated at high speed so as to penetrate the skin, carrying the particles into dermal tissues that contain pAPCs.

D. Aerosol delivery

10 A peptide formulation is inhaled as an aerosol as is known in the art, for uptake into appropriate vascular or lymphatic tissue in the lungs.

2. Vaccination with nucleic acid vaccines:

A nucleic acid vaccine is injected into a lymph node using a miniature pumping system, such as the MiniMed insulin pump. A nucleic acid construct formulated in an aqueous buffered solution containing an antimicrobial agent, an antioxidant, and an immunomodulating cytokine, is
15 delivered over a several day infusion cycle in order to mimic the kinetics of antigen presentation during a natural infection.

Optionally, the nucleic acid construct is delivered using controlled release substances, such as PLGA microspheres or other biodegradable substances. These substances are injected or taken orally. Nucleic acid vaccines are given using oral delivery, priming the immune response through
20 uptake into GALT tissues. Alternatively, the nucleic acid vaccines are delivered using a gene gun, wherein the nucleic acid vaccine is adhered to minute gold particles. Nucleic acid constructs can also be inhaled as an aerosol, for uptake into appropriate vascular or lymphatic tissue in the lungs.

Example 9

Assays for the effectiveness of epitope vaccines.

25 1. Tetramer analysis:

Class I tetramer analysis is used to determine T cell frequency in an animal before and after administration of a housekeeping epitope. Clonal expansion of T cells in response to an epitope indicates that the epitope is presented to T cells by pAPCs. The specific T cell frequency is measured against the housekeeping epitope before and after administration of the epitope to an
30 animal, to determine if the epitope is present on pAPCs. An increase in frequency of T cells specific to the epitope after administration indicates that the epitope was presented on pAPC.

2. Proliferation assay:

Approximately 24 hours after vaccination of an animal with housekeeping epitope, pAPCs are harvested from PBMCs, splenocytes, or lymph node cells, using monoclonal antibodies against
35 specific markers present on pAPCs, fixed to magnetic beads for affinity purification. Crude blood or splenocyte preparation is enriched for pAPCs using this technique. The enriched pAPCs are

then used in a proliferation assay against a T cell clone that has been generated and is specific for the housekeeping epitope of interest. The pAPCs are coincubated with the T cell clone and the T cells are monitored for proliferation activity by measuring the incorporation of radiolabeled thymidine by T cells. Proliferation indicates that T cells specific for the housekeeping epitope are being stimulated by that epitope on the pAPCs.

3. Chromium release assay:

A human patient, or non-human animal genetically engineered to express human class I MHC, is immunized using a housekeeping epitope. T cells from the immunized subject are used in a standard chromium release assay using human tumor targets or targets engineered to express the same class I MHC. T cell killing of the targets indicates that stimulation of T cells in a patient would be effective at killing a tumor expressing a similar TuAA.

Example 10

Induction of CTL response with naked DNA is efficient by Intra-lymph node immunization.

In order to quantitatively compare the CD8⁺ CTL responses induced by different routes of immunization a plasmid DNA vaccine (pEGFP-L33A) containing a well-characterized immunodominant CTL epitope from the LCMV-glycoprotein (G) (gp33; amino acids 33-41) (Oehen, S., et al., *Immunology* 99, 163-169 2000) was used, as this system allows a comprehensive assessment of antiviral CTL responses. Groups of 2 C57BL/6 mice were immunized once with titrated doses (200-0.02µg) of pEGFP-L33A DNA or of control plasmid pEGFP-N3, administered i.m. (intramuscular), i.d. (intradermal), i.spl. (intraspinal), or i.ln. (intra-lymph node). Positive control mice received 500 pfu LCMV i.v. (intravenous). Ten days after immunization spleen cells were isolated and gp33-specific CTL activity was determined after secondary *in vitro* restimulation. As shown in Fig. 15, i.m. or i.d. immunization induced weakly detectable CTL responses when high doses of pEGFP-L33A DNA (200µg) were administered. In contrast, potent gp33-specific CTL responses were elicited by immunization with only 2µg pEGFP-L33A DNA i.spl. and with as little as 0.2µg pEGFP-L33A DNA given i.ln. (figure 15; symbols represent individual mice and one of three similar experiments is shown). Immunization with the control pEGFP-N3 DNA did not elicit any detectable gp33-specific CTL responses (data not shown).

Example 11

Intra-lymph node DNA immunization elicits anti-tumor immunity.

To examine whether the potent CTL responses elicited following i.ln. immunization were able to confer protection against peripheral tumors, groups of 6 C57BL/6 mice were immunized three times at 6-day intervals with 10µg of pEGFP-L33A DNA or control pEGFP-N3 DNA. Five days after the last immunization small pieces of solid tumors expressing the gp33 epitope (EL4-33) were transplanted s.c. into both flanks and tumor growth was measured every 3-4d. Although the

EL4-33 tumors grew well in mice that had been repetitively immunized with control pEGFP-N3 DNA (figure 16), mice which were immunized with pEFGPL33A DNA i.ln. rapidly eradicated the peripheral EL4-33 tumors (figure 16).

Example 12

- 5 Differences in lymph node DNA content mirrors differences in CTL response following intra-lymph node and intramuscular injection.

pEFGPL33A DNA was injected i.ln. or i.m. and plasmid content of the injected or draining lymph node was assessed by real time PCR after 6, 12, 24, 48 hours, and 4 and 30 days. At 6, 12, and 24 hours the plasmid DNA content of the injected lymph nodes was approximately three orders
10 of magnitude greater than that of the draining lymph nodes following i.m. injection. No plasmid DNA was detectable in the draining lymph node at subsequent time points (Fig. 17). This is consonant with the three orders of magnitude greater dose needed using i.m. as compared to i.ln. injections to achieve a similar levels of CTL activity. CD8^{-/-} knockout mice, which do not develop a CTL response to this epitope, were also injected i.ln. showing clearance of DNA from the lymph
15 node is not due to CD8⁺ CTL killing of cells in the lymph node. This observation also supports the conclusion that i.ln. administration will not provoke immunopathological damage to the lymph node.

Example 13

Administration of a DNA plasmid formulation of a therapeutic vaccine for melanoma to humans.

20 A SYNCHROTOPE™ TA2M melanoma vaccine encoding the HLA-A2-restricted tyrosinase epitope SEQ ID NO. 1 and epitope cluster SEQ ID NO. 69, was formulated in 1% Benzyl alcohol, 1% ethyl alcohol, 0.5mM EDTA, citrate-phosphate, pH 7.6. Aliquots of 80, 160, and 320 µg DNA/ml were prepared for loading into MINIMED 407C infusion pumps. The catheter of a SILHOUETTE infusion set was placed into an inguinal lymph node visualized by
25 ultrasound imaging. The assembly of pump and infusion set was originally designed for the delivery of insulin to diabetics and the usual 17mm catheter was substituted with a 31mm catheter for this application. The infusion set was kept patent for 4 days (approximately 96 hours) with an infusion rate of about 25 µl (microliter)/hour resulting in a total infused volume of approximately 2.4 ml. Thus the total administered dose per infusion was approximately 200, and 400 µg; and can
30 be 800 µg, respectively, for the three concentrations described above. Following an infusion subjects were given a 10 day rest period before starting a subsequent infusion. Given the continued residency of plasmid DNA in the lymph node after administration (as in example 12) and the usual kinetics of CTL response following disappearance of antigen, this schedule will be sufficient to maintain the immunologic CTL response.

- 35 Example 14

Evaluating Likelihood of Epitope Cross-reactivity on Non-target Tissues.

As noted above PSA is a member of the kallikrein family of proteases, which is itself a subset of the serine protease family. While the members of this family sharing the greatest degree of sequence identity with PSA also share similar expression profiles, it remains possible that individual epitope sequences might be shared with proteins having distinctly different expression profiles. A first step in evaluating the likelihood of undesirable cross-reactivity is the identification of shared sequences. One way to accomplish this is to conduct a BLAST search of an epitope sequence against the SWISSPROT or Entrez non-redundant peptide sequence databases using the "Search for short nearly exact matches" option; hypertext transfer protocol accessible on the world wide web (<http://www.ncbi.nlm.nih.gov/blast/index.html>). Thus searching SEQ ID NO. 104, WVLTAAHCI, against SWISSPROT (limited to entries for homo sapiens) one finds four exact matches, including PSA. The other three are from kallikrein 1 (tissue kallikrein), and elastase 2A and 2B. While these nine amino acid segments are identical, the flanking sequences are quite distinct, particularly on the C-terminal side, suggesting that processing may proceed differently and that thus the same epitope may not be liberated from these other proteins. (Please note that kallikrein naming is confused. Thus, the kallikrein 1 [accession number P06870] is a different protein than the one [accession number AAD13817] mentioned in the paragraph on PSA above in the section on tumor-associated antigens).

This possibility can be tested in several ways. Synthetic peptides containing the epitope sequence embedded in the context of each of these proteins can be subjected to *in vitro* proteasomal digestion and analysis as described above. Alternatively, cells expressing these other proteins, whether by natural or recombinant expression, can be used as targets in a cytotoxicity (or similar) assay using CD8⁺ T cells that recognize the epitope, in order to determine if the epitope is processed and presented.

Examples 15-67

Epitopes.

The methodologies described above, and in particular in examples 3-7, have been applied to additional synthetic peptide substrates, as summarized in figures 18-70 leading to the identification of further epitopes as set forth in tables 15-67 below. The substrates used here were generally designed to identify products of housekeeping proteasomal processing that give rise to HLA-A*0201 binding epitopes, but additional MHC-binding reactivities can be predicted, as discussed above. Many such reactivities are disclosed, however, these listings are meant to be exemplary, not exhaustive or limiting. As also discussed above, individual components of the analyses can be used in varying combinations and orders. N-terminal pool sequencing which allows quantitation of various cleavages and can resolve ambiguities in the mass spectrum where necessary, can also be used to identify cleavage sites when digests of substrate yield fragments that do not fly well in MALDI-TOF mass spectrometry. Due to these advantages it was routinely used.

Although it is preferred to identify epitopes on the basis of the C-terminus of an observed fragment, epitopes can also be identified on the basis of the N-terminus of an observed fragment adjacent to the epitope.

Not all of the substrates necessarily meet the formal definition of an epitope cluster as referenced in example 3. Some clusters are so large that it was more convenient to use substrates spanning only a portion of the cluster. In other cases, substrates were extended beyond clusters meeting the formal definition to include neighboring predicted epitopes or were designed around predicted epitopes with no association with any cluster. In some instances, actual binding activity dictated what substrate was made when HLA binding activity was determined for a selection of peptides with predicted affinity, before synthetic substrates were designed.

Figures 18-70 show the results of proteasomal digestion analysis as a mapping of mass spectrum peaks onto the substrate sequence. Each figure presents an individual timepoint from the digestion judged to be representative of the overall data, however some epitopes listed in Tables 15-67 were identified based on fragments not observed at the particular timepoints illustrated. The mapping of peaks onto the sequence was informed by N-terminal pool sequencing of the digests, as noted above. Peaks possibly corresponding to more than one fragment are represented by broken lines. Nonetheless, epitope identifications are supported by unambiguous occurrence of the associated cleavage.

Example 15: Tyrosinase 171-203Table 15Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
171-179	NIYDLFVWM	108	A0201	17	93.656
			A26	25	N/A
			A3	18	<5
173-182	YDLFVWMHYY	109	A1	17	<5
174-182	DLFVWMHYY	110	A1	16	<5
			A26	30	N/A
			A3	16	27
186-194	DALLGGSEI	111	A0201	17	<5
			B5101	26	440
191-200	GSEIWRDIDF	112	A1	18	67.5
192-200	SEIWRDIDF	113	B08	16	<5
193-201	EIWRDIDFA	114	A26	20	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 18.

5

Example 16: Tyrosinase 401-427Table 16Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
407-416	LQEVYPEANA	115	A0203	18	N/A
409-418	EVYPEANAPI	116	A26	19	N/A
			A3	20	<5
410-418	VYPEANAPI	117	B5101	15	6.921
411-418	YPEANAPI	118	B5101	22	N/A
411-420	YPEANAPIGH	119	A1	16	<5
416-425	APIGHNRESY	120	A1	18	<5
			A26	15	N/A
417-425	PIGHNRESY	121	A1	16	<5
			A26	21	N/A
			A3	17	<5
417-426	PIGHNRESYM	122	A26	19	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 19.

10

Example 17: Tyrosinase 415-449Table 17Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
416-425	APIGHNRESY	120	A1	18	<5
			A26	15	N/A
			A3	17	<5
			B0702	15	N/A
417-425	PIGHNRESY	124	A1	16	<5
			A26	21	N/A
			A3	17	<5
423-430	ESYMVPFI	125	B5101	17	N/A
423-432	ESYMVPFIPL	126	A26	18	N/A
424-432	SYMVPFIPL	127	B0702	16	N/A
424-433	SYMVPFIPLY	128	A1	19	<5
			A26	15	N/A
425-433	YMVPFIPLY	129	A0201	18	<5
			A1	23	5
			A26	17	N/A
426-434	MVPFIPLYR	130	A3	18	<5
426-435	MVPFIPLYRN	131	A26	16	N/A
427-434	VPIPLYR	132	B5101	18	N/A
430-437	IPLYRNGD	133	B08	16	<5
430-439	IPLYRNGDFF	134	B0702	18	N/A
431-439	PLYRNGDFF	135	A26	18	N/A
			A3	24	<5
431-440	PLYRNGDFFI	136	A0201	16	23.43
			A3	17	<5
434-443	RNGDFFISSK	137	A3	20	<5
435-443	NGDFFISSK	138	A3	15	<5
			B2705	15	5

5 †Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 20.

Example 18: Tyrosinase 457-484Table 18Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
463-471	YIKSYLEQA	139	A0201	18	<5
			A26	17	N/A
466-474	SYLEQASRI	140	B5101	16	<5
469-478	EQASRIWSWL	141	A26	17	N/A
470-478	QASRIWSWL	142	B5101	16	55
471-478	ASRIWSWL	143	B08	16	<5
471-479	ASRIWSWLL	144	B08	16	<5
473-481	RIWSWLLGA	145	A0201	19	13.04
			A26	16	N/A
			A3	15	<5

10 †Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 21.

Example 19: CEA 92-118Table 19Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
92-100	GPAYSGREI	146	B0702	18	8
			B08	15	<5
			B5101	22	484
92-101	GPAYSGREII	147	B0702	18	12
93-100	PAYSGREI	148	B5101	22	N.A.
93-101	PAYSGREII	149	B5101	24	48.4
93-102	PAYSGREIY	150	A1	19	<5
94-102	AYSGREIY	151	A1	21	<5
97-105	GREIYPNA	152	B2705	17	200
			B2709	16	
98-107	REIYPNASL	153	A0201	16	<5
99-107	EIYPNASL	154	A0201	21	<5
			A26	28	N.A.
			A3	16	<5
			B0702	15	6
			B08	18	<5
			B2705	16	<5
99-108	EIYPNASLL	155	A0201	16	<5
			A26	27	N.A.
			A3	17	<5
100-107	IYPNASL	156	B08	15	<5
100-108	IYPNASLL	157	A0201	23	15.979
			A26	21	N.A.
			A24	N.A.	<5
			A3	23	<5
			B08	15	<5
			B1510	15	N.A.
			B2705	16	50
100-109	IYPNASLLI	158	B2709	15	
			A0201	22	7.804
102-109	YPNASLLI	159	A3	20	<5
			B5101	23	N.A.
107-116	LLIQNIQND	160	A0201	18	<5
			A26	17	N.A.

5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 22.

Example 20: CEA 131-159Table 20Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
132-141	EEATGQFRVY	161	A1	19	<5
			A26	21	N.A.
133-141	EATGQFRVY	162	A1	22	<5
			A26	23	N.A.
			B5101	16	<5
141-149	YPELPKPSI	163	B0702	20	<5
			B5101	22	572
142-149	PELPKPSI	164	B08	16	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 23.

5

Example 21: CEA 225-251Table 21Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
225-233	RSDSVILNV	165	A0201	15	<5
			A1	22	<5
			B2709	15	N.A.
225-234	RSDSVILNVL	166	A0201	15	<5
226-234	SDSVILNVL	167	A0201	17	<5
226-235	SDSVILNVLY	168	A1	20	<5
227-235	DSVILNVLY	169	A1	22	<5
			A26	18	N.A.
233-242	VLYGPDAPTI	170	A0201	25	56.754
			A3	23	<5
234-242	LYGPDAPTI	171	A0201	15	<5
			B5101	15	5.72
235-242	YGPDAPTI	172	B5101	22	N.A.
236-245	GPDAPTISPL	173	A0201	15	<5
			B0702	23	24
237-245	PDAPTISPL	174	A0201	15	<5
			A26	16	N.A.
			B2705	15	<5
238-245	DAPTISPL	175	B5101	25	N.A.
239-247	APTISPLNT	176	B0702	20	6
240-249	PTISPLNTSY	177	A1	22	<5
			A26	24	N.A.
241-249	TISPLNTSY	178	A1	20	5
			A26	24	N.A.
			A3	20	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 24.

10

Example 22: CEA 239-270Table 22Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
240-249	PTISPLNTSY	179	A1	22	<5
			A26	24	N.A.
241-249	TISPLNTSY	180	A1	20	5
			A26	24	N.A.
			A3	20	<5
246-255	NTSYRSGENL	181	A26	19	N.A.
247-255	TSYRSGENL	182	B2705	15	50
248-255	SYRSGENL	183	B08	18	<5
248-257	SYRSGENLNL	184	B0702	14	<5
249-257	YRSGENLNL	185	A0201	15	<5
			B0702	16	<5
			B2705	27	2000
			B2709	22	N.A.
251-259	SGENLNLSC	186	A1	19	<5
253-262	ENLNLSCHAA	187	A0203	19	<5
254-262	NLNLSCHAA	188	A0201	17	<5

5 †Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 25.

Example 23: CEA 259-28610 Table 23Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
260-269	HAASNPPAQY	189	A1	15	<5
261-269	AASNPPAQY	190	A1	17	<5
			A3	17	<5
264-273	NPPAQYSWFV	191	B0702	18	<5
265-273	PPAQYSWFV	192	B0702	18	<5
			B5101	19	20
266-273	PAQYSWFV	193	B5101	18	N.A.
272-280	FVNGTFQQS	194	A26	18	N.A.
			A3	15	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 26.

Example 24: CEA 309-336Table 24Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
310-319	RTTVTTITVY	195	A1	22	<5
			A26	24	N.A.
			A3	15	<5
311-319	TTVTTITVY	196	A1	22	<5
			A26	24	N.A.
			B2705	15	5
319-327	YAEPPKPFIT	197	A0201	17	<5
			A1	17	18
			B5101	22	286
319-328	YAEPPKPFIT	198	A1	16	45
320-327	AEPPKPFIT	199	B08	16	<5
321-328	EPPKPFIT	200	B5101	16	N.A.
321-329	EPPKPFITS	201	B0702	16	<5
			B5101	16	12.1
322-329	PPKPFITS	202	B08	16	<5

5 †Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 27.

Example 25: CEA 381-408Table 2510 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
382-391	SVTRNDVGPY	203	A1	18	<5
			A26	24	N.A.
			A3	21	<5
383-391	VTRNDVGPY	204	A1	23	<5
			A26	24	N.A.
389-397	GPYECGIQN	205	B5101	17	11
391-399	YECGIQNEL	206	A0201	17	<5
			B2705	17	30
394-402	GIQNELSVD	207	A26	15	N.A.
			A3	16	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 28.

Example 26: CEA 403-429Table 265 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
403-411	HSDPVILNV	208	A0201	17	<5
			A1	26	37.5
403-412	HSDPVILNVL	209	A0201	17	<5
			A1	19	7.5
			A26	15	N.A.
			A24	N.A.	8.064
			B4402	17	N.A.
404-412	SDPVILNVL	210	A0201	17	<5
			B4402	16	N.A.
404-413	SDPVILNVLY	211	A1	20	<5
405-412	DPVILNVL	212	B08	16	<5
			B5101	24	N.A.
405-413	DPVILNVLY	213	A1	18	<5
			A26	18	N.A.
			B5101	16	7.26
408-417	ILNVLYGPDD	214	A3	15	<5
411-420	VLYGPDDPTI	215	A0201	25	56.754
			A3	20	<5
412-420	LYGPDDPTI	216	A0201	15	<5
			A24	N.A.	60
413-420	YGPDDPTI	217	B5101	22	N.A.
417-425	DPTISPSYT	218	B0702	16	<5
418-427	PTISPSYTTY	219	A1	21	<5
			A26	27	N.A.
419-427	TISPSYTTY	220	A1	19	5
			A26	27	N.A.

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 29.

Example 27: CEA 416-448Table 27Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
418-427	PTISPSYTTY	221	A1	21	<5
			A26	27	N.A.
419-427	TISPSYTTY	222	A1	19	5
			A26	27	N.A.
			A3	18	<5
419-428	TISPSYTYR	223	A3	15	5.4
424-433	YTYRPGVNL	224	A0201	18	<5
			A24	N.A.	<5
			A26	20	N.A.
425-433	TYRPGVNL	225	A0201	14	<5
			A24	N.A.	200
			B0702	16	<5
			B2705	16	5
426-433	YYRPGVNL	226	B08	16	<5
426-435	YYRPGVNLSL	227	A0201	17	<5
			B0702	15	<5
427-435	YRPGVNLSL	228	A0201	17	<5
			B2705	26	2000
			B2709	21	N.A.
428-435	RPGVNLSL	229	B08	17	<5
			B5101	17	N.A.
428-437	RPGVNLSLSC	230	B0702	14	<5
430-438	GVNLSLSCH	231	A26	16	N.A.
			B2705	15	<5
431-440	VNLSLSCHAA	232	A0203	19	N.A.
432-440	NLSLSCHAA	233	A0201	16	<5

5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 30.

Example 28: CEA 437-464Table 28Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
438-447	HAASNPPAQY	234	A1	15	<5
439-447	AASNPPAQY	235	A1	17	<5
			A3	17	<5
442-451	NPPAQYSWLI	236	B0702	17	8
443-451	PPAQYSWLI	237	B0702	17	<5
			B5101	21	40
444-451	PAQYSWLI	238	B5101	20	N.A.
449-458	WLIDGNIQQH	239	A0201	17	<5
			A26	17	N.A.
			A3	21	<5
450-458	LIDGNIQQH	240	A0201	16	<5
			A26	19	N.A.
			A3	17	<5
450-459	LIDGNIQQHT	241	A0201	16	<5
			A26	15	N.A.

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 31.

5

Example 29: CEA 581-607Table 29Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
581-590	RSDPVTLDVL	242	A0201	16	<5
			A1	19	7.5
			A26	15	N.A.
			A24	N.A.	9.6
582-590	SDPVTLDVL	243	A0201	16	<5
582-591	SDPVTLDVLY	244	A1	19	<5
583-590	DPVTLDVL	245	B08	16	<5
			B5101	25	N.A.
583-591	DPVTLDVLY	246	A1	17	<5
			A26	18	N.A.
			B5101	16	6
588-597	DVLYGPDTPI	247	A26	16	N.A.
589-597	VLYGPDTPI	248	A0201	25	56.754
			A3	17	6.75
			B5101	17	11.44
596-605	PIISPPDSSY	249	A1	15	<5
			A26	25	N.A.
			A3	22	<5
597-605	IISPPDSSY	250	A1	20	5
			A26	24	N.A.
			A3	24	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 32.

10

Example 30: CEA 595-622Table 30Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
597-606	IISPPDSSYL	251	A0201	22	27.464
			A26	21	N.A.
			A3	16	<5
			B0702	14	<5
599-606	SPPDSSYL	252	B08	18	<5
			B5101	17	N.A.
600-608	PPDSSYLSG	253	A1	16	<5
600-609	PPDSSYLSGA	254	B0702	17	<5
602-611	DSSYLSGANL	255	A26	16	N.A.
603-611	SSYLSGANL	256	A0201	15	<5
			B2705	17	50
604-613	SYLSGANLNL	257	A0201	15	<5
			A24	N.A.	300
605-613	YLSGANLNL	258	A0201	25	98.267
			A26	19	N.A.
			A3	15	<5
			B0702	16	<5
			B08	17	<5
610-618	NLNLSCHSA	259	B2705	16	30
			A0201	18	<5

5 †Scores are given from the two binding prediction programs referenced above (see example 3) See also figure 33.

Example 31: CEA 615-641Table 3110 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
620-629	NPSPQYSWRI	260	B0702	19	8
622-629	SPQYSWRI	261	B08	15	<5
			B5101	20	N.A.
627-635	WRINGIPQQ	262	B2705	19	20
628-636	RINGIPQQH	263	A3	22	<5
			B2705	16	<5
628-637	RINGIPQQHT	264	A0201	15	<5
631-639	GIPQQHTQV	265	A0201	19	9.563
632-639	IPQQHTQV	266	B5101	20	N.A.

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 34.

Example 32: CEA 643-677Table 32Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
644-653	KITPNNNGTY	267	A1	20	5
			A26	22	N.A.
			A3	25	<5
645-653	ITPNNNGTY	268	A1	22	<5
			A26	21	N.A.
			A3	14	<5
647-656	PNNNGTYACF	269	A26	15	N.A.
648-656	NNNGTYACF	270	A26	17	N.A.
650-657	NGTYACFV	271	B5101	15	N.A.
661-670	ATGRNNSIVK	272	A3	20	<5
662-670	TGRNNSIVK	273	A3	18	<5
664-672	RNNSIVKSI	274	B2709	15	N.A.
666-674	NSIVKSITV	275	A0201	16	<5

5 †Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 35.

Example 33: GAGE-1 6-3210 Table 33Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
7-16	STYRPRPRRY	276	A1	23	<5
			A26	21	N/A
			A3	15	<5
8-16	TYRPRPRRY	277	A1	19	<5
			A3	15	<5
			A3	17	<5
10-18	RPRPRRYVE	278	B0702	16	N/A
			B08	20	<5
			B5101	15	N/A
16-23	YVEPPEMI	279	B5101	15	N/A
22-31	MIGPMRPEQF	280	A26	23	N/A
			A3	19	<5
23-31	IGPMRPEQF	281	B08	15	<5
24-31	GPMRPEQF	282	B5101	16	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 36.

Example 34: GAGE-1 105-131Table 345 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
105-114	KTPEEEMRSH	283	A26	18	N/A
106-115	TPEEEMRSHY	284	A1	26	11.25
107-115	PEEEMRSHY	285	A1	26	<5
110-119	EMRSHYVAQT	286	A0201	15	<5
113-121	SHYVAQTGI	287	B5101	15	<5
115-124	YVAQTGILWL	288	A0201	23	108.769
			A26	24	N/A
			A3	15	<5
116-124	VAQTGILWL	289	A0201	22	6.381
			B08	16	<5
			B2705	16	10
			B5101	20	78.65
116-125	VAQTGILWLL	290	A0201	19	8.701
117-125	AQTGILWLL	291	A0201	17	37.362
			B2705	16	200
118-126	QTGILWLLM	292	A26	19	N/A
118-127	QTGILWLLMN	293	A26	15	N/A
120-129	GILWLLMNNC	294	A26	15	N/A
121-129	ILWLLMNNC	295	A0201	15	161.227

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 37.

Example 35: GAGE-1 112-137Table 35Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
124-131	LLMNNCF	296	B08	16	<5
123-131	WLLMNNCF	297	A0201	22	1999.734
			A26	16	N/A
			B08	17	<5
122-130	LWLLMNNCF	298	B2705	15	<5
121-130	ILWLLMNNCF	299	A26	18	N/A
			A3	17	10
121-129	ILWLLMNNC	295	A0201	15	161.227
120-129	GILWLLMNNC	294	A26	15	N/A
118-127	QTGILWLLMN	293	A26	15	N/A
118-126	QTGILWLLM	292	A26	19	N/A
117-125	AQTGILWLL	291	A0201	17	37.362
			B2705	16	200
			B4402	17	N/A
116-125	VAQTGILWLL	290	A0201	19	8.701
116-124	VAQTGILWL	289	A0201	22	6.381
			B08	16	<5
			B2705	16	10
			B4402	15	N/A
			B5101	20	78.65
115-124	YVAQTGILWL	288	A0201	23	108.769
			A26	24	N/A
			A3	15	<5
113-121	SHYVAQTGI	287	B5101	15	<5

† Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 38.

Example 36 MAGE-1 51-77Table 36Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
62-70	SAFPTTINF	309	A26	15	N/A
			B4402	18	N/A
			B2705	17	25
61-70	ASAFPTTINF	310	B4402	15	N/A
60-68	GASAFPTTI	311	A0201	16	<5
			B5101	25	220
57-66	SPQGASAFPT	312	B0702	19	N/A

† Scores are given from the two binding prediction programs referenced above. See also figure 39.

5

Example 37: Mage-1 126-153Table 37Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
144-151	FGKASESL	313	B08	21	<5
143-151	IFGKASESL	314	A26	16	N/A
			B2705	15	<5
142-151	EIFGKASESL	315	A0201	20	<5
			A26	29	N/A
			B4402	15	N/A
142-149	EIFGKASE	316	B08	16	<5
133-140	IKNYKHCF	317	B08	18	<5
132-140	VIKNYKHCF	318	A26	21	N/A
			B08	21	<5
131-140	SVIKNYKHCF	319	A26	23	N/A
			A3	18	<5
			B4402	15	N/A
132-139	VIKNYKHC	320	B08	15	<5
131-139	SVIKNYKHC	321	A26	18	N/A
128-136	MLESVIKNY	322	A1	28	45
			A26	24	N/A
			A3	17	<5
			B4402	15	N/A
127-136	EMLESVIKNY	323	A1	15	<5
			A26	23	N/A
			B4402	18	N/A
126-134	AEMLESVIK	324	A3	18	<5
			B2705	15	30
			B4402	16	N/A

† Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 40.

10

Example 38: MAGE-2 272-299Table 385 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
274-283	GPRALIETSY	325	A1	15	<5
275-283	PRALIETSY	326	A1	15	<5
			B2705	23	100
276-284	RALIETSYV	327	A0201	18	19.658
			B5101	20	55
277-286	ALIETSYVKV	328	A0201	30	427.745
			A26	18	N/A
			A3	21	<5
278-286	LIETSYVKV	329	A0201	23	<5
			A26	17	N/A
			B5101	15	<5
278-287	LIETSYVKVL	330	A0201	22	<5
			A26	22	N/A
279-287	IETSYVKVL	331	A0201	15	<5
			B1510	15	N/A
			B5101	15	<5
280-289	ETSYVKVLH H	332	A26	21	N/A
282-291	SYVKVLHHT L	333	A0201	15	<5
283-291	YVKVLHHTL	334	A0201	19	<5
			A26	20	N/A
			A3	15	<5
			B08	21	<5
285-293	KVLHHTLKI	335	A0201	20	11.822
			A3	18	<5
			B5101	15	<5

†Scores are given from the two binding prediction programs referenced above (see example 3).] See also figure 41.

Example 39 MAGE-2 287-314Table 39Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
303-311	PLHERALRE	336	A3	19	<5
			B08	16	<5
302-309	PPLHERAL	337	B08	16	<5
			B5101	18	N/A
301-309	YPPLHERAL	338	B0702	21	N/A
			B08	18	<5
			B4402	15	N/A
			B5101	20	143
300-309	SYPPLHERAL	339	A0201	15	<5
			B4402	18	N/A
299-307	ISYPPLHER	340	B2705	17	25
298-307	HISYPPLHER	341	A26	15	N/A
292-299	KIGGEPHI	342	B5101	15	N/A
291-299	LKIGGEPHI	343	A0201	17	<5
290-299	TLKIGGEPHI	344	A0201	18	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 42.

5

Example 40 Mage-3 287-314Table 40Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
303-311	PLHEWVLRE	345	A26	15	N/A
302-309	PPLHEWVL	346	B08	16	<5
			B5101	19	N/A
301-309	YPPLHEWVL	347	B0702	21	N/A
			B08	17	<5
			B5101	22	130
301-308	YPPLHEWV	348	B5101	22	N/A
300-308	SYPPLHEWV	349	A0201	15	<5
299-308	ISYPPLHEWV	350	A0201	15	6.656
298-307	HISYPPLHEW	351	A26	15	N/A
293-301	ISGGPHISY	352	A1	25	<5
292-301	KISGGPHISY	353	A1	20	<5
			A26	23	N/A
			A3	21	5.4

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 43.

10

Example 41: Melan-A 44-71Table 415 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITH I	NIH
45-54	CWYCRRRNG Y	354	A1	16	<5
46-54	WYCRRRNGY	355	A1	16	<5
47-55	YCRRRNGYR	356	B08	15	<5
49-57	RRRNGYRAL	357	B08	17	<5
			B2705	26	1800
			B2709	24	N/A
51-60	RNGYRALMD K	358	A3	15	<5
52-60	NGYRALMDK	359	A3	18	<5
55-63	RALMDKSLH	360	B2705	16	<5
56-63	ALMDKSLH	361	B08	16	<5
55-64	RALMDKSLH V	362	A0201	17	<5
56-64	ALMDKSLHV	363	A0201	26	1055.104
			A3	18	<5
			B08	16	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 44.

Example 42: PRAME 274-301Table 42Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITH I	NIH
275-284	YISPEKEEQY	364	A1	21	5
			A26	23	N/A
			A3	20	<5
			B4402	15	N/A
276-284	ISPEKEEQY	365	A1	19	<5
			A26	15	N/A
277-285	SPEKEEQYI	366	B0702	17	N/A
			B5101	21	484
278-285	PEKEEQYI	367	B08	18	<5
279-288	EKKEEQYIAQF	368	A26	24	N/A
			B4402	16	N/A
280-288	KEEQYIAQF	369	A26	17	N/A
			B2705	19	45
			B4402	25	N/A
283-292	QYIAQFTSQF	370	A3	17	<5
			B4402	15	N/A
284-292	YIAQFTSQF	371	A0201	15	<5
			A26	24	N/A
			A3	19	<5
284-293	YIAQFTSQFL	372	A0201	22	74.314
			A26	21	N/A
285-293	IAQFTSQFL	373	A0201	15	<5
			B08	15	<5
			B5101	19	78.65
286-295	AQFTSQFLSL	374	A0201	16	15.226
			A26	15	N/A
			B0702	15	N/A
			A4402	18	N/A
287-295	QFTSQFLSL	375	A26	21	N/A
290-298	SQFLSLQCL	376	A0201	17	18.432
			A26	16	N/A
			B2705	16	1000
			B4402	15	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 45.

Example 43: PRAME 434-463Table 43Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
439-448	VLYPVPLESY	377	A0201	20	<5
			A1	21	5
			A26	25	N/A
			A3	25	67.5
440-448	LYPVPLESY	378	A1	16	<5
446-455	ESYEDIHGTL	379	A26	16	N/A
448-457	YEDIHGTLHL	380	A1	18	<5
449-457	EDIHGTLHL	381	B2705	15	<5
451-460	IHGTLHLERL	382	A0201	16	<5

5 †Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 46.

Example 44: PRAME 452-480Table 44Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITH I	NIH
454-463	TLHLERLAYL	383	A0201	26	270.234
			A26	21	N/A
455-463	LHLERLAYL	384	A0201	22	<5
			B08	20	<5
			B1510	21	N/A
			B2705	15	<5
456-463	HLERLAYL	385	B08	17	<5
456-465	HLERLAYLH A	386	A3	16	<5
			A1	17	<5
458-467	ERLAYLHARL	387	A26	16	N/A
459-467	RLAYLHARL	388	A0201	24	21.362
			B08	17	<5
			B2705	18	90
			B2709	15	N/A
459-468	RLAYLHARL R	389	A3	22	<5
460-467	LAYLHARL	390	B08	15	<5
			B5101	20	N/A
460-468	LAYLHARLR	391	B5101	18	<5
461-470	AYLHARLREL	392	A0201	20	<5
			B4402	16	N/A
462-470	YLHARLREL	393	A0201	28	45.203
			B08	25	8
462-471	YLHARLRELL	394	A0201	22	48.151
			A26	16	N/A
463-471	LHARLRELL	395	A0201	15	<5
			B1510	22	N/A
464-471	HARLRELL	396	B08	30	320
			B5101	17	N/A
464-472	HARLRELLC	397	B08	20	16
469-478	ELLCELGRPS	398	A3	15	<5
470-478	LLCELGRPS	399	A0201	15	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 47.

Example 45: PSA 143-169Table 45Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
144-153	QEPALGTTCY	400	A1	15	<5
145-153	EPALGTTCY	401	A1	17	<5
			A26	17	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 48.

5

Example 46: PSA 156-1883Table 46Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
162-171	PEEFLTPKKL	402	B4402	24	N.A.
163-171	EEFLTPKKL	403	A26	17	N.A.
			B4402	29	N.A.
165-173	FLTPKKLQC	404	A3	20	<5
			B08	17	<5
165-174	FLTPKKLQCV	405	A0201	26	735.86
			A26	15	N.A.
166-174	LTPKKLQCV	406	A0201	21	<5
			A26	18	N.A.
167-174	TPKKLQCV	407	B08	16	<5
			B5101	22	N.A.
167-175	TPKKLQCVD	408	B5101	15	<5
170-179	KLQCVDLHVI	409	A0201	24	34.433
			A3	17	<5
171-179	LQCVDLHVI	410	A0201	15	<5
			B5101	16	6.292

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 49.

10

Example 47: PSCA 67-94

Table 47

Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
73-81	DSQDYVVGK	411	A3	15	<5
74-82	SQDYVVGKK	412	A1	16	<5
74-83	SQDYVVGKK N	413	A1	15	<5
76-84	DYVVGKKNI	414	B5101	19	23.426
77-84	YVVGKKNI	415	B08	16	<5
78-86	YVGKKNITC	416	A3	15	<5
78-87	YVGKKNITCC	417	A26	15	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 50.

5

Example 48: PSMA 378-405

Table 48

10 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
381-390	WVFGGIDPQS	418	A26	16	N/A
			A3	15	<5
385-394	GIDPQSGAAV	419	A0201	24	<5
			A0203	17	N/A
			A1	15	10
			A26	15	N/A
			A3	18	<5
386-394	IDPQSGAAV	420	A0201	15	<5
387-394	DPQSGAAV	421	B5101	22	N/A
387-395	DPQSGAAVV	422	B0702	18	N/A
			B5101	26	440
387-396	DPQSGAAVVH	423	A3	15	<5
388-396	PQSGAAVVH	424	A3	17	<5
389-398	QSGAAVVHEI	425	A0201	15	<5
390-398	SGAAVVHEI	426	A0201	19	<5
			B5101	21	88
391-398	GAAVVHEI	427	B5101	23	N/A
391-399	GAAVVHEIV	428	A0201	17	<5
			B5101	20	133.1
392-399	AAVVHEIV	429	B5101	19	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 51.

Example 49: PSMA 597-623Table 49Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
597-605	CRDYAVVLR	430	B2705	22	N/A
598-607	RDYAVVLRK Y	431	A1	17	<5
			A26	15	N/A
			A3	16	<5
599-607	DYAVVLRKY	432	A1	19	<5
			A26	22	N/A
600-607	YAVVLRKY	433	B5101	17	N/A
602-611	VVLRKYADKI	434	A0201	17	<5
			A3	18	<5
603-611	VLRKYADKI	435	A0201	22	<5
			A3	16	<5
			B08	19	<5
			B5101	16	5.72
603-612	VLRKYADKIY	436	A1	17	<5
			A26	19	N/A
			A3	19	<5
604-611	LRKYADKI	437	B08	17	<5
604-612	LRKYADKIY	438	A1	15	<5
			B2705	19	N/A
605-614	RKYADKIYSI	439	A0201	16	<5
606-614	KYADKIYSI	440	A0201	20	<5
			B08	17	<5
607-614	YADKIYSI	441	B5101	27	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 52.

Example 50: PSMA 615-642Table 50Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
616-625	MKHPQEMKT Y	442	A1	19	<5
			A26	16	N/A
617-625	KHPQEMKTY	443	A1	15	<5
			A26	16	N/A
618-627	HPQEMKTYSV	444	A0201	15	<5
			B0702	17	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 53.

Example 51: SCP-1 57-86Table 51Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
62-71	IDSDPALQKV	445	A0201	19	<5
63-71	DSDPALQKV	446	A0201	17	<5
			A1	20	7.5
			A26	15	N/A
			B5101	15	5.324
67-76	ALQKVNFLPV	447	A0201	23	132.149
			A3	16	<5
70-78	KVNFLPVLE	448	A3	18	<5
71-80	VNFLPVLEQV	449	A0201	16	<5
72-80	NFLPVLEQV	450	A0201	18	<5
75-84	PVLEQVGNSD	451	A3	18	<5
76-84	VLEQVGNSD	452	A1	15	<5
			A3	16	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 54.

5

Example 52: SCP-1 201-227Table 52Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
202-210	YEREETRQV	453	A0201	16	<5
202-211	YEREETRQVY	454	A1	19	<5
			A3	15	<5
			A4402	22	N/A
203-211	EREETRQVY	455	A1	27	<5
			A26	19	N/A
			B2705	20	N/A
203-212	EREETRQVYM	456	A26	17	N/A
204-212	REETRQVYM	457	B2705	15	N/A
211-220	YMDLNSNIEK	458	A1	17	25
213-221	DLNSNIEKM	459	A0201	20	<5
			A26	28	N/A
216-226	SNIEKMITAF	460	A26	19	N/A
			B4402	19	N/A
217-225	NIEKMITAF	461	A26	26	N/A
			B2705	17	N/A
			B4402	16	N/A
218-225	IEKMITAF	462	B08	17	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 55.

10

Example 53: SCP-1 395-424Table 53Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
397-406	RLENYEDQLI	463	A0201	17	<5
			A3	15	<5
398-406	LENYEDQLI	464	B4402	19	N/A
398-407	LENYEDQLII	465	B4402	19	N/A
399-407	ENYEDQLII	466	B5101	17	19.36
399-408	ENYEDQLIIL	467	A26	20	N/A
400-408	NYEDQLIIL	468	A1	16	<5
400-409	NYEDQLIILT	469	A1	16	<5
401-409	YEDQLIILT	470	A1	18	<5
			B4402	16	N/A
401-410	YEDQLIILTM	471	A1	18	<5
			B4402	16	N/A
402-410	EDQLIILTM	472	A26	18	N/A
			B2705	15	<5
406-415	IILTMELQKT	473	A0201	22	14.824
407-415	ILTMELQKT	474	A26	16	N/A
			A0201	21	29.137

†Scores are given from the two binding prediction programs referenced above (see example 3).. See also figure 56.

5

Example 54: SCP-1 416-442Table 54Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
424-432	KLTNNKEVE	475	A3	18	<5
424-433	KLTNNKEVEL	476	A0201	24	74.768
			A26	18	N/A
			A3	18	<5
425-433	LTNNKEVEL	477	A0201	22	<5
			A26	21	N/A
			B08	22	<5
429-438	KEVELEELKK	478	A3	17	<5
430-438	EVELEELKK	479	A1	18	90
			A26	17	N/A
			A3	24	<5
			B2705	15	<5
430-439	EVELEELKKV	480	A0201	15	<5
			A26	21	N/A
431-439	VELEELKKV	481	A0201	20	80.217
			A4402	15	N/A
			B5101	17	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 57.

10

Example 55: SCP-1 518-545Table 55Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
530-539	ETSDMTLELK	482	A26	21	N/A
531-539	TSDMTLELK	483	A1	16	15

5 †Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 58.

Example 56: SCP-1 545-578Table 5610 Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
548-556	NKKQEERML	484	B08	20	<5
553-562	ERMLTQIENL	485	A26	19	N/A
			B4402	17	N/A
554-562	RMLTQIENL	486	A0201	24	64.335
			B2705	21	150
			B2709	17	N/A
			B4402	15	N/A
555-562	MLTQIENL	487	B08	16	<5
555-564	MLTQIENLQE	488	A3	16	<5
560-569	ENLQETETQL	489	A26	16	N/A
561-569	NLQETETQL	490	A0201	22	87.586
			A26	19	N/A
			A3	15	<5
			B08	18	<5
561-570	NLQETETQLR	491	A3	15	6

†Scores are given from the two binding prediction programs referenced above (see example 3).. See also figure 59.

Example 57: SCP-1 559-585Table 57Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
567-576	TQLRNELEYV	492	A0201	16	161.729
568-576	QLRNELEYV	493	A0201	24	32.765
			A3	16	<5
571-580	NELEYVRBEL	494	A0201	16	<5
			B4402	23	N/A
572-580	ELEYVREEL	495	A0201	17	<5
			A26	23	N/A
			B08	20	<5
573-580	LEYVREEL	496	B08	19	<5
574-583	EYVREELKQK	497	A3	16	<5
575-583	YVREELKQK	498	A26	17	N/A
			A3	27	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 60.

5

Example 58: SCP-1 665-701Table 58Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
675-684	LLEEVEKAK V	499	A0201	27	31.026
676-684	LEEVEKAKV	500	A0201	15	<5
676-685	LEEVEKAKVI	501	A4402	22	N/A
677-685	EEVEKAKVI	502	B08	21	<5
			B4402	24	N/A
			B5101	18	<5
681-690	KAKVIADEA V	503	A0201	15	<5
683-692	KVIADAEVK L	504	A0201	21	6.542
			A26	22	N/A
			A3	25	<5
			B4402	17	N/A
684-692	VIADEAVKL	505	A0201	26	20.473
			A26	22	N/A
			A3	17	<5
			B08	16	<5
			B2705	15	N/A
685-692	IADEAVKL	506	B08	17	<5
			B5101	21	N/A

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 61.

10

Example 59: SCP-1 694-7205 Table 59Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
694-702	KEIDKRCQH	507	A3	16	<5
			A4402	17	N/A
694-703	KEIDKRCQH K	508	A3	17	<5
			B4402	15	N/A
695-703	EIDKRCQHK	509	A26	20	N/A
			A3	20	<5
695-704	EIDKRCQHKI	510	A0201	16	<5
			A26	19	N/A
696-704	IDKRCQHKI	511	B08	17	<5
697-704	DKRCQHKI	512	B5101	16	N/A
698-706	KRCQHKIAE	513	B2705	16	60
698-707	KRCQHKIAE M	514	A26	15	N/A
699-707	RCQHKIAEM	515	A26	15	N/A
			B2705	18	9
701-710	QHKIAEMVA L	516	A26	15	N/A
702-710	HKIAEMVAL	517	A0201	15	<5
			A26	16	N/A
			B4402	16	N/A
703-710	KIAEMVAL	518	B08	16	<5

†Scores are given from the two binding prediction programs referenced

[0386] above (see example 3)

10 [0387] See also figure 62.

Example 60: SCP-1 735-769Table 60Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
737-746	QEQSSLRASL	519	B4402	21	N.A.
738-746	EQSSLRASL	520	A26	22	N.A.
			B0702	15	6
739-746	QSSLRASL	521	B08	19	<5
741-750	SLRASLEIEL	522	A0201	24	<5
			A26	17	N.A.
			A3	16	<5
742-750	LRASLEIEL	523	A0201	17	<5
			B2705	23	2000
			B2709	21	N.A.
743-750	RASLEIEL	524	B5101	17	N.A.
744-753	ASLEIELSNL	525	A0201	20	<5
			A26	16	N.A.
745-753	SLEIELSNL	526	A0201	25	<5
			A26	22	N.A.
			A3	15	<5
			B08	18	<5
745-754	SLEIELSNLK	527	A1	15	18
			A3	22	20
746-754	LEIELSNLK	528	B2705	16	30
			B4402	15	N.A.
747-755	EIELSNLKA	529	A1	19	<5
			A26	18	N.A.
749-758	ELSNLKAELL	530	A0201	17	<5
			A26	22	N.A.
750-758	LSNLKAELL	531	B08	21	<5
751-760	SNLKAELLSV	532	A0201	21	<5
752-760	NLKAELLSV	533	A0201	26	5.599
			A3	18	<5
			B08	16	<5
752-761	NLKAELLSV K	534	A3	30	30
753-761	LKAELLSVK	535	A3	19	<5
753-762	LKAELLSVK K	536	A3	16	<5
754-762	KAELLSVKK	537	A3	18	<5
			B2705	18	30
755-763	AELLSVKKQ	538	B4402	19	N.A.

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 63.

Example 61: SCP-1 786-8165 Table 61Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
787-796	EKDKKKTQTF	539	A26	19	N/A
			B4402	15	N/A
788-796	KKDKKKTQTF	540	B08	16	<5
			B2705	16	<5
789-796	KDKKKTQTF	541	B08	16	<5
797-806	LLETPDIYW K	542	A0201	16	<5
			A3	21	90
798-806	LETPDIYWK	543	B2705	15	30
			B4402	16	N/A
798-807	LETPDIYWK L	544	A0201	15	7.944
			A26	15	N/A
			A4402	24	N/A
799-807	ETPDIYWKL	545	A26	31	N/A
			B4402	16	N/A
800-807	TPDIYWKL	546	B08	16	<5
			B5101	19	N/A

†Scores are given from the two binding prediction programs referenced

[0390] above (see example 3)

10

[0391] See also figure 64.

Example 62: SCP-1 806-833Table 62Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
809-817	SKAVPSQTV	547	A0201	17	<5
810-817	KAVPSQTV	548	B5101	19	N/A
812-821	VPSQTVSRNF	549	B0702	18	N/A
815-824	QTVSRNFTSV	550	A0201	16	<5
			A26	16	N/A
816-824	TVSRNFTSV	551	A0201	16	11.426
			A26	15	N/A
			A3	16	<5
816-825	TVSRNFTSVD	552	A3	20	<5
823-832	SVDHGISKDK	553	A3	21	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 65.

5

Example 63: SCP-1 826-853Table 63Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
829-838	SKDKRDYLWT	554	A1	18	<5
832-840	KRDYLWTS	555	B2705	16	600
832-841	KRDYLWTS	556	A3	17	<5
833-841	RDYLWTS	557	A3	23	<5
			B2705	18	15
835-843	YLWTS	558	A0201	16	284.517
835-844	YLWTS	559	A0201	26	815.616
			A26	16	N/A
837-844	WTS	560	B08	20	<5
841-850	KNTLSTPLPK	561	A3	18	<5
842-850	NLSTPLPK	562	A3	16	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 66.

10

Example 64: SCP-1 832-859Table 64Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
832-840	KRDYLWTS A	563	B2705	16	600
832-841	KRDYLWTS A K	564	A3	17	<5
833-841	RDYLWTS AK	565	A3	23	<5
			B2705	18	15
835-843	YLWTS AKNT	566	A0201	16	284.517
839-846	SAKNTLST	567	B08	16	<5
841-850	KNTLSTPLPK	568	A3	18	<5
842-850	NTLSTPLPK	569	A3	16	<5
843-852	TLSTPLPKAY	570	A1	16	<5
			A26	19	N/A
			A3	18	<5
			B4402	17	N/A
844-852	LSTPLPKAY	571	A1	23	7.5
			A4402	18	N/A

† Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 67.

5

Example 65: SSX-2 1-27Table 65Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
5-12	DAFARRPT	572	B5101	18	N/A
7-15	FARRPTVGA	573	A0201	15	<5
8-17	ARRPTVGAQI	574	A3	18	<5
9-17	RRPTVGAQI	575	B2705	23	1800
			B2709	23	N/A
10-17	RPTVGAQI	576	B5101	20	N/A
13-21	VGAQIPEKI	577	B5101	20	125.84
14-21	GAQIPEKI	578	B5101	25	N/A
15-24	AQIPEKIQKA	579	A0201	16	<5
16-24	QIPEKIQKA	580	A0201	21	6.442
			A26	20	N/A
			B08	17	<5
16-25	QIPEKIQKAF	581	A26	24	N/A
			A3	16	<5
17-24	IPEKIQKA	582	B5101	19	N/A
17-25	IPEKIQKAF	583	B0702	19	N/A
			B08	15	<5
			B2705	16	<5
18-25	PEKIQKAF	584	B08	16	<5

† Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 68.

10

Example 66: Survivin 116-142Table 66Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
116-124	ETNNKKKEF	585	A26	28	N/A
			B08	20	<5
117-124	TNNKKKEF	586	B08	16	<5
122-131	KEFEETAKKV	587	A0201	15	71.806
123-131	EFEETAKKV	588	A26	15	N/A
			B5101	15	5.324
127-134	TAKKVRRA	589	B5101	17	N/A
126-134	ETAKKVRRA	590	A26	24	N/A
128-136	AKKVRRAIE	591	B08	19	<5
129-138	KKVRRAIEQL	592	A0201	15	<5
130-138	KVRRAIEQL	593	A0201	19	<5
			A26	23	N/A
			A3	22	<5
			B08	17	<5
			B2705	16	30
130-139	KVRRAIEQLA	594	A3	19	<5
131-138	VRRAIEQL	595	B08	17	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 69.

5

Example 67: BAGE 1-35Table 67Preferred Epitopes Revealed by Housekeeping Proteasome Digestion

Epitope	Sequence	Sequence ID No.	HLA type	HLA binding predictions†	
				SYFPEITHI	NIH
24-31	SPVVSRL	596	B08	19	<5
			B5101	17	N/A
21-29	KEESPVSW	597	B4402	23	N/A
19-27	LMKEESPVV	598	A0201	22	5.024
			B5101	15	<5
18-27	RLMKEESPVV	599	A0201	22	105.51
			A3	18	<5
18-26	RLMKEESPV	600	A0201	21	257.342
			A3	17	<5
14-22	LLQARLMKE	601	A0201	18	<5
			A3	15	<5
13-22	QLQARLMKE	602	A0201	18	<5
			A26	15	N/A
			A3	15	<5

†Scores are given from the two binding prediction programs referenced above (see example 3). See also figure 70.

10

Example 68Epitope Clusters.

Known and predicted epitopes are generally not evenly distributed across the sequences of protein antigens. As referred to above, we have defined segments of sequence containing a higher than average density of (known or predicted) epitopes as epitope clusters. Among the uses of epitope clusters is the incorporation of their sequence into substrate peptides used in proteasomal digestion analysis as described herein, or to otherwise inform the selection and design of such substrates. Epitope clusters can also be useful as vaccine components. Fuller discussions of the definition and uses of epitope clusters is found in PCT Publication No. WO 01/82963; PCT Publication No. WO 03/057823; and U.S. Patent Application No. 09/561,571 entitled EPITOPE CLUSTERS and in U.S. Patent Application No. 10/026,066 entitled "EPITOPE SYNCHRONIZATION IN ANTIGEN PRESENTING CELLS." Epitopes and epitope clusters for many of the TAA mentioned herein have been previously disclosed in PCT Publication No. WO 02/081646; in Patent Application No. 09/561,571; in U.S. Patent Application No. 10/117,937; U.S. Provisional Application Nos. 60/337,017 filed on November 7, 2001, and 60/363,210 filed on March 7, 2002, all entitled EPITOPE SEQUENCES. The teachings and embodiments disclosed in said publications and applications are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

For the TuAAs survivin (SEQ ID NO. 98) and GAGE-1 (SEQ ID NO. 96) the following tables (68-73) present 9-mer epitopes predicted for HLA-A2 binding using both the SYFPEITHI and NIH algorithms and the epitope density of regions of overlapping epitopes, and of epitopes in the whole protein, and the ratio of these two densities. (The ratio must exceed one for there to be a cluster by the above definition; requiring higher values of this ratio reflect preferred embodiments). Individual 9-mers are ranked by score and identified by the position of their first amino in the complete protein sequence. Each potential cluster from a protein is numbered. The range of amino acid positions within the complete sequence that the cluster covers is indicated, as are the rankings of the individual predicted epitopes it is made up of.

Table 68**HLA-A2 Epitope cluster analysis for Survivin (NIH algorithm)**

Length of protein sequence: 142 amino acids

Number of 9-mers: 134

Number of 9-mers with NIH score = 5: 2

Cluster	AA	Peptide Rank	Start Position	Score	Peptides/AAs		Ratio
					Cluster	Whole Pro.	
1	13-28	1	13	10.26	0.125	0.014	8.875
SEQ ID NO:603		2	20	4.919			

30

Table 69

HLA-A2 Epitope cluster analysis for Survivin (SYFPEITHI algorithm)

Length of protein sequence: 142 amino acids

Number of 9-mers: 134

Number of 9-mers with SYFPEITHI score = 15: 10

Cluster	AA	Peptide	Start	Score	Peptides/AAs		Ratio
		Rank	Position		Cluster	Whole Pro.	
1	13-28	5	13	17	0.125	0.070	1.775
SEQ ID NO:603		4	20	18			
2	79-111	8	79	15	0.182	0.070	2.597
SEQ ID NO:604		9	81	15			
		6	88	17			
		1	96	23			
		7	97	16			
		10	103	15			
3	130-141	2	130	19	0.167	0.070	2.381
SEQ ID NO:605		3	133	19			

Table 70

HLA-A2 Epitope cluster analysis for GAGE-1 (NIH algorithm)

Length of protein sequence: 138 amino acids

Number of 9-mers: 130

Number of 9-mers with NIH score = 5: 5

Cluster	AA	Peptide	Start	Score	Peptides/AAs		Ratio
		Rank	Position		Cluster	Whole Pro.	
1	116-133	1	123	1999.734	0.278	0.036	7.667
SEQ ID NO:606		2	121	161.227			
		3	125	49.834			
		4	117	37.362			
		5	116	6.381			

5

Table 71

HLA-A2 Epitope cluster analysis for GAGE-1 (SYFPEITHI algorithm)

Length of protein sequence: 138 amino acids

Number of 9-mers: 130

Number of 9-mers with SYFPEITHI score = 5: 6

Cluster	AA	Peptide	Start	Score	Peptides/AAs		Ratio
		Rank	Position		Cluster	Whole Pro.	
1	116-133	1	116	22	0.333	0.043	7.667
SEQ ID NO:606		2	123	22			
		3	125	22			
		4	117	17			
		5	120	16			
		6	121	15			

Table 72**HLA-A2 Epitope cluster analysis for BAGE (NIH algorithm)**

Length of protein sequence: 43 amino acids

Number of 9-mers included: 35

Number of 9-mers with NIH score = 5: 4

Cluster	AA	Peptide	Start Position	Score	Peptides/AAs		Ratio
		Rank			Cluster	Whole Pro.	
1	7-17	2	7	98.267	0.182	0.093	1.955
SEQ ID NO:607		3	9	11.426			
2	18-27	1	18	257.342	0.200	0.093	2.151
SEQ ID NO:608		4	19	5.024			

5 Table 73**HLA-A2 Epitope cluster analysis for BAGE (SYFPEITHI algorithm)**

Length of protein sequence: 43 amino acids

Number of 9-mers included: 35

Number of 9-mers with SYFPEITHI score = 15: 10

Cluster	AA	Peptide	Start Position	Score	Peptides/AAs		Ratio
		Rank			Cluster	Whole Pro.	
1	2-27	6	2	18	0.308	0.233	1.323
SEQ ID NO:609		9	6	16			
		1	7	23			
		3	9	21			
		5	11	19			
		7	14	18			
		4	18	21			
		2	19	22			
2	30-39	8	30	17	0.200	0.233	0.858
SEQ ID NO:610		10	31	15			

[0406] The embodiments of the invention are applicable to and contemplate variations in the sequences of the target antigens provided herein, including those disclosed in the various databases that are accessible by the world wide web. Specifically for the specific sequences disclosed herein, variation in sequences can be found by using the provided accession numbers to access information for each antigen.

15 TYROSINASE PROTEIN; SEQ ID NO 2

1 MLLAVLYCLL WSFQTSAGHF PRACVSSKNL MEKECCPPWS GDRSPCGQLS
GRGSCQNILL
61 SNAPLGPQFP FTGVDDRESW PSVFYNRTCQ CSGNFMGFNC GNCKFGFWGP
NCTERRLLVR

121 RNIFDLSAPE KDKFFAYLTL AKHTISSDYV IPIGTYGQMK NGSTPMFNDI
 NIYDLFVWMH
 181 YYVSM DALLG GSEIWRDIDF AHEAPAFLPW HRLFLLRWEQ EIQLTG DEN
 FTIPYWDWRD
 5 241 AEKCDICTDE YMGGQHPTNP NLLSPASFFS SWQIVCSRLE EYN SHQSLCN
 GTPEGPLRRN
 301 PGNHDKSRTP RLPSSADVEF CLSLTQYESG SMDKAANFSF RNTLEGFASP
 LTGIADASQS
 361 SMHNALHIYM NGTMSQVQGS ANDPIFLLHH AFVDSIFEQW LRRHRPLQEV
 10 YPEANAPIGH
 421 NRESYMPFI PLYRNGDFFI SSKDLGYDYS YLQSDPDSF QDYIKSYLEQ
 ASRIWSWLLG
 481 AAMVGAVLTA LLAGLVSLLC RHKRKQLPEE KQPLLMEKED YHSLYQSHL
 15 SSX-2 PROTEIN; SEQ ID NO 3
 1 MNGDDAFARR PTVGAQIPEK IQKAFDDIAK YFSKEEWEKM KASEKIFYVY
 MKRKYEAMTK
 61 LGFKATLPPF MCNKRAEDFQ GNDLDNDPNR GNQVERPQMT FGRLQGISP K
 20 IMPKKPAEEG
 121 NDSEEVPEAS GPQNDGKELC PPGKPTTSEK IHERSGPKRG EHAWTHRLRE
 RKQLVIYEEI
 181 SDPEEDDE
 25 PSMA PROTEIN; SEQ ID NO 4
 1 MWNLHETDS AVATARRPRW LCAGALVLAG GFFLLGFLFG WFIKSSNEAT
 NITPKHN MKA
 61 FLDELKAENI KKFLYNFTQI PHLAGTEQNF QLAKQIQSQW KEFGLDSVEL
 30 AHYDVL LSY
 121 NKTHPNYISI INEDGNEIFN TSLFEPPPPG YENVSDIVPP FSAFSPQGMP
 EGD LVYVNYA
 181 RTEDFFKLER DMKINCSGKI VIARYGKVFR GNKV KNAQLA GAKGVILYSD
 PADYFAPGVK
 35 241 SYPDGWNLP GGVQRGNILN LNGAGDPLTP GYPANEYAYR RGIAEAVGLP
 SIPVHPIGYY
 301 DAQKLEKMG GSAPPDSSWR GSLKVPYNVG PGFTGNFSTQ KVKMHIHSTN
 EVTRIYNVIG
 361 TLRGAVEPDR YVILGGHRDS WVFGGIDPQS GAAVVHEIVR SFGTLKKEGW
 40 RPRRTILFAS
 421 WDAEEFGLLG STEWAEENSR LLQERGVAYI NADSSIEGNY TLRVDCTPLM
 YSLVHNLTKE
 481 LKSPDEGFEG KSLYESWTKK SPSPEFSGMP RISKLGSGND FEVFFQRLGI
 ASGRARYTKN
 45 541 WETNKFSGYP LYHSVYETYE LVEKFYDPMF KYHLTVAQVR GGMVFELANS
 IVLPFDCRDY
 601 AVVLRKYADK IYSISMKHPQ EMKTYSVSFD SLFSAVKNFT EIASKFESERL
 QDFDKSNPIV
 661 LRMNDQLMF LERAFIDPLG LPDRPFYRHV IYAPSSH NKY AGESFPGIYD
 50 ALFDIESKVD
 721 PSKAWGEVKR QIYVAAFTVQ AAAETLSEVA

Homo sapiens tyrosinase (oculocutaneous albinism IA) (TYR), mRNA.;
 55 ACCESSION NM_000372
 VERSION NM_000372.1 GI:4507752
 SEQ ID NO 2
 /translation="MLLAVLYCLLSFQTSAGHFPRACVSSKNLMEKECCPPWSGDRS

PCGQLSGRGSCQNILLSNAPLGPQFPFTGVDDRESWPSVFYNRTCQCSGNFMGFNCGN
 CKFGFWGPNCTERRLLVRRNIFDLSAPEKDKFFAYLTLAKHTISSDYVIPIGTYGQMK
 5 NGSTPMFNDINIYDLFVWMHYVVSMDALLGGSEIWRDIDFAHEAPAFPLPWHRLFLLRW
 EQEIQKLTGDENFTIPYWDWRDAEKCDICTDEYMGQHPNPNLLSPASFFSSWQIVC
 10 SRLEEYNHQSLCNGTPEGPLRRNPGNHDKSRTPRLPSSADVEFCLSLTQYESGSMDB
 AANFSFRNTLEGFASPLTGIADASQSSMHNALHIYMNGTMSQVQGSANDPIFLLHHAF
 VDSIFEQWLRHRPLQEYYPEANAPIGHNRESYMPFIPLYRNGDFFISSKDLGYDYS
 15 YLQSDPDPSFQDYIKSYLEQASRIWSWLLGAAMVGAVLTALLAGLVSLLCRHKRKQLP
 EEKQPLLMEKEDYHSLYQSHL"

 SEQ ID NO 5
 20 ORIGIN
 1 atcactgtag tagtagctgg aaagagaaat ctgtgactcc aattagccag
 ttcctgcaga
 61 ccttgtaggg actagaggaa gaatgctcct ggctgttttg tactgcctgc
 tgtggagttt
 25 121 ccagacctcc gctggccatt tccctagagc ctgtgtctcc tctaagaacc
 tgatggagaa
 181 ggaatgctgt ccaccgtgga gcggggacag gaggccctgt ggccagcttt
 caggcagagg
 241 ttcctgtcag aatatacttc tgtccaatgc accacttggg cctcaatttc
 30 ccttcacagg
 301 ggtggatgac cgggagtcgt ggccttcctg cttttataat aggacctgcc
 agtgctctgg
 361 caacttcatg ggattcaact gtggaaactg caagtttggc ttttggggac
 caaactgcac
 35 421 agagagacga ctcttggtga gaagaaacat ctgcgatttg agtgccccag
 agaaggacaa
 481 attttttgcc tacctcactt tagcaaagca taccatcagc tcagactatg
 tcatcccat
 541 agggacctat ggccaaatga aaaatggatc aacacccatg tttaacgaca
 40 tcaatattta
 601 tgacctcttt gtctggatgc attattatgt gtcaatggat gcactgcttg
 ggggatctga
 661 aatctggaga gacattgatt ttgcccataga agcaccagct tttctgcctt
 ggcatagact
 45 721 cttcttggtg cggtggaac aagaaatcca gaagctgaca ggagatgaaa
 acttcactat
 781 tccatatttg gactggcggg atgcagaaaa gtgtgacatt tgcacagatg
 agtacatggg
 841 aggtcagcac ccacaaatc ctaacttact cagcccagca tcattcttct
 50 cctcttgga
 901 gattgtctgt agccgattgg aggagtacaa cagccatcag tctttatgca
 atggaacgcc
 961 cgagggacct ttacggcgta atcctggaaa ccatgacaaa tccagaaccc
 caaggctccc
 55 1021 ctcttcagct gatgtagaat ttgacctgag ttgacccaa tatgaatctg
 gttccatgga
 1081 taaagctgcc aatttcagct ttagaaatac actggaagga tttgctagtc
 cacttactgg

1141 gatagcggat gcctctcaaa gcagcatgca caatgccttg cacatctata
 tgaatggaac
 1201 aatgtcccag gtacagggat ctgccaaoga tcctatcttc cttcttcacc
 atgcatttgt
 5 1261 tgacagtatt tttgagcagt ggctccgaag gcaccgtcct cttcaagaag
 tttatccaga
 1321 agccaatgca cccattggac ataaccggga atcctacatg gttcctttta
 taccactgta
 1381 cagaaatggg gatttcttta tttcatccaa agatctgggc tatgactata
 10 gctatctaca
 1441 agattcagac ccagactctt ttcaagacta cattaagtcc tatttggaac
 aagcgagtcg
 1501 gatctgggtca tggctccttg gggcggcgat ggtaggggcc gtcctcactg
 ccctgctggc
 15 1561 agggcttgtg agcttgtgtg gtcgtcacia gagaaagcag cttcctgaag
 aaaagcagcc
 1621 actcctcatg gagaaagagg attaccacag cttgtatcag agccatttat
 aaaaggctta
 1681 ggcaatagag tagggccaaa aagcctgacc tcaactaac tcaaaagta
 20 gtccaggttc
 1741 ccagagaata tctgctggta tttttctgta aagaccattt gcaaaattgt
 aacctaatac
 1801 aaagtgtagc cttcttccaa ctcaggtaga acacacctgt ctttgtcttg
 ctgttttcac
 25 1861 tcagcccttt taacattttc ccctaagccc atatgtctaa ggaaaggatg
 ctatttggtg
 1921 atgaggaact gttatttgta tgtgaattaa agtgctctta tttt

30

Homo sapiens synovial sarcoma, X breakpoint 2 (SSX2), mRNA.

ACCESSION NM_003147

VERSION NM_003147.1 GI:10337582

SEQ ID NO 3

35

/translation="MNGDDAFARRPTVGAQIPEKIQKAFDDIAKYFSKEEWEKMKASE

KIFYVYMKRKYEAMTKLGFKATLPPFCNKR AEDFQGNLDNDPNRGNQVERPQMTFG

40

 RLQGISPKIMPKKPAEEGNDSEEVPEASGPQNDGKELCPPGKPTTSEKIHESGPKRG
 EHAWTHRLRERKQLVIYEEISDPEEDE"

SEQ ID NO 6

ORIGIN

45

 1 ctctcttttcg attcttccat actcagagta cgcacggctt gattttctct
 ttggattctt

 61 ccaaaatcag agtcagactg ctcccggtgc catgaacgga gacgacgct
 ttgcaaggag

50

 121 acccacggtt ggtgctcaaa taccagagaa gatccaaaag gccttcgatg
 atattgcaa

 181 atacttctct aaggaagagt gggaaaagat gaaagcctcg gagaaaatct
 tctatgtgta

 241 tatgaagaga aagtatgagg ctatgactaa actaggtttc aaggccaccc
 tcccaccttt

55

 301 catgtgtaat aaacggggccg aagacttcca ggggaatgat ttggataatg
 accctaaccg

 361 tgggaatcag gttgaacgtc ctcagatgac tttcggcagg ctccagggaa
 tctccccgaa

```

      421 gatcatgccc aagaagccag cagaggaagg aaatgattcg gaggaagtgc
cagaagcatc
      481 tggcccacaa aatgatggga aagagctgtg ccccccggga aaaccaacta
cctctgagaa
5      541 gattcacgag agatctggac caaaaggagg ggaacatgcc tggaccaca
gactgctga
      601 gagaaaacag ctggtgattt atgaagagat cagcgaccct gaggaagatg
acgagtaact
      661 cccctcaggg atacgacaca tgcccatgat gagaagcaga acgtggtgac
10 ctttcacgaa
      721 catgggcatg gctgcggacc cctcgtcatc aggtgcatag caagtg

15 Homo sapiens folate hydrolase (prostate-specific membrane antigen)
      1 (FOLH1), mRNA.
ACCESSION NM_004476
VERSION NM_004476.1 GI:4758397

20 SEQ ID No. 4
/translation="MWNLHETDSAVATARRPRWLCAGALVLAGGFFLLGFLFGWFIK
SSNEATNITPKHNMKAFLDELKAENIKKFLYNFTQIPHLAGTEQNFQLAKQIQSQWKE
25 FGLDSVELAHYDVLLSYPNKTHPNYISIIINEDGNEIFNTSLFEPPIPGYENVSDIVPP
FSAFSPQGMPEGDLVYVNYARTEDFFKLERDMKINCSGKIVIARYGKVFRGNKVKNAQ
LAGAKGVILYSDPADYFAPGVKSYPDGWNLPGGGVQRGNILNLNGAGDPLTPGYPANE
30 YAYRRGIAEAVGLPSIPVHPIGYYDAQKLEKMGGSAAPPDSSWRGSLKVPYNVGPFFT
GNFSTQKVKMHIHSTNEVTRIYNVIGTLRGAVEPDRIYVILGGHRDSWVFGGIDPQSGA
35 AVVHEIVRSFGTLKKEGWRPRRTILFASWDAEEFGLLGSTEWAEENSRLQLQERGVAI
NADSSIEGNYTLRVDCTPLMYSLVHNLTKELKSPDEGFEGKSLYESWTKKSPSPEFSG
MPRISKLGSGNDFEVFFQRLGIASGRARYTKNWETNKFSGYPLYHSVYETYELVEKFY
40 DPMFKYHLTVAQVRGGMVFELANSIVLPFDCRDYAVVLRKYADKIYSISMKHPQEMKT
YSVSFDSLFSVKNFTEIASKFSERLQDFDKSNPIVLRMMNDQLMFLERAFIDPLGLP
45 DRPFYRHVIYAPSSHNKYAGESFPGIYDALFDIESKVDPSKAWGEVKRQIYVAAFTVQ
      AAAETLSEVA"

SEQ ID NO 7
ORIGIN
50      1 ctcaaaaggg gccggatttc cttctcctgg aggcagatgt tgcctctctc
tctcgctcgg
      61 attggttcag tgcaacttag aaacactgct gtggtggaga aactggaccc
caggtctgga
      121 gcgaattcca gcctgcaggg ctgataagcg aggcattagt gagattgaga
55 gagactttac
      181 cccgccgtgg tggttggagg gcgcgcagta gagcagcagc acaggcgcgg
gtccccgggag

```

241 gccggctctg ctgcgcgcga gatgtggaat ctcccttcacg aaaccgactc
 ggctgtggcc
 301 accgcgcgcc gccgcgctg gctgtgcgct ggggcgctgg tgctggcggg
 tggcttcttt
 5 361 ctctcggct tcctcttcgg gtggtttata aaatcctcca atgaagctac
 taacattact
 421 ccaaagcata atatgaaagc atttttggat gaattgaaag ctgagaacat
 caagaagttc
 481 ttatataatt ttacacagat accacattta gcaggaacag aacaaaactt
 10 tcagcttgca
 541 aagcaaattc aatcccagtg gaaagaattt ggcttgatt ctgttgagct
 agcacattat
 601 gatgtcctgt tgtcctaccc aaataagact catcccaact acatctcaat
 aattaatgaa
 15 661 gatggaaatg agattttcaa cacatcatta tttgaaccac ctctccagg
 atatgaaaat
 721 gtttcggata ttgtaccacc ttctcagtgt ttctctctc aaggaatgcc
 agaggcgat
 781 ctagtgtatg ttaactatgc acgaactgaa gacttcttta aattggaacg
 20 ggacatgaaa
 841 atcaattgct ctgggaaaat tgtaattgcc agatatggga aagttttcag
 aggaaataag
 901 gttaaaaatg cccagctggc agggggccaaa ggagtcattc tctactccga
 ccctgctgac
 25 961 tactttgctc ctggggtgaa gtcctatcca gatggttgga atcttcctgg
 aggtggtgct
 1021 cagcgtggaa atatcctaaa tctgaatggt gcaggagacc ctctcacacc
 aggttaccca
 1081 gcaaataaat atgcttatag gcgtggaatt gcagaggctg ttggtcttcc
 30 aagtattcct
 1141 gttcatcaa ttggatacta tgatgcacag aagctcctag aaaaaatggg
 tggctcagca
 1201 ccaccagata gcagctggag aggaagtctc aaagtgcct acaatgttgg
 acctggcttt
 35 1261 actggaaact tttctacaca aaaagtcaag atgcacatcc actctaccaa
 tgaagtgaca
 1321 agaatttaca atgtgatagg tactctcaga ggagcagtgg aaccagacag
 atatgtcatt
 1381 ctgggaggtc accgggactc atgggtgttt ggtggtattg accctcagag
 40 tggagcagct
 1441 gttgttcatg aaattgtgag gagctttgga aactgaaaa aggaaggggtg
 gagacctaga
 1501 agaacaattt tgtttgcaag ctgggatgca gaagaatttg gtcttcttgg
 ttctactgag
 45 1561 tgggcagagg agaattcaag actccttcaa gagcgtggcg tggcttatat
 taatgctgac
 1621 tcacttatag aaggaaacta cactctgaga gttgattgta caccgctgat
 gtacagcttg
 1681 gtacacaacc taacaaaaga gctgaaaagc cctgatgaag gctttgaagg
 50 caaatctctt
 1741 tatgaaagtt ggactaaaaa aagtccttcc ccagagttca gtggcatgcc
 caggataagc
 1801 aaattgggat ctggaaatga ttttgagggt ttcttccaac gacttggaat
 tgcttcaggc
 55 1861 agagcacggt atactaaaaa ttgggaaaca aacaaattca gcggctatcc
 actgtatcac
 1921 agtgtctatg aaacatatga gttggtggaa aagttttatg atccaatgtt
 taaatatcac

1981 ctcaactgtgg cccaggttcg aggagggatg gtgtttgagc tagccaattc
 catagtgtc
 2041 ccttttgatt gtcgagatta tgctgtagt ttaagaaagt atgctgacaa
 aatctacagt
 5 2101 atttctatga aacatccaca ggaaatgaag acatacagt tatcatttga
 ttcacttttt
 2161 tctgcagtaa agaattttac agaaattgct tccaagttca gtgagagact
 ccaggacttt
 2221 gacaaaagca acccaatagt attaagaatg atgaatgatc aactcatgtt
 10 tctggaaaga
 2281 gcattttattg atccattagg gttaccagac aggccttttt ataggcatgt
 catctatgct
 2341 ccaagcagcc acaacaagta tgcaggggag tcattcccag gaatttatga
 tgctctgttt
 15 2401 gatattgaaa gcaaagtgga cccttccaag gcctggggag aagtgaagag
 acagatttat
 2461 gttgcagcct tcacagtgc ggcagctgca gagactttga gtgaagtagc
 ctaagaggat
 2521 tcttttagaga atcogtattg aatttgtgtg gtatgtcact cagaaagaat
 20 cgtaatgggt
 2581 atattgataa attttaaaat tggtatattt gaaataaagt tgaatattat
 atataaaaaa
 2641 aaaaaaaaaa aaa

25

Human melanocyte-specific (pmel 17) gene, exons 2-5, and complete cds.

30 ACCESSION U20093
 VERSION U20093.1 GI:1142634
 SEQ ID NO 70

35 /translation="MDLVLRCLLHLAVIGALLAVGATKVPRNQDWLGVSRLRTKAWNRLYPEW
 TEAQRDCWRGGQVSLKVSNDGPTLIGANASFSIALNFPQSQKVLDPGQVIWVNNTIINGSQVWGG
 QPVYPQETDDACIFPDGGPCPSGSWSQKRSFVYVWKTWGQYQVLGGPVSGLSIGTGRAMLGTHM
 EVTVYHRRGSRYSVPLAHSSSAFTITDQVPFSVSVSQLRALDGGNKHFLRNQPLTFALQLHDP
 LAEADLSYTWDFDSSGTLISRAPVVTHYLEPGPVTAQVVLQAAIPLTSCGSSPVPGTTDHRPT
 AEAPNTTAGQVPTTEVVGTTTPGQAPTAEPSTTSVQVPTTEVISTAPVQMPTAESTGMTPEKVPVS
 40 EVMGTTLAEMSTPEATGMTPAEVSIVVLSGTTAAQVTTTEWVETTARELPIPEPEGPDASSIMSTE
 SITGSLGPLLDGTATLRLVKROVPLDCVLYRGSFSVTLDIVQGIESAEILQAVPSGEGDAFELTV
 SCQGGPLKEACMEISSPGCQPPAQRLCQPVLPSPACQLVLHQILKGGSGTYCLNVSLADTNSLAVV
 STQLIMPGQEAGLGQVPLIVGILLVLMVVLASLIYRRRLMKQDFSVPLPHSSSHWLRLPRIFCS
 CPIGENSPLLSGQQV"

45 SEQ ID NO 80
 ORIGIN

1 gtgctaaaaa gatgccttct tcatttggct gtgatagggtg ctttgtggct
 gtgggggcta
 61 caaaagtacc cagaaaccag gactggcttg gtgtctcaag gcaactcaga
 50 accaaagcct
 121 ggaacaggca gctgtatcca gagtggacag aagcccagag acttgactgc
 tggagagggtg
 181 gtcaagtgtc cctcaaggct agtaatgatg ggcctacact gattggtgca
 aatgcctcct
 241 tctctattgc cttgaacttc cctggaagcc aaaaggtatt gccagatggg
 55 caggttatct
 301 ggggtcaacaa taccatcatc aatgggagcc aggtgtgggg aggacagcca
 gtgtatcccc

	361	aggaaactga	cgatgcctgc	atcttccctg	atggtggacc	ttgcccacatct
	ggctcttgggt					
	421	ctcagaagag	aagctttggt	tatgtctgga	agacctgggg	tgagggactc
	ccttctcagc					
5	481	ctatcatcca	cacttgtggt	tacttctttc	tacctgatca	cctttctttt
	ggccgcccct					
	541	tcacacctaa	cttctgtgat	tttctcta	cttcattttc	ctcttagatc
	ttttctcttt					
	601	cttagcacct	agcccccttc	aagctctatc	ataattcttt	ctggcaactc
10	ttggcctcaa					
	661	ttgtagtcct	accccatgga	atgcctcatt	aggaccctt	ccctgtcccc
	ccatatcaca					
	721	gccttccaaa	cacctcaga	agtaatcata	cttcctgacc	tcccatctcc
	agtgcggtt					
15	781	cgaagcctgt	ccctcagtc	cctttgacca	gtaatctctt	cttccttgct
	tttcattcca					
	841	aaaatgcttc	aggccaatac	tggcaagttc	tagggggccc	agtgtctggg
	ctgagcattg					
	901	ggacaggcag	ggcaatgctg	ggcacacaca	ccatggaagt	gactgtctac
20	catcgccggg					
	961	gatccccgag	ctatgtgcct	cttgctcatt	ccagctcagc	cttcaccatt
	actggtaagg					
	1021	gttcaggaag	ggcaaggcca	gttgtagggc	aaagagaagg	cagggaggct
	tggatggact					
25	1081	gcaaaggaga	aaggtgaaat	gctgtgcaa	cttaaagtag	aagggccagg
	aagacctagg					
	1141	cagagaaatg	tgaggcttag	tgccagtga	gggccagcca	gtcagcttgg
	agttggaggg					
	1201	tgtggctgtg	aaaggagaag	ctgtggctca	ggcctggttc	tcaccttttc
30	tggctccaat					
	1261	cccagaccag	gtgcctttct	ccgtgagcgt	gtcccagttg	cgggccttgg
	atggagggaa					
	1321	caagcacttc	ctgagaaatc	agcctctgac	ctttgccctc	cagctccatg
	acccagtggt					
35	1381	ctatctggct	gaagctgacc	tctcctacac	ctgggacttt	ggagacagta
	gtggaaccct					
	1441	gatctctcgg	gcacctgtgg	tactcatac	ttacctggag	cctggcccag
	tcactgccca					
	1501	ggtggctcctg	caggctgcc	ttcctctcac	ctcctgtggc	tcctccccag
40	ttccaggcac					
	1561	cacagatggg	cacaggccaa	ctgcagaggc	ccctaaccac	acagctggcc
	aagtgcctac					
	1621	tacagaagtt	gtgggtacta	cacctgggtca	ggcgccaact	gcagagccct
	ctggaaccac					
45	1681	atctgtgcag	gtgccaaaca	ctgaagtc	aagcactgca	cctgtgcaga
	tgccaactgc					
	1741	agagagcaca	ggtatgacac	ctgagaagg	gccagtttca	gaggtcatgg
	gtaccacact					
	1801	ggcagagatg	tcaactccag	aggctacagg	tatgacacct	gcagaggtat
50	caattgtggt					
	1861	gctttctgga	accacagctg	cacaggtaac	aactacagag	tgggtggaga
	ccacagctag					
	1921	agagctacct	atccctgagc	ctgaagggtcc	agatgccagc	tcaatcatgt
	ctacggaaaag					
55	1981	tattacaggt	tcctggggcc	ccctgctgga	tgggtacagcc	accttaaggc
	tgggtgaagag					
	2041	acaagtcccc	ctggattgtg	ttctgtatcg	atatgggtcc	ttttccgtca
	ccctggacat					

```

      2101 tgtccagggg attgaaagt ccgagatcct gcaggctgtg ccgtccgggtg
agggggatgc
      2161 atttgagctg actgtgtcct gccaaaggcg gctgccccag gaagcctgca
tggaagatctc
5      2221 atcgccaggg tgccagcccc ctgcccagcg gctgtgccag cctgtgctac
ccagcccagc
      2281 ctgccagctg gttctgcacc agatactgaa ggggtggctcg gggacatact
gcctcaatgt
      2341 gtctctggct gataccaaca gcctggcagt ggtcagcacc cagcttatca
10 tgcctggtag
      2401 gtccttgga agagactaag tgaggaggga agtggataga ggggacagct
ggcaagcagc
      2461 agacatgagt gaagcagtgc ctgggattct tctcacaggt caagaagcag
gccttgggca
15      2521 gggtccgctg atcgtgggca tcttgctggg gttgatggct gtggtccttg
catctctgat
      2581 atataggcgc agacttatga agcaagactt ctccgtaccc cagttgccac
atagcagcag
      2641 tcaactggctg cgtctacccc gcactctctg ctcttgctcc attggtgaga
20 atagccccct
      2701 cctcagtggg cagcaggtct gagtactctc atatgatgct gtgattttcc
tggaattgac
      2761 agaaacacct atatttcccc cagtcttccc tgggagacta ctattaactg
aaataaaa
25 //

```

Homo sapiens kallikrein 3, (prostate specific antigen) (KLK3), mRNA.

```

30  ACCESSION   NM_001648
    VERSION    NM_001648.1  GI:4502172
    SEQ ID NO  78

```

```

35  /translation="MWVPVFLTSLVTWIGAAPLILSRIVGGWECEKHSQPWQVLVAS
RGRAVCGGVLVHPQWVLTAHCIRNKSIVLLGRHSLFHPEDTGQVFQVSHSFPHPLYDMSLLKNRF
LRPGDDSSHDLMLLRLSEPAELTDAVKVMDLPTQEPALGTTTCYASGWGSIPEEFLLTPKKLQCVDL
HVISNDVCAQVHPQKVTKFMLCAGRWTGGKSTCSGSDSGGPLVCNGVLQGITSWGSEPCALPERPSL
YTKVVHYRKWIKDTIVANP"

```

```

40  SEQ ID NO  86
    ORIGIN

```

```

      1 agccccaagc ttaccacctg caccoggaga gctgtgtgtc accatgtggg
tcccggttgt
      61 cttcctcacc ctgtccgtga cgtggattgg tgctgcaccc ctcatcctgt
45 ctcggattgt
      121 gggaggctgg gagtgcgaga agcattccca accctggcag gtgcttgtgg
cctctcgtgg
      181 cagggcagtc tgccggcgtg ttctggtgca cccccagtgg gtccctcacag
ctgcccactg
50      241 catcaggaac aaaagcgtga tcttgctggg tcggcacagc ctgtttcatc
ctgaagacac
      301 aggccaggta tttcaggtca gccacagctt cccacacccg ctctacgata
tgagcctcct
      361 gaagaatcga ttcctcaggc caggtgatga ctccagccac gacctcatgc
55 tgctccgcct
      421 gtcagagcct gccagactca cggatgctgt gaaggtcatg gacctgcccc
cccaggagcc

```

```

      481 agcactgggg accacctgct acgcctcagg ctggggcagc attgaaccag
aggagttctt
      541 gaccccaaag aaacttcagt gtgtggacct ccatgttatt tccaatgacg
tgtgtgcgca
5      601 agttcaccct cagaaggtga ccaagttcat gctgtgtgct ggacgctgga
cagggggcaa
      661 aagcacctgc tcgggtgatt ctgggggccc acttgtctgt aatggtgtgc
ttcaaggtag
      721 cacgtcatgg ggcagtgaac catgtgccct gcccgaaagg ccttcctgt
10      acaccaaggt
      781 ggtgcattac cggaagtgga tcaaggacac catcgtggcc aaccctgag
cacccctatc
      841 aaccccctat tgtagtaaac ttggaacctt ggaaatgacc aggccaagac
tcaagcctcc
15      901 ccagttctac tgacctttgt ccttaggtgt gaggtccagg gttgctagga
aaagaaatca
      961 gcagacacag gtgtagacca gagtgtttct taaatggtgt aattttgtcc
tctctgtgtc
      1021 ctggggaata ctggccatgc ctggagacat atcactcaat ttctctgagg
20      acacagatag
      1081 gatggggtgt ctgtgttatt tgtggggtac agagatgaaa gaggggtggg
atccacactg
      1141 agagagtgga gagtgcacat tgctggacac tgtccatgaa gcactgagca
gaagctggag
25      1201 gcacaacgca ccagacactc acagcaagga tggagctgaa aacataaccc
actctgtcct
      1261 ggaggcactg ggaagcctag agaaggctgt gagccaagga gggagggtct
tcctttggca
      1321 tgggatgggg atgaagtaag gagagggact ggacccctg gaagctgatt
30      cactatgggg
      1381 ggaggtgtat tgaagtcctc cagacaaccc tcagatttga tgatttccta
gtagaactca
      1441 cagaaataaa gagctgttat actgtg
//
35

```

Human autoimmunogenic cancer/testis antigen NY-ESO-1 mRNA,
complete cds.

ACCESSION U87459

40 VERSION U87459.1 GI:1890098

SEQ ID NO 74

```

45      /translation="MQAEGRGTTGGSTGDADGPGGPGIPDGPGGNAGGPGEAG
      ATGGRGPRGAGAARASGPGGGAPRGPHGGAASGLNGCCRCGARGPESRLLEF
      YLAMPFATPMEAELARRSLAQDAPPLPVPGVLLKEFTVSGNILTIRLTAAADH
      RQLQLSISSCLQQLSLMWITQCFLPVFLAQPPSGQRR"

```

SEQ ID NO 84

ORIGIN

```

50      1 atcctcgtgg gccctgacct tctctctgag agccgggcag aggctccgga
gccatgcagg
      61 ccgaaggccg gggcacaggg gggtcgacgg gcgatgctga tggcccagga
ggccctggca
      121 ttctgatgg cccagggggc aatgctggcg gccagagaga ggcgggtgcc
55      acgggcggca
      181 gaggtccccg gggcgaggg gcagcaaggg cctcggggcc gggaggaggg
gccccgcggg

```

```

      241 gtccgcatgg cggcgcgggct tcagggctga atggatgctg cagatgcggg
gccagggggc
      301 cggagagccg cctgcttgag ttctacctcg ccatgccttt cgcgacaccc
atggaagcag
5      361 agctggcccg caggagcctg gcccaggatg cccaccgct tcccggtcca
ggggtgcttc
      421 tgaaggagtt cactgtgtcc ggcaacatac tgactatccg actgactgct
gcagaccacc
      481 gccaaactgca gctctccatc agctcctgtc tccagcagct ttccctgttg
10 atgtggatca
      541 cgcagtgtct tctgcccgtg tttttggctc agcctccctc agggcagagg
cgctaagccc
      601 agcctggcgc cccttccatg gtcatgcctc ctcccctagg gaatggtccc
agcacgagtg
15      661 gccagttcat tgtggggggc tgattgtttg tcgctggagg aggacggctt
acatgtttgt
      721 ttctgtagaa aataaaaactg agctacgaaa aa
//

```

```

20 LAGE-1a protein [Homo sapiens].
   ACCESSION   CAA11116
   PID         g3255959
   VERSION     CAA11116.1  GI:3255959

```

```

25 SEQ ID NO 75
   ORIGIN
      1 mqaegrgtgg stgdadgpgg pgipdgpggn aggpgeagat ggrgprgaga
arasgprgga
      61 prgphggaas aqdgrcpcga rrpdsrllel hitmpfsspm eaelvrrils
30 rdaaplprpg
      121 avlkdftvsg nllfirltaa dhrqlqlsis sclqqslslm witqcflpvf
laqapsqrr
      181
//
35

```

```

   LAGE-1b protein [Homo sapiens].
   ACCESSION   CAA11117
   PID         g3255960
40  VERSION     CAA11117.1  GI:3255960

   SEQ ID NO 76
   ORIGIN
      1 mqaegrgtgg stgdadgpgg pgipdgpggn aggpgeagat ggrgprgaga
45 arasgprgga
      61 prgphggaas aqdgrcpcga rrpdsrllel hitmpfsspm eaelvrrils
rdaaplprpg
      121 avlkdftvsg nllfmsvwdq dregagrmrv vgwglgsasp egqkardlrt
pkhkvsegrp
50  181 gtpgpppppeg aqgdgcrava fnvmfsaphi
//

```

```

55 Human antigen (MAGE-1) gene, complete cds.
   ACCESSION   M77481
   VERSION     M77481.1  GI:416114
   SEQ ID NO 71

```

/translation="MSLEQRSLHCKPEEALQAEALGLVCVQAATSSSSPL
 VLGTLEEVPTAGSTDPPQSPQGASAFPTTINFTRQRQPSEGSSSREEEGPST
 SCILESLFRAVITKKVADLVGFLLKRYRAREPVTKAEMLESVIKNYKHCPE
 IFGKASESLQLVFGIDVKEADPTGHSYVLVTCIGLSYDGLLDGNQIMPKTGF
 LIIVLVMIAMEGGHAPEEEIWEELSVMENVYDGREHSAYGEPRKLLTQDLVQE
 KYLEYRQVPDSDPARYEFLWGPRLAETSIVKVLEYVIKVSARVRFFPSLR
 EAALREEEEGV"

5
 10 SEQ ID NO 81
 ORIGIN
 1 ggatccaggc cctgccagga aaaatataag ggccctgcgt gagaacagag
 ggggtcatcc
 61 actgcatgag agtggggatg tcacagagtc cagcccaccc tcctggtagc
 15 actgagaagc
 121 cagggctgtg cttgcggtct gcaccctgag ggcccgtgga ttctctctcc
 tggagctcca
 181 ggaaccaggc agtgaggcct tgggtctgaga cagtatcctc aggtcacaga
 gcagaggatg
 20 241 cacaggggtgt gccagcagtg aatgtttgcc ctgaatgcac accaagggcc
 ccacctgcca
 301 caggacacat aggactccac agagtctggc ctcacctccc tactgtcagt
 cctgtagaat
 361 cgacctctgc tggccggctg taccctgagt accctctcac ttctccttc
 25 aggtttttcag
 421 gggacaggcc aaccacagagg acaggattcc ctggaggcca cagaggagca
 ccaaggagaa
 481 gatctgtaag taggcctttg ttagagtctc caaggttcag ttctcagctg
 aggcctctca
 30 541 cacactccct ctctccccag gcctgtgggt cttcattgcc cagctcctgc
 ccacactcct
 601 gcctgctgcc ctgacgagag tcatcatgtc tcttgagcag aggagtctgc
 actgcaagcc
 661 tgaggaagcc cttgaggccc aacaagaggc cctgggcctg gtgtgtgtgc
 35 aggctgccac
 721 ctctctctcc tctctctctg tctggggcac cctggaggag gtgcccactg
 ctgggtcaac
 781 agatcctccc cagagtcctc agggagcctc cgcctttccc actaccatca
 acttcactcg
 40 841 acagaggcaa cccagtgagg gttccagcag ccgtgaagag gaggggccaa
 gcacctcttg
 901 tatcctggag tccttggtcc gagcagtaat cactaagaag gtggctgatt
 tgggttggtt
 961 tctgctcctc aaatatcgag ccaggagacc agtcacaaag gcagaaatgc
 45 tggagagtgt
 1021 catcaaaaat tacaagcact gttttcctga gatcttcggc aaagcctctg
 agtccttgca
 1081 gctgggtctt ggcatgacg tgaaggaagc agacccacc ggccactcct
 atgtccttgt
 50 1141 cacctgccta ggtctctcct atgatggcct gctgggtgat aatcagatca
 tgcccaagac
 1201 aggtctcctg ataattgtcc tggcatgat tgcaatggag ggcggccatg
 ctcttgagga
 1261 ggaaatctgg gaggagctga gtgtgatgga ggtgtatgat gggagggagc
 55 acagtgccta
 1321 tggggagccc aggaagctgc tcaccaaga tttggtgcag gaaaagtacc
 tggagtaccg

```

      1381 gcagggtgccg gacagtgatc cgcacgcta tgagttcctg tgggggtccaa
      gggccctcgc
      1441 tgaaaccagc tatgtgaaag tccttgagta tgtgatcaag gtcagtgcaa
      gagttcgctt
5      1501 tttcttccca tccctgcgtg aagcagcttt gagagaggag gaagagggag
      tctgagcatg
      1561 agttgcagcc aaggccagtg ggagggggac tgggccagtg caccttccag
      ggccgcgtcc
      1621 agcagcttcc cctgcctcgt gtgacatgag gccattcctt cactctgaag
10      agagcgggtca
      1681 gtgttctcag tagtaggttt ctgttctatt gggtgacttg gagatttata
      tttgttctct
      1741 tttggaattg ttcaaagtgt tttttttaag ggatggttga atgaacttca
      gcatccaagt
15      1801 ttatgaatga cagcagtcac acagttctgt gtatatagtt taagggttaag
      agtcttgtgt
      1861 tttattcaga ttgggaaatc cattctatct tgtgaattgg gataataaca
      gcagtggaat
20      1921 aagtacttag aaatgtgaaa aatgagcagt aaaatagatg agataaagaa
      ctaaagaaat
      1981 taagagatag tcaattcttg ccttatacct cagtctattc tgtaaaatct
      ttaaagatat
      2041 atgcatacct ggatttcctt ggcttctttg agaatgtaag agaaattaaa
      tctgaataaa
25      2101 gaattcttcc tgttctactg ctcttttctt ctccatgcac tgagcatctg
      ctttttggaa
      2161 ggccctgggt tagtagtgga gatgctaagg taagccagac tcatacccac
      ccatagggtc
      2221 gtagagtcta ggagctgcag tcacgtaatc gaggtggcaa gatgtcctct
30      aaagatgtag
      2281 ggaaaagtga gagaggggtg aggggtgtgg gctccgggtg agagtgggtg
      agtgtcaatg
      2341 ccctgagctg gggcattttg ggctttggga aactgcagtt ccttctgggg
      gagctgattg
35      2401 taatgatctt ggggtggatcc
      //

```

Human MAGE-2 gene exons 1-4, complete cds.

ACCESSION L18920

40 VERSION L18920.1 GI:436180

SEQ ID NO 72

```

/translation="MPLEQRSQHCKPEEGLEARGEALGLVGAQAPATEEQQTASSSSTLVEVT
LGEVPAADSPSPPHSPQGASSFSTTINYTLWRQSDEGSSNQEEEGPRMFDPLE
45 SEFQAAISRKMVELVHFLLLKYRAREPVTKAEMLESVLRNCQDFFPVIFSKASEYLQLVFGIE
VVEVVPISHLYILVTCLGLSYDGLLDGNQVMPKTGLLIIVLAI AIEGDCAPEEKIWEELSML
EVFEGREDSVFAPRKLMLQDLVQENYLEYRQVPGSDPACYEFLWGPRALIETSYVKVLHHTL
KIGGEPHISYPPLHERALREGEE"

```

50 SEQ ID NO 82

ORIGIN

```

      1 attccttcat caaacagcca ggagtgagga agaggaccct cctgagtgag
      gactgaggat
      61 ccaccctcac cacatagtgg gaccacagaa tccagctcag cccctcttgt
55      cagccctggt
      121 acacactggc aatgatctca ccccgagcac acccctcccc ccaatgccac
      ttcgggccga

```

	181	ctcagagtca	gagacttggg	ctgaggggag	cagacacaat	cggcagagga
		tggcgggtcca				
	241	ggctcagtct	ggcatccaag	tcaggacctt	gagggatgac	caaaggcccc
		tcccaccccc				
5	301	aactcccccg	accccaccag	gatctacagc	ctcaggatcc	ccgtcccaat
		ccctaccctt				
	361	acaccaacac	catcttcatg	cttaccacca	ccccccatc	cagatcccca
		tccgggcaga				
	421	atccggttcc	acccttgccg	tgaaccagg	gaagtcacgg	gcccggatgt
10		gacgccactg				
	481	acttgacat	tggaggtcag	aggacagcga	gattctcgcc	ctgagcaacg
		gcctgacgtc				
	541	ggcggaggga	agcaggcgca	ggctccgtga	ggaggcaagg	taagacgccg
		agggaggact				
15	601	gaggcgggcc	tcaccccaga	cagagggccc	ccaataatcc	agcgtgcct
		ctgctgccgg				
	661	gcctggacca	ccctgcaggg	gaagacttct	caggtcagt	cgccaccacc
		tcaccccgcc				
	721	accccccgcc	gctttaaccg	caggggaactc	tggcgtaaga	gctttgtgtg
20		accagggcag				
	781	ggctggttag	aagtgtcag	ggcccagact	cagccaggaa	tcaaggtcag
		gacccaaga				
	841	ggggactgag	ggcaaccac	cccctaccct	cactaccaat	cccatcccc
		aacaccaacc				
25	901	ccacccccat	ccctcaaaca	ccaacccac	ccccaaacc	cattcccatc
		tcctccccca				
	961	ccaccatcct	ggcagaatcc	ggctttgccc	ctgcaatcaa	cccacggaag
		ctccgggaat				
	1021	ggcgcccaag	cacgcggtatc	ctgacgttca	catgtacggc	taagggaggg
30		aaggggttgg				
	1081	gtctcgtgag	tatggccttt	gggatgcaga	ggaagggccc	aggcctcctg
		gaagacagtg				
	1141	gagtccttag	gggaccagc	atgccaggac	agggggccca	ctgtaccctt
		gtctcaaact				
35	1201	gagccacctt	ttcattcagc	cgagggaatc	ctagggatgc	agaccactt
		cagcaggggg				
	1261	ttggggccca	gcctgcgagg	agtcaagggg	aggaagaaga	gggaggactg
		aggggacctt				
	1321	ggagtccaga	tcagtggcaa	ccttgggctg	ggggatcctg	ggcacagtgg
40		ccgaatgtgc				
	1381	cccggtctca	ttgcaccttc	agggtgacag	agagttgagg	gctgtggtct
		gagggctggg				
	1441	acttcaggtc	agcagagggg	ggaatcccag	gatctgccgg	acccaaggtg
		tgcccccttc				
45	1501	atgaggactg	gggatacccc	cggcccagaa	agaagggatg	ccacagagtc
		tggaagtccc				
	1561	ttgtttcttag	ctctggggga	acctgatcag	ggatggccct	aagtgacaat
		ctcatttgta				
	1621	ccacaggcag	gaggttgggg	aaccctcagg	gagataaggt	gttggtgtaa
50		agaggagctg				
	1681	tctgctcatt	tcaggggggtt	gggggttgag	aaagggcagt	ccctggcagg
		agtaaagatg				
	1741	agtaaccac	aggaggccat	cataacgttc	accctagaac	caaaggggtc
		agccctggac				
55	1801	aacgcacgtg	ggggtaacag	gatgtggccc	ctcctcactt	gtctttccag
		atctcagga				
	1861	gttgatgacc	ttgttttcag	aaggtgactc	aggtcaacac	agggggccca
		tctggtcgac				

	1921	agatgcagtg	gttctaggat	ctgccaagca	tccaggtgga	gagcctgagg
		taggattgag				
	1981	ggtaccctg	ggccagaatg	cagcaagggg	gccccataga	aatctgccct
		gcccctgcgg				
5	2041	ttacttcaga	gaccctgggc	agggctgtca	gctgaagtcc	ctccattatc
		ctgggatctt				
	2101	tgatgtcagg	gaaggggagg	ccttgggtctg	aaggggctgg	agtcaggtca
		gtagagggag				
	2161	ggtctcaggc	cctgccagga	gtggacgtga	ggaccaagcg	gactcgtcac
10		ccaggacacc				
	2221	tggactccaa	tgaatttgga	catctctcgt	tgtccttcgc	gggaggacct
		ggtcacgtat				
	2281	ggccagatgt	gggtcccctc	atatccttct	gtaccatata	agggatgtga
		gttcttgaca				
15	2341	tgagagattc	tcaagccagc	aaaaggggtg	gattaggccc	tacaaggaga
		aaggtgaggg				
	2401	ccctgagtga	gcacagaggg	gaccctccac	ccaagtagag	tggggacctc
		acggagtctg				
	2461	gccaaccctg	ctgagacttc	tgggaatccg	tggctgtgct	tgcagtctgc
20		acactgaagg				
	2521	cccgtgcatt	cctctcccag	gaatcaggag	ctccaggaac	caggcagtga
		ggccttggtc				
	2581	tgagtcagtg	tcctcaggtc	acagagcaga	ggggacgcag	acagtgccaa
		caactgaagg				
25	2641	ttgcctggaa	tgcacaccaa	gggccccacc	cgcccagaac	aaatgggact
		ccagagggcc				
	2701	tggcctcacc	ctccctattc	tcagtctctg	agcctgagca	tgtgctggcc
		ggctgtaccc				
	2761	tgaggtgccc	tcccacttcc	tccttcagggt	tctgaggggg	acaggctgac
30		aagtaggacc				
	2821	cgaggcactg	gaggagcatt	gaaggagaag	atctgtaagt	aagcctttgt
		cagagcctcc				
	2881	aagggttcagt	tcagttctca	cctaaggcct	cacacacgct	ccttctctcc
		ccaggcctgt				
35	2941	gggtcttcat	tgccagctc	ctgcccgcac	tcctgcctgc	tgccctgacc
		agagtcatca				
	3001	tgcctcttga	gcagaggagt	cagcactgca	agcctgaaga	aggccttgag
		gcccagaggag				
	3061	aggccctggg	cctgggtgggt	gcgcaggctc	ctgctactga	ggagcagcag
40		accgcttctt				
	3121	cctcttctac	tctagtggaa	gttaccctgg	gggaggtgcc	tgtgcccagc
		tcaccgagtc				
	3181	ctccccacag	tcctcagggg	gcctccagct	tctcgactac	catcaactac
		actcttttga				
45	3241	gacaatccga	tgagggctcc	agcaaccaag	aagaggaggg	gccaagaatg
		tttcccagcc				
	3301	tggagtccga	gttccaagca	gcaatcagta	ggaagatggg	tgagttgggt
		cattttctgc				
	3361	tcctcaagta	tcgagccagg	gagccgggtca	caaaggcaga	aatgctggag
50		agtgtcctca				
	3421	gaaattgcc	ggacttcttt	cccgtgatct	tcagcaaagc	ctccgagtac
		ttgcagctgg				
	3481	tctttggcat	cgaggtgggtg	gaagtgggtcc	ccatcagcca	cttgtagatc
		cttgtcacct				
55	3541	gcctgggcct	ctcctacgat	ggcctgctgg	gcgacaatca	ggcatgccc
		aagacaggcc				
	3601	tcctgataat	cgctctggcc	ataatcgcaa	tagagggcga	ctgtgcccct
		gaggagaaaa				

```

      3661 tctgggagga gctgagtatg ttggagggtgt ttgaggggag ggaggacagt
gtcttcgcac
      3721 atcccaggaa gctgctcatg caagatctgg tgcaggaaaa ctacctggag
taccggcagg
5      3781 tgcccggcag tgatcctgca tgctacgagt tcctgtgggg tccaagggcc
ctcattgaaa
      3841 ccagctatgt gaaagtcctg caccatacac taaagatcgg tggagaacct
cacatttcct
      3901 acccaccctt gcatgaacgg gctttgagag agggagaaga gtgagtctca
10 gcacatgttg
      3961 cagccagggc cagtgggagg gggctctgggc cagtgcacct tccagggccc
catccattag
      4021 cttccactgc ctctgtgat atgaggccca ttcctgcctc tttgaagaga
gcagtcagca
15      4081 ttcttagcag tgagtttctg ttctgttgga tgactttgag atttatcttt
ctttcctggt
      4141 ggaattgttc aaatgttctt ttaacaaat ggttgatga acttcagcat
ccaagtttat
      4201 gaatgacagt agtcacacat agtgctgttt atatagttaa ggggtaagag
20 tcctgttttt
      4261 tattcagatt gggaaatcca ttccattttg tgagttgtca cataataaca
gcagtggaa
      4321 atgtatttgc ctatattgtg aacgaattag cagtaaaata catgatacaa
ggaactcaaa
25      4381 agatagttaa ttcttgcctt atacctcagt ctattatgta aaattaa
tatgtgtatg
      4441 tttttgcttc tttgagaatg caaaagaaat taaatctgaa taaattcttc
ctgttcaactg
      4501 gctcatttct ttaccattca ctcagcatct gctctgtgga aggccctggt
30 agtagtggg
//

```

Human MAGE-3 antigen (MAGE-3) gene, complete cds.

```

35  ACCESSION   U03735
    VERSION    U03735.1  GI:468825
    SEQ ID NO  73

```

```

40  /translation="MPLEQRSQHCKPEEGLEARGEALGLVGAQAPATEEQEAASSSSTLVEVTLGE
VPAESPDPQSPQGASSLPPTMNYPLWSQSYEDSSNQEEGPSTFPDLESEFQAALSRKVAELVH
FLLLYKRYAREPVTKAEMLGSVVGNWQYFFPVIFSKASSSLQLVFGIELMEVDPIGHLYIFATCLGL
SYDGLLDGNQIMPKAGLLIIVLAIIRAREGDCAPEEKIWEELSVLEVFEGREDSILGDPKKLLTQHF
VQENYLEYRQVPGSDPACYEFLWGPRLVETS YVKVLHMHVKISGGPHISYPPLHEWVLRGEE"

```

```

45  SEQ ID NO  83
    ORIGIN

```

```

      1  acgcaggcag tgatgtcacc cagaccacac cccttccccc aatgccactt
caggggggtac
      61  tcagagtcag agacttggtc tgaggggagc agaagcaatc tgcagaggat
50  ggcgggtccag
      121  gctcagccag gcatcaactt caggaccctg agggatgacc gaaggccccg
cccaccacc
      181  cccaactccc ccgacccccc caggatctac agcctcagga ccccggtccc
aatccttacc
55      241  ccttgcccca tcaccatctt catgcttacc tccaccccca tccgatcccc
atccaggcag
      301  aatccagttc caccctgcc cggaaccag ggtagtaccg ttgccaggat
gtgacgccac

```

	361	tgacttgccg	attggagggtc	agaagaccgc	gagattctcg	ccctgagcaa
		cgagcgacgg				
	421	cctgacgtcg	gcggagggaa	gccggcccag	gctcgggtgag	gaggcaaggt
		aagacgctga				
5	481	gggaggactg	aggcgggcct	cacctcagac	agagggcctc	aaataatcca
		gtgctgcctc				
	541	tgctgccggg	cctggggccac	cccgcagggg	aagacttcca	ggctgggtcg
		ccactacctc				
	601	accccgccga	cccccgcgc	tttagccacg	gggaactctg	gggacagagc
10		ttaatgtggc				
	661	cagggcaggg	ctggttagaa	gaggtcaggg	cccacgctgt	ggcaggaatc
		aaggtcagga				
	721	ccccgagagg	gaactgaggg	cagcctaacc	accacctca	ccaccattcc
		cgtcccccaa				
15	781	cacccaaccc	cacccccatc	ccccattccc	atccccaccc	ccaccocctat
		cctggcagaa				
	841	tccgggcttt	gcccctggta	tcaagtcacg	gaagctccgg	gaatggcggc
		caggcacgtg				
	901	agtcctgagg	ttcacatcta	cggctaaggg	aggggaagggg	ttcgggtatcg
20		cgagtatggc				
	961	cgttgggagg	cagcgaaagg	gcccaggcct	cctggaagac	agtggagtcc
		tgaggggacc				
	1021	cagcatgcca	ggacaggggg	cccactgtac	ccctgtctca	aaccgaggca
		ccttttcatt				
25	1081	cggctacggg	aatcctaggg	atgcagaccc	acttcagcag	gggggttgggg
		cccagccctg				
	1141	cgaggagtca	tggggaggaa	gaagagggag	gactgagggg	accttggagt
		ccagatcagt				
	1201	ggcaaccttg	ggctggggga	tgctgggcac	agtggccaaa	tgtgctctgt
30		gctcattgcg				
	1261	ccttcagggg	gaccagagag	ttgagggctg	tggtctgaag	agtgggactt
		caggtcagca				
	1321	gagggaggaa	tcccaggatc	tgagggccc	aaggtgtacc	cccaaggggc
		ccctatgtgg				
35	1381	tggacagatg	cagtggctct	aggatctgcc	aagcatccag	gtgaagagac
		tgagggagga				
	1441	ttgaggggtac	ccctgggaca	gaatgcggac	tgggggcccc	ataaaaaatct
		gccctgctcc				
	1501	tgctgttacc	tcagagagcc	tgggcagggc	tgtcagctga	ggccctcca
40		ttatcctagg				
	1561	atcactgatg	tcaggggaagg	ggaagccttg	gtctgagggg	gctgcactca
		gggcagtaga				
	1621	gggaggctct	cagaccctac	taggagtggg	ggtgaggacc	aagcagtctc
		ctcaccagg				
45	1681	gtacatggac	ttcaataaat	ttggacatct	ctcgttgtcc	tttccgggag
		gacctgggaa				
	1741	tgtatggcca	gatgtgggtc	ccctcatgtt	tttctgtacc	atatcaggta
		tgtgagttct				
	1801	tgacatgaga	gattctcagg	ccagcagaag	ggagggatta	ggccctataa
50		ggagaaaggt				
	1861	gagggccctg	agtgagcaca	gaggggatcc	tccaccccag	tagagtgggg
		acctcacaga				
	1921	gtctggccaa	ccctcctgac	agttctggga	atccgtggct	gcgtttgctg
		tctgcacatt				
55	1981	gggggcccgt	ggattcctct	cccaggaatc	aggagctcca	ggaacaaggg
		agtgaggact				
	2041	tggtctgagg	cagtgtcctc	aggtcacaga	gtagaggggg	ctcagatagt
		gccaacggtg				

	2101	aaggtttgcc	ttggattcaa	accaagggcc	ccacctgccc	cagaacacat
	ggactccaga					
	2161	gcgccctggcc	tcacctcaa	tactttcagt	cctgcagcct	cagcatgcgc
	tgcccggtg					
5	2221	tacctgagg	tgccctctca	cttcctcctt	caggttctga	ggggacaggc
	tgacctggag					
	2281	gaccagaggc	ccccggagga	gcactgaagg	agaagatctg	taagtaagcc
	tttgtttagag					
10	2341	cctccaaggt	tccattcagt	actcagctga	ggtctctcac	atgctccctc
	tctccccagg					
	2401	ccagtgggtc	tccattgccc	agctcctgcc	cacactcccc	cctgttgccc
	tgaccagagt					
	2461	catcatgcct	cttgagcaga	ggagtcagca	ctgcaagcct	gaagaaggcc
	ttgaggcccc					
15	2521	aggagaggcc	ctgggcctgg	tgggtgcgca	ggctcctgct	actgaggagc
	aggaggctgc					
	2581	ctcctcctct	tctactctag	ttgaagtcac	cctgggggag	gtgcctgctg
	ccgagtcacc					
20	2641	agatcctccc	cagagtcctc	agggagcctc	cagcctcccc	actaccatga
	actaccctct					
	2701	ctggagccaa	tcctatgagg	actccagcaa	ccaagaagag	gagggggccaa
	gcaccttccc					
	2761	tgacctggag	tccgagttcc	aagcagcaact	cagtaggaag	gtggccgagt
	tggttcattt					
25	2821	tctgctcctc	aagtatcgag	ccaggagagcc	ggtcacaaag	gcagaaatgc
	tggggagtg					
	2881	cgtcggaaat	tggcagttat	tctttcctgt	gatcttcagc	aaagcttcca
	gttccttgca					
30	2941	gctggtcttt	ggcatcgagc	tgatggaagt	ggaccccatc	ggccacttgt
	acatctttgc					
	3001	cacctgcctg	ggcctctcct	acgatggcct	gctgggtgac	aatcagatca
	tgcccaaggc					
	3061	aggcctcctg	ataatcgtcc	tggccataat	cgcaagagag	ggcgactgtg
	ccctgagga					
35	3121	gaaaatctgg	gaggagctga	gtgtgttaga	ggtgtttgag	gggagggaag
	acagtatctt					
	3181	gggggatccc	aagaagctgc	tcaccaaca	tttcgtgcag	gaaaactacc
	tggagtaccg					
40	3241	gcagggtcccc	ggcagtgatc	ctgcatgtta	tgaattcctg	tgggggtccaa
	gggcccctcgt					
	3301	tgaaaccagc	tatgtgaaag	tcctgcacca	tatggtaaag	atcagtggag
	gacctcacat					
	3361	ttcctaccca	ccctgcctg	agtgggtttt	gagagagggg	gaagagtggag
	tctgagcacg					
45	3421	agttgcagcc	agggccagtg	ggaggggggtc	tgggccagtg	caccttcagg
	ggccgcaccc					
	3481	cttagtttcc	actgcctcct	gtgacgtgag	gcccattctt	cactctttga
	agcgagcagt					
	3541	cagcattctt	agtagtgggt	ttctgttctg	ttggatgact	ttgagattat
50	tctttgtttc					
	3601	ctgttgagg	tgttcaaagt	ttccttttaa	cggatgggtg	aatgagcgtc
	agcatccagg					
	3661	tttatgaatg	acagtagtca	cacatagtc	tgtttatata	gtttaggagt
	aagagtcttg					
55	3721	ttttttactc	aaattgggaa	atccattcca	ttttgtgaat	tgtgacataa
	taatagcagt					
	3781	ggtaaaagta	tttgcttaaa	attgtgagcg	aattagcaat	aacatacatg
	agataactca					

```

3841 agaaatcaaa agatagttga ttcttgccctt gtacctcaat ctattctgta
aaattaaaca
3901 aatatgcaaa ccaggatttc cttgacttct ttgagaatgc aagcgaaatt
aaatctgaat
5 3961 aaataattct tcctcttcac tggctcgttt cttttccggt cactcagcat
ctgctctgtg
4021 ggaggccctg ggtagtagt ggggatgcta aggtaagcca gactcacgcc
taccatagg
4081 gctgtagagc ctaggacctg cagtcataata attaaggtgg tgagaagtcc
10 tgtaagatgt
4141 agaggaaatg taagagaggg gtgaggggtg ggcgctccgg gtgagagtag
tggaagtgtca
4201 gtgc
//
15 Homo sapiens prostate stem cell antigen (PSCA) mRNA, complete
cds.
ACCESSION AF043498
VERSION AF043498.1 GI:2909843
20 SEQ ID NO 79

/translation="MKAVLLALLMAGLALQPGTALLCYSCKAQVSNEDCLQVENCTQLGEQCW
TARIRAVGLLTVISKGCSLNCVDDSDQDYVYGKKNITCCDTDLNCSGAHALQPAAAILALLPA
LGLLLWGPGQL"
25 SEQ ID NO 87
ORIGIN
1 agggagaggc agtgaccatg aaggctgtgc tgcttgccct gttgatggca
ggcttgcccc
30 61 tgcagccagg cactgccctg ctgtgctact cctgcaaagc ccagggtgagc
aacgaggact
121 gcctgcaggt ggagaactgc acccagctgg gggagcagtg ctggaccgcg
cgcatccgcg
181 cagttggcct cctgaccgtc atcagcaaag gctgcagctt gaactgcgtg
35 gatgactcac
241 aggactacta cgtgggcaag aagaacatca cgtgctgtga caccgacttg
tgcaacgccca
301 gcggggccca tgccctgcag ccggctgccg ccatccttgc gctgctccct
gcactcggcc
40 361 tgctgctctg gggaccgcg cagctatagg ctctgggggg ccccgctgca
gccacactg
421 ggtgtggtgc cccaggcctt tgtgccactc ctcacagaac ctggcccagt
gggagcctgt
481 cctggttcct gaggcacatc ctaacgcaag tttgaccatg tatgtttgca
45 ccccttttcc
541 ccnaaccctg accttcccat gggccttttc caggattccn accnggcaga
tcagtttttag
601 tganacanat ccgntgcag atggccctc caaccnttn tgttgntggt
tccatggccc
50 661 agcattttcc acccttaacc ctgtgttcag gcacttnttc ccccaggaag
ccttccctgc
721 ccacccatt tatgaattga gccaggtttg gtccgtggtg tccccgcac
ccagcagggg
781 acaggcaatc aggagggccc agtaaaggct gagatgaagt ggactgagta
55 gaactggagg
841 acaagagttg acgtgagttc ctgggagttt ccagagatgg ggcctggagg
cctggaggaa

```

901 ggggccaggc ctcacatttg tgggntccc gaatggcagc ctgagcacag
cgtaggcct
961 taataaacac ctgttgata agccaaaaa
//

5

GLANDULAR KALLIKREIN 1 PRECURSOR (TISSUE KALLIKREIN)
(KIDNEY/PANCREAS/SALIVARY GLAND KALLIKREIN).

10 ACCESSION P06870
PID g125170
VERSION P06870 GI:125170

SEQ ID NO 105
ORIGIN

15 1 mwflvlclal slggtgaapp iqsrivgwe ceqhsqpwa alyhfstfqc
ggilvhrqvw
61 ltaahcisdn yqlwlgrhnl fddentaqfv hvsesfphpg fnmsllenht
rqadedyshd
121 lmlrltepa dtitdavkv elptqepvg stclasgwgs iepenfsfpd
20 dlqcvdlkil
181 pndecekahv qkvtdfmlcv ghleggkdtc vgdsggplmc dgvlqgvtsv
gyvpcgtpnk
241 psvavrvlsy vkwiedtia ns
//

25

ELASTASE 2A PRECURSOR.

30 ACCESSION P08217
PID g119255
VERSION P08217 GI:119255

SEQ ID NO 106
ORIGIN

35 1 mirtlllstl vagalscgdp typyvtrvv ggeearpnsw pwqvslyqss
ngkwyhtcgg
61 slianswvlt aahciissrt yrvlggrhnl yvaesgslav svskivvhkd
wnsnqiskgn
121 diallklanp vsldkiqla clppagtilp nnypcyvtgw grlqtnqavp
dvlqggrllv
40 181 vdyatcssa wwgssvktm icaggdgvls scngdsggpl ncqasdgwrw
vhgivsfgsr
241 lgcnyyhkps vftrvsnyid winsviann
//

45 pancreatic elastase IIB [Homo sapiens].

ACCESSION NP_056933
PID g7705648
VERSION NP_056933.1 GI:7705648

50 SEQ ID NO 107
ORIGIN

1 mirtlllstl vagalscgvs tyapdmrml ggeearpnsw pwqvslyqss
ngqwyhtcgg
61 slianswvlt aahciissri yrvmlgqhn1 yvaesgslav svskivvhkd
55 wnsnqvskgn
121 diallklanp vsldkiqla clppagtilp nnypcyvtgw grlqtnqalp
ddlkqgrllv

181 vdyatcsss wwgstvktnm icaggdgvic tcngdsggpl ncqasdgrwe
 vhgigsltsv
 241 lgcnyyykps iftrvsnynd winsviann
 //

5

PRAME Homo sapiens preferentially expressed antigen in melanoma
 (PRAME), mRNA.

ACCESSION NM_006115

10 VERSION NM_006115.1 GI:5174640

SEQ ID NO 77

/translation="MERRRLWGSIQSRYISMSVWTSPPRLVELAGQSLLKDEALAIAALELLPREL
 FPPLFMAAFDGRHSQTLKAMVQAWPFTCLPLGVLMKGQHLHLETFKAVLDGLDVLLAQEVRRRWK
 15 LQVLDLRKNSHQDFWTVWSGNRASLYSFPEPEAAQPMTKKRKVDGLSTEAEQPFIPVEVLVDLFLK
 EGACDELFSYLIKVKRKNVLRLLCCKKLKIFAMPMDIKMILKMVQLDSIEDLEVTCTWKLPILA
 KFSPYLGQMINLRLLLLSHIHASSYISPEKEEQYIAQFTSQFLSLQCLQALYVDSLFFLRGRDLQD
 LRHVMPNPLETSLITNCRLESGDVMHLSQSPSVSLSVLSLSGVMLTDVSPPELQALLERASATLQD
 LVFDECGITDDQLLALLPSLSHCSQLTTLSTFYGNSSISALQSLLOHLIGLSNLTHVLYPVPLESY
 20 EDIHGTLHLERLAYLHARLRELLCELGRPSMVWLSANPCPHCGDRTFYDPEPILCPCFMPN"

SEQ ID NO 85

ORIGIN

1 gcttcagggt acagctcccc cgcagccaga agccgggctt gcagcccctc
 25 agcaccgctc
 61 cgggacaccc caccogcttc ccaggcgtga cctgtcaaca gcaacttcgc
 ggtgtggtga
 121 actctctgag gaaaaacat tttgattatt actctcagac gtgcgtggca
 acaagtgact
 30 181 gagacctaga aatccaagcg ttggagggtcc tgaggccagc ctaagtcgct
 tcaaaatgga
 241 acgaaggcgt ttgtgggggt ccattcagag ccgatacatc agcatgagtg
 tgtggacaag
 301 ccacaggaga cttgtggagc tggcagggca gagcctgctg aaggatgagg
 35 ccctggccat
 361 tgccgccctg gagttgctgc ccaggagct cttcccgcca ctcttcatgg
 cagcctttga
 421 cgggagacac agccagaccc tgaaggcaat ggtgcaggcc tggcccttca
 cctgcctccc
 40 481 tctgggagtg ctgatgaagg gacaacatct tcacctggag accttcaaag
 ctgtgcttga
 541 tggacttgat gtgtccttg cccaggaggt tcgccccagg aggtggaac
 ttcaagtgt
 601 ggatttacgg aagaactctc atcaggactt ctggactgta tggctctggaa
 45 acagggccag
 661 tctgtactca tttccagagc cagaagcagc tcagcccatg acaaagaagc
 gaaaagtaga
 721 tggtttgagc acagaggcag agcagccctt cattccagta gaggtgctcg
 tagacctgtt
 50 781 cctcaaggaa ggtgcctgtg atgaattgtt ctctacctc attgagaaag
 tgaagcgaaa
 841 gaaaaatgta ctacgcctgt gctgtaagaa gctgaagatt tttgcaatgc
 ccatgcagga
 901 tatcaagatg atcctgaaaa tgggtgcagct ggactctatt gaagatttgg
 55 aagtgacttg
 961 tacctggaag ctaccacact tggcgaaatt ttctccttac ctgggccaga
 tgattaatct

1021 gcgtagactc ctcctctccc acatccatgc atcttcctac atttccccgg
agaaggaaga
1081 gcagtatata gccagttca cctctcagtt cctcagtcctg cagtgccctgc
aggctctcta
5 1141 tgtggactct ttatttttcc ttagaggccg cctggatcag ttgctcaggc
acgtgatgaa
1201 ccccttgga accctctcaa taactaactg cgggctttcg gaaggggatg
tgatgcatct
1261 gtcccagagt cccagcgtca gtcagctaag tgtcctgagt ctaagtgggg
10 tcatgctgac
1321 cgatgtaagt cccgagcccc tccaagctct gctggagaga gcctctgcca
ccctccagga
1381 cctggctttt gatgagtgtg ggatcacgga tgatcagctc cttgccctcc
tgccttcctc
15 1441 gagccactgc tcccagctta caaccttaag cttctacggg aattccatct
ccatatctgc
1501 cttgcagagt ctctgcagc acctcatcgg gctgagcaat ctgaccacg
tgctgtatcc
1561 tgtccccctg gagagttatg aggacatcca tggtaacctc cacctggaga
20 ggcttgcccta
1621 tctgcatgcc aggctcaggg agttgctgtg tgagttgggg cggcccagca
tggctctggct
1681 tagtgccaac ccctgtcctc actgtgggga cagaaccttc tatgaccgg
agcccatcct
25 1741 gtgcccctgt ttcatgccta actagctggg tgcacatata aaatgcttca
ttctgcatac
1801 ttggacacta aagccaggat gtgcatgcat cttgaagcaa caaagcagcc
acagtttcag
1861 acaaatgttc agtgtgagtg aggaaaacat gttcagtgag gaaaaaacat
30 tcagacaaat
1921 gttcagtgag gaaaaaaagg ggaagttggg gataggcaga tgttgacttg
aggagttaat
1981 gtgatctttg gggagatata tcttatagag ttagaaatag aatctgaatt
tctaaaggga
35 2041 gattctggct tgggaagtac atgtaggagt taatccctgt gtagactgtt
gtaaagaaac
2101 tgttgaaaat aaagagaagc aatgtgaagc aaaaaaaaaa aaaaaaaaa

40 //

CEA Homo sapiens carcinoembryonic antigen-related cell adhesion
molecule 5 (CEACAM5), mRNA.

ACCESSION NM_004363

45 VERSION NM_004363.1 GI:11386170

SEQ ID NO 88

/translation="MESPSAPPHRWCI PWQRLLLTASLLTFWNPPTTAKLTIESTPFN
VAEGKEVLLL VHNLPQH LFGYSWYKGERVDG NRQIIGYVIGTQQATPGPAYSGREIIY
50 PNASLLIQNI IQNDTG FYTLHVIKSDLVNEEATGQFRVYPELPKPSISSNNSKPVEDK
DAVAFTCEPETQDATYLWVNNQSLPVS PRLQLSNGNRTLTLFNVTRNDTASYKCETQ

NPVSARRSDSVILNVLYGPDAPTISPLNTSYRSGENLNLSCHAASNPPAQYSWFVNGT
 FQOSTQELFIPNITVNNSGSYTCQAHNSDTGLNRTTVTTITVYAEPPKPFITSNNSNP
 VEDEDAVALTCEPEIQNTTYLWWVNNQSLPVSPRLQLSNDNRTLTLTLLSVTRNDVGPYE
 CGIQNELSVDHSDPVILNVLYGPDDPTISPSYTYRPGVNLSLSCHAASNPPAQYSWL
 5 IDGNIQQHTQELFISNITEKNSGLYTCQANNSASGHSRTTVKTTITVSAELPKPSISSN
 NSKPVEDKDAVAFTCEPEAQNTTYLWWVNGQSLPVSPRLQLSNGNRTLTLFNVTRNDA
 RAYVCGIQNSVSANRSDPVTLDVLYGPDTPIIISPPDSSYLSCANLNLSCHSASNPSPO
 YSWRINGIPQHTQVLFIKITPNNNGTYACFVSNLATGRNNSIVKSITVSASGTSPG
 LSAGATVGIMIGVLVGVALI "

10

SEQ ID NO 89

ORIGIN

1 ctcagggcag agggaggaag gacagcagac cagacagtca cagcagcctt
 gacaaaacgt
 15 61 tcctggaact caagctcttc tccacagagg aggacagagc agacagcaga
 gaccatggag
 121 tctccctcgg cccctcccca cagatggtgc atccctcggc agaggctcct
 gctcacagcc
 181 tcacttctaa ccttctggaa cccgcccacc actgccaagc tcactattga
 20 atccacgccg
 241 ttcaatgtcg cagaggggaa ggaggtgctt ctacttgtcc acaatctgcc
 ccagcatctt
 301 tttggctaca gctggtacaa aggtgaaaga gtggatggca accgtcaa
 tataggatat
 25 361 gtaataggaa ctcaacaagc taccacaggg cccgcataca gtggtcgaga
 gataatatac
 421 cccaatgcat ccctgctgat ccagaacatc atccagaatg acacaggatt
 ctacacccta
 481 cacgtcataa agtcagatct tgtgaatgaa gaagcaactg gccagttccg
 30 ggtatacccg
 541 gagctgcca agccctccat ctccagcaac aactccaaac ccgtggagga
 caaggatgct
 601 gtggccttca cctgtgaacc tgagactcag gacgcaacct acctgtggtg
 ggtaaacaat
 35 661 cagagcctcc cggtcagtcc caggctgcag ctgtccaatg gcaacaggac
 cctcactcta
 721 ttcaatgtca caagaaatga cacagcaagc tacaatgtg aaaccagaa
 cccagtgagt

```

      781 gccaggcgca gtgattcagt catcctgaat gtcctctatg gcccggatgc
ccccaccatt
      841 tcccctctaa acacatctta cagatcaggg gaaaatctga acctctcctg
ccacgcagcc
5      901 tctaaccac ctgcacagta ctcttggttt gtcaatggga ctttccagca
atccacccaa
      961 gagctcttta tcccacacat cactgtgaat aatagtggat cctatacgtg
ccaagcccat
     1021 aactcagaca ctggcctcaa taggaccaca gtcacgacga tcacagtcta
10 tgcagagcca
     1081 cccaaaccct tcatcaccag caacaactcc aaccccgtagg aggatgagga
tgctgtagcc
     1141 ttaacctgtg aacctgagat tcagaacaca acctacctgt ggtgggtaaa
taatcagagc
15     1201 ctcccgttca gtcccaggct gcagctgtcc aatgacaaca ggaccctcac
tctactcagt
     1261 gtcacaagga atgatgtagg accctatgag tgtggaatcc agaacgaatt
aagtgttgac
     1321 cacagcgacc cagtcacctc gaatgtcctc tatggcccag acgacccac
20 catttcccc
     1381 tcatacacct attaccgtcc aggggtgaac ctacagcctct cctgccatgc
agcctctaac
     1441 ccacctgcac agtattcttg gctgattgat gggaacatcc agcaacacac
acaagagctc
25     1501 tttatctcca acatcactga gaagaacagc ggactctata cctgccaggc
caataactca
     1561 gccagtggcc acagcaggac tacagtcaag acaatcacag tctctgcgga
gctgccaag
     1621 ccctccatct ccagcaacaa ctccaaaccc gtggaggaca aggatgctgt
30 ggccttcacc
     1681 tgtgaacctg aggctcagaa cacaacctac ctgtggtggg taaatggtca
gagcctccca
     1741 gtcagtccca ggctgcagct gtccaatggc aacaggaccc tcaactctatt
caatgtcaca
35     1801 agaaatgacg caagagccta tgtatgtgga atccagaact cagtgagtgc
aaaccgcagt
     1861 gaccagtcac ccctggatgt cctctatggg ccggacaccc ccatcatttc
ccccccagac

```

```

      1921 tcgtcttacc tttcgggagc gaacctcaac ctctcctgcc actcggcctc
taacccatcc
      1981 ccgcagtatt cttggcggtat caatgggata ccgcagcaac acacacaagt
tctctttatc
5      2041 gccaaaatca cgccaaataa taacgggacc tatgcctggt ttgtctctaa
cttggctact
      2101 ggccgcaata attccatagt caagagcatc acagtctctg catctggaac
ttctcctggt
      2161 ctctcagctg gggccactgt cggcatcatg attggagtgc tggttgggggt
10 tgctctgata
      2221 tagcagccct ggtgtagttt cttcatttca ggaagactga cagttgtttt
gcttcttctc
      2281 taaagcattt gcaacagcta cagtctaaaa ttgcttcttt accaaggata
tttacagaaa
15      2341 agactctgac cagagatcga gaccatccta gccaacatcg tgaaacccca
tctctactaa
      2401 aaatacaaaa atgagctggg cttgggtggcg cgcacctgta gtcccagtta
ctcgggaggc
      2461 tgaggcagga gaatcgcttg aaccggggag gtggagattg cagtgagccc
20 agatcgccacc
      2521 actgcactcc agtctggcaa cagagcaaga ctccatctca aaaagaaaag
aaaagaagac
      2581 tctgacctgt actcttgaat acaagtttct gataccactg cactgtctga
gaatttccaa
25      2641 aactttaatg aactaactga cagcttcatg aaactgtcca ccaagatcaa
gcagagaaaa
      2701 taattaattt catgggacta aatgaactaa tgaggattgc tgattcttta
aatgtcttgt
      2761 ttcccagatt tcaggaaact ttttttcttt taagctatcc actcttacag
30 caatttgata
      2821 aaatatactt ttgtgaacaa aaattgagac atttacattt tctccctatg
tggtcgctcc
      2881 agacttgggg aactattcat gaatatttat attgtatggt aatatagtta
ttgcacaagt
35      2941 tcaataaaaa tctgctcttt gtataacaga aaaa
//

```

Her2/Neu Human tyrosine kinase-type receptor (HER2) mRNA, complete cds.

ACCESSION M11730
 VERSION M11730.1 GI:183986
 SEQ ID NO 90

5 /translation="MELAALCRWGLLALLPPGAASTQVCTGTMKRLRPASPETHLD
 MLRHLYQGCQVVGQGNLELTYPNTASLSFLQDIQEVQGYVLIHNNQVRQVPLQRLRIV
 RGTQLFEDNYALAVLDNGDPLNNTTPVTGASPGGLRELQLRSLTEILKGGVLIQRNPQ
 LCYQDTILWKDIFHKNNQLALTIDTNRSRACHPCSPMCKGSRGWGESSEDCQSLTRT
 VCAGGCARCKGPLPTDCCHEQCAAGCTGPKHSDCLACLFHNSGICELHCPALVTYNT
 10 DTFESMPNPEGRTYTFGASCVTACPYNYLSTDVGSCTLVCPHNQEVTAEDGTQRCEKC
 SKPCARVCYGLGMEHLREVRVTSANIQEFAGCKKIFGSLAFLPESFDGDPASNTAPL
 QPEQLQVFETLEEITGYLYISAWPDSLPLSVFQNLQVIRGRILHNGAYSITLQGLGI
 SWLGLRSLRELGSGLALIHNNTHLCFVHTVPWDQLFRNPHQALLHTANRPEDECVGE
 LACHQLCARGHCWGPPTQCVNCSQFLRGQECVEECRVLQGLPREYVNAHCLPCHPE
 15 CQPQNGSVTCFGPEADQCVACAHYKDPFPCVARCPGSKVPDLSYMPIWKFPDEEGACQ
 PCPINCTHSCVDLDDKGCPAEQRASPLTSIVSAVVGILLVVVLGVVFGILIKRRQKI
 RKYTMRRLLQETELVEPLTPSGAMPNQAQMRILKETELRKVKVLGSGAFGTVYKGIWI
 PDGENVKIPVAIKVLRNTSPKANKEILDEAYVMAGVGSPPYVSRLLGICLTSTVQLVT
 QIMPYGCLLDHVRENRRGLGSQDLLNWCMIKAGMSYLEDVRLVHRDLAARNVLKSP
 20 NHVKITDFGLARLLDIDETEHADGGKVPKWMALLESILRRRFTHQSDVWSYGVTVWE
 LMTFGAKPYDGIPAREIPDLLEKGERLPQPPICTIDVYMIMVKCWMIDSECRPRFREL
 VSEFSRMARDPQRFVVIQNEGLPASPLDSTFYRSLEDDDMGDLVDAEEYLVPQQGF
 FCPDPAPGAGGMVHHRHRSSTRSGGDLTLGLEPSEEEAPRSPLAPSEGAGSDVFDG
 DLGMGAAGLQSLPTHDPSPQRYSEDPTVPLPSETDGYVAPLTCSPPQPEYVNQPDVR
 25 PQPPSPREGPLPAARPAGATLERAKTLPKNGVVKDVFAFGGAVENPEYLTPOGGAA
 PQPHPPAFSPAFDNLYYWDQDPPERGAPPSTFKGTPTAENPEYLGLDVPV"

SEQ ID NO 91

ORIGIN Chromosome 17q21-q22.

30 1 aattctcgag ctcgtcgacc ggtcgacgag ctcgagggtc gacgagctcg
 agggcgcgcg
 61 cccggccccc acccctcgca gcaccccgcg ccccgcgccc tcccagccgg
 gtccagccgg
 121 agccatgggg ccggagccgc agtgagcacc atggagctgg cggccttggtg
 35 ccgctggggg
 181 ctctctctcg ccctcttgcc ccccgagacc gcgagcacc aagtgtgcac
 cggcacagac
 241 atgaagctgc ggctccctgc cagtcccgag acccacctgg acatgctccg
 ccacctctac

301 cagggctgcc aggtggtgca gggaaacctg gaactcacct acctgcccac
 caatgccagc
 361 ctgtccttcc tgcaggatat ccaggaggtg cagggctacg tgctcatcgc
 tcacaaccaa
 5 421 gtgaggcagg tcccactgca gaggctgcgg attgtgcgag gcacccagct
 ctttgaggac
 481 aactatgccc tggccgtgct agacaatgga gacccgctga acaataccac
 ccctgtcaca
 541 ggggcctccc caggaggcct gcgggagctg cagcttcgaa gcctcacaga
 10 gatcttgaaa
 601 ggaggggtct tgatccagcg gaacccccag ctctgctacc aggacacgat
 tttgtggaag
 661 gacatcttcc acaagaacaa ccagctggct ctcaactga tagacaccaa
 ccgctctcgg
 15 721 gcctgccacc cctgttctcc gatgtgtaag ggctcccgct gctggggaga
 gagttctgag
 781 gattgtcaga gcctgacgcg cactgtctgt gccggtggct gtgcccgtg
 caaggggcca
 841 ctgcccactg actgctgcca tgagcagtgt gctgccggct gcacgggccc
 20 caagcactct
 901 gactgcctgg cctgcctcca cttcaaccac agtggcatct gtgagctgca
 ctgcccagcc
 961 ctggtcacct acaacacaga cacgtttgag tccatgccc aatcccaggg
 ccggtataca
 25 1021 ttoggcgcca gctgtgtgac tgccgtgtccc tacaactacc tttctacgga
 cgtgggatcc
 1081 tgcaccctcg tctgccccct gcacaaccaa gaggtgacag cagaggatgg
 aacacagcgg
 1141 tgtgagaagt gcagcaagcc ctgtgccga gtgtgctatg gtctgggcat
 30 ggagcacttg
 1201 cgagaggtga gggcagttac cagtgccaat atccaggagt ttgctggctg
 caagaagatc
 1261 tttgggagcc tggcatttct gccggagagc tttgatgggg acccagcctc
 caaactgcc
 35 1321 ccgctccagc cagagcagct ccaagtgttt gagactctgg aagagatcac
 aggttaccta
 1381 tacatctcag catggccgga cagcctgcct gacctcagcg tcttcagaa
 cctgcaagta

1441 atccggggac gaattctgca caatggcgcc tactcgctga ccctgcaagg
 gctgggcatac
 1501 agctggctgg ggctgcgctc actgaggaa ctgggcagt gactggccct
 catccaccat
 5 1561 aacacccacc tctgcttcgt gcacacggtg ccctgggacc agctctttcg
 gaacccgcac
 1621 caagctctgc tccacactgc caaccggcca gaggacgagt gtgtgggcga
 gggcctggcc
 1681 tgccaccagc tgtgcgcccg agggcactgc tggggtccag ggcccaccca
 10 gtgtgtcaac
 1741 tgcagccagt tccttcgggg ccaggagtgc gtggaggaat gccgagtact
 gcaggggctc
 1801 cccagggagt atgtgaatgc caggcactgt ttgccgtgcc accctgagtg
 tcagccccag
 15 1861 aatggctcag tgacctgttt tggaccggag gctgaccagt gtgtggcctg
 tgcccactat
 1921 aaggaccctc ccttctgcgt ggcccgtgc cccagcgggtg tgaaacctga
 cctctcctac
 1981 atgccatct ggaagtttcc agatgaggag ggcgatgcc agccttgccc
 20 catcaactgc
 2041 acccactcct gtgtggacct ggatgacaag ggctgccccg ccgagcagag
 agccagccct
 2101 ctgacgtcca tcgtctctgc ggtggttggc attctgctgg tcgtggtctt
 gggggtggtc
 25 2161 tttgggatcc tcatcaagcg acggcagcag aagatccgga agtacacgat
 gcggagactg
 2221 ctgcaggaaa cggagctggt ggagccgctg acacctagcg gagcgatgcc
 caaccaggcg
 2281 cagatgcgga tcctgaaaga gacggagctg aggaaggtga aggtgcttgg
 30 atctggcgct
 2341 tttggcacag tctacaaggg catctggatc cctgatgggg agaattgtgaa
 aattccagtg
 2401 gccatcaaag tggtgagga aaacacatcc cccaaagcca acaaagaaat
 cttagacgaa
 35 2461 gcatacgtga tggctggtgt gggctcccca tatgtctccc gccttctggg
 catctgcctg
 2521 acatccacgg tgcagctggt gacacagctt atgccctatg gctgcctctt
 agaccatgtc

2581 cgggaaaacc gcggacgcct gggctcccag gacctgctga actggtgtat
 gcagattgcc
 2641 aaggggatga gctacctgga ggatgtgcgg ctctacaca gggacttggc
 cgctcggaac
 5 2701 gtgctggtca agagtcccaa ccatgtcaaa attacagact tcgggctggc
 tcggctgctg
 2761 gacattgacg agacagagta ccatgcagat gggggcaagg tgcccatcaa
 gtggatggcg
 2821 ctggagtcca ttctccgccg gcggttcacc caccagagtg atgtgtggag
 10 ttatggtgtg
 2881 actgtgtggg agctgatgac ttttggggcc aaaccttacg atgggatccc
 agcccgggag
 2941 atccctgacc tgctggaaaa gggggagcgg ctgcccagc ccccatctg
 caccattgat
 15 3001 gtctacatga tcatggtcaa atgttgatg attgactctg aatgtcggcc
 aagattccgg
 3061 gagttggtgt ctgaattctc ccgcatggcc agggaccccc agcgctttgt
 ggtcatccag
 3121 aatgaggact tgggcccagc cagtcccttg gacagcacct tctaccgctc
 20 actgctggag
 3181 gacgatgaca tgggggacct ggtggatgct gaggagtatc tggtagccca
 gcagggttc
 3241 ttctgtccag acctgcccc gggcgctggg ggcatggtcc accacaggca
 ccgcagctca
 25 3301 tctaccagga gtggcggtgg ggacctgaca ctagggtgg agccctctga
 agaggaggcc
 3361 cccaggtctc cactggcacc ctccgaagg gctggctccg atgtatttga
 tggtagacctg
 3421 ggaatggggg cagccaagg gctgcaaagc ctccccacac atgacccag
 30 ccctctacag
 3481 cgttacagtg aggacccac agtaccctg ccctctgaga ctgatggcta
 cgttgcccc
 3541 ctgacctgca gccccagcc tgaatatgtg aaccagccag atgttcggcc
 ccagccccct
 35 3601 tcgccccgag agggccctct gcctgctgcc cgacctgctg gtgccactct
 ggaaagggcc
 3661 aagactctct ccccaggga gaatggggtc gtcaaagacg tttttgcctt
 tgggggtgcc

3721 gtggagaacc ccgagtactt gacaccccag ggaggagctg cccctcagcc
ccaccctcct
3781 cctgccttca gcccagcctt cgacaacctc tattactggg accaggaccc
accagagcgg
5 3841 ggggctccac ccagcacctt caaagggaca cctacggcag agaaccacaga
gtacctgggt
3901 ctggacgtgc cagtgtgaac cagaaggcca agtccgcaga agccctgatg
tgtcctcagg
3961 gagcagggaa ggcctgactt ctgctggcat caagagggtg gagggccctc
10 cgaccacttc
4021 caggggaacc tgccatgcc a ggaacctgtc ctaaggaacc ttccttcctg
cttgagttcc
4081 cagatggctg gaaggggtcc agcctcgttg gaagaggaac agcactgggg
agtctttgtg
15 4141 gattctgagg ccctgccc aa tgagactcta ggggccagtg gatgccacag
cccagcttgg
4201 ccctttcctt ccagatcctg ggtactgaaa gccttaggga agctggcctg
agaggggaag
4261 cgccctaag ggagtgtcta agaacaaaag cgaccattc agagactgtc
20 cctgaaacct
4321 agtactgccc cccatgagga aggaacagca atggtgtcag tatccaggct
ttgtacagag
4381 tgcttttctg tttagttttt actttttttg ttttgttttt ttaaagacga
aataaagacc
25 4441 caggggagaa tgggtgttgt atggggaggc aagtgtgggg ggtccttctc
cacaccact
4501 ttgtccattt gcaaatatat tttggaaaac
//

30

H.sapiens mRNA for SCP1 protein.

ACCESSION X95654

VERSION X95654.1 GI:1212982

SEQ ID NO 92

35

/translation="MEKQKPFALFVPPRSSSSQVSAVKPQTLGGDSTFFKSFNKCTED
DLEFPFAKTNLSKNGENIDSDPALQKVNFLPVLEQVGNSDCHYQEGLKSDLENSEGL
SRVFSKLYKEAEKIKWKVSTEAELRQESKLQENRKII EAQRKAIQELQFGNEKVSL
KLEEGIQENKDLIKENNATRHLCNLLKETCARSAEKTCKYEYEREETRQVYMDLNNNI

EKMITAHGELRVQAENSRLMHFKLKEDYEKIQHLEQEYKKEINDKEKQVSLLLIQIT
 EKENMKMDLTFLLEESRDKNQLEEKTKLQSENLKQSIEKQHHLTKELEDIKVSLQRS
 VSTQKALEEDLQIATKTICQLTEEEKETQMEESNKARAAHSFVVTEFETTVCSSLEELLR
 TEQQRLKEDQLKILTMELQKKSSELEEMTKLTNNKEVELEELKKVLGEKETLLYEN
 5 KQFEKIAEELKGTEQELIGLLQAREKEVHDLEIQLTAITTSEQYYSKEVKDLKTELEN
 EKLKNTTELTSHCNKLLENKELTQETSDMTLELKNQOEDINNNKKQEERMLKQIENLQ
 ETETQLRNELEYVREELQKRDEVCKLDKSEENCNNLRKQVENKNKYIEELQOENKA
 LKKKGTAESKQLNVYEIKVKNLELELESQKQFGEITDTYQKEIEDKKISEENLLEEVE
 EKAKVIADAEAVKLQKEIDKRCQHKAEMVALMEKHKHQYDKIIEERDSELGLYKSKEQ
 10 EQSSIRASLEIELSNLKAELLSVKKQLEIEREEKEKLKREAKENTATLKEKKDKKTQT
 FLLETPEIYWKLDSKAVPSQTVSRNFTSVDHGISKDKRDYLTSAKNTLSTPLPKAYT
 VKTPTKPKLQOQRENLNPIEESKKKRKMAFEFDINSDDSSETDLLSMVSEEETLKTLY
 RNNNPPASHLCVKT PKKAPSSLTPGPTLKFGAIRKMREDRWAVIAKMDRKKKLKEAE
 KLFV"

15

SEQ ID NO 93

ORIGIN

1 gccctcatag accgtttgtt gtagttcgcg tgggaacagc aaccacggt
 ttcccgatag
 20 61 ttcttcaaag atatttaca ccgtaacaga gaaaatggaa aagcaaaagc
 cctttgcatt
 121 gttcgtacca ccgagatcaa gcagcagtc ggtgtctgcg gtgaaacctc
 agaccctggg
 181 aggcgattcc actttcttca agagtttcaa caaatgtact gaagatgatt
 25 tggagtttcc
 241 atttgcaaag actaatctct ccaaaaatgg ggaaaacatt gattcagatc
 ctgctttaca
 301 aaaagttaat ttcttgcccg tgcttgagca gggttggaat tctgactgtc
 actatcagga
 30 361 aggactaaa gactctgatt tggagaattc agagggattg agcagagtgt
 tttcaaaact
 421 gtataaggag gctgaaaaga taaaaaatg gaaagtaagt acagaagctg
 aactgagaca
 481 gaaagaaagt aagttgcaag aaaacagaaa gataattgaa gcacagcgaa
 35 aagccattca
 541 ggaactgcaa tttggaaatg aaaaagtaag tttgaaatta gaagaaggaa
 tacaagaaaa
 601 taaagattta ataaaagaga ataatgccac aaggcattta tgtaatctac
 tcaaagaaac

	661	ctgtgctaga	tctgcagaaa	agacaaagaa	atatgaatat	gaacgggaag
		aaaccaggca				
	721	agtttatatg	gatctaaata	ataacattga	gaaaatgata	acagctcatg
		gggaacttcg				
5	781	tgtgcaagct	gagaattcca	gactggaaat	gcattttaag	ttaaaggaag
		attatgaaaa				
	841	aatccaacac	cttgaacaag	aatacaagaa	ggaaataaat	gacaaggaaa
		agcaggtatc				
	901	actactattg	atccaaatca	ctgagaaaga	aaataaaaatg	aaagatttaa
10		catttctgct				
	961	agaggaatcc	agagataaag	ttaatcaatt	agaggaaaag	acaaaattac
		agagtgaaaa				
	1021	cttaaaacaa	tcaattgaga	aacagcatca	tttgactaaa	gaactagaag
		atattaaagt				
15	1081	gtcattacaa	agaagtgtga	gtactcaaaa	ggctttagag	gaagatttac
		agatagcaac				
	1141	aaaaacaatt	tgtcagctaa	ctgaagaaaa	agaaactcaa	atggaagaat
		ctaataaagc				
	1201	tagagctgct	cattcgtttg	tggttactga	atttgaaact	actgtctgca
20		gcttggaaga				
	1261	attattgaga	acagaacagc	aaagattgga	aaaaaatgaa	gatcaattga
		aaatacttac				
	1321	catggagctt	caaaagaaat	caagtgaact	ggaagagatg	actaagctta
		caaataacaa				
25	1381	agaagtagaa	cttgaagaat	tgaaaaaagt	cttgggagaa	aaggaaacac
		ttttatatga				
	1441	aaataaacia	tttgagaaga	ttgctgaaga	attaaaagga	acagaacaag
		aactaattgg				
	1501	tcttctccaa	gccagagaga	aagaagtaca	tgatttgga	atacagttaa
30		ctgccattac				
	1561	cacaagtga	cagtattatt	caaaagaggt	taaagatcta	aaaactgagc
		ttgaaaacga				
	1621	gaagcttaag	aatactgaat	taacttcaca	ctgcaacaag	ctttcactag
		aaaacaaaga				
35	1681	gtcacacag	gaaacaagtg	atatgacct	agaactcaag	aatcagcaag
		aagatattaa				
	1741	taataacaaa	aagcaagaag	aaaggatgtt	gaaacaaata	gaaaatcttc
		aagaaacaga				

	1801	aacccaatta	agaaatgaac	tagaatatgt	gagagaagag	ctaaaacaga
		aaagagatga				
	1861	agttaaattgt	aaattggaca	agagtgaaga	aaattgtaac	aatttaagga
		aacaagttga				
5	1921	aaataaaaaac	aagtatatgt	aagaacttca	gcaggagaat	aaggccttga
		aaaaaaaagg				
	1981	tacagcagaa	agcaagcaac	tgaatgttta	tgagataaag	gtcaataaat
		tagagttaga				
	2041	actagaaagt	gccaaacaga	aatttggaga	aatcacagac	acctatcaga
10		aagaaattga				
	2101	ggacaaaaag	atatcagaag	aaaatctttt	ggaagaggtt	gagaaagcaa
		aagtaatagc				
	2161	tgatgaagca	gtaaaattac	agaaagaaat	tgataagcga	tgtcaacata
		aaatagctga				
15	2221	aatggtagca	cttatggaaa	aacataagca	ccaatatgat	aagatcattg
		aagaaagaga				
	2281	ctcagaatta	ggactttata	agagcaaaga	acaagaacag	tcactactga
		gagcatcttt				
	2341	ggagattgaa	ctatccaatc	tcaaagctga	acttttgtct	gttaagaagc
20		aacttgaaat				
	2401	agaaagagaa	gagaaggaaa	aactcaaaag	agaggcaaaa	gaaaacacag
		ctactcttaa				
	2461	agaaaaaaaa	gacaagaaaa	cacaaacatt	tttattggaa	acacctgaaa
		tttattggaa				
25	2521	attggattct	aaagcagttc	cttcacaaac	tgtatctcga	aatttcacat
		cagttgatca				
	2581	tggcatatcc	aaagataaaa	gagactatct	gtggacatct	gccaaaaata
		ctttatctac				
	2641	accattgcca	aaggcatata	cagtgaagac	accaacaaaa	ccaaaactac
30		agcaaagaga				
	2701	aaacttgaat	ataccattg	aagaaagtaa	aaaaaagaga	aaaatggcct
		ttgaatttga				
	2761	tattaattca	gatagttcag	aaactactga	tcttttgagc	atggtttcag
		aagaagagac				
35	2821	attgaaaaca	ctgtatagga	acaataatcc	accagcttct	catctttgtg
		tcaaaacacc				
	2881	aaaaaaggcc	ccttcatctc	taacaacccc	tggacctaca	ctgaagtttg
		gagctataag				

2941 aaaaatgcgg gaggaccgtt gggctgtaat tgctaaaatg gatagaaaaa
aaaaactaaa
3001 agaagctgaa aagttatttg ttaatttca gagaatcagt gtagttaagg
agcctaataa
5 3061 cgtgaaactt atagttaata ttttgttctt atttgccaga gccacatttt
atctggaagt
3121 tgagacttaa aaaatacttg catgaatgat ttgtgtttct ttatattttt
agcctaaatg
3181 ttaactacat attgtctgga aacctgtcat tgtattcaga taattagatg
10 attatatatt
3241 gttgttactt tttcttgat tcatgaaaac tgtttttact aagttttcaa
atttgtaaag
3301 ttagcctttg aatgctagga atgcattatt gagggtcatt ctttattctt
tactattaaa
15 3361 atattttgga tgcaaaaaaa aaaaaaaaaa aaa
//

Homo sapiens synovial sarcoma, X breakpoint 4 (SSX4), mRNA.

20 ACCESSION NM_005636
VERSION NM_005636.1 GI:5032122
SEQ ID NO 94

/translation="MNGDDAFARRPRDDAQISEKLRKAFDDIAKYFSKKEWEKMSSEKIVY
25 VYMKLNYEVMTKLGFKVTLPPFMRSKRAADFHGNDFGNDRNHRNQVERPQMTFG
SLQRIFPKIMPKKPAEEENGLKEVPEASGPQNDGKQLCPPGNPSTLEKINKTSGPKRG
KHAWTHRLRERKQLVYEEISDPEEDDE"

SEQ ID NO 95

30 ORIGIN

1 atgaacggag acgacgcctt tgcaaggaga cccagggatg atgctcaa
atcagagaag
61 ttacgaaagg ccttogatga tattgccaaa tacttctcta agaaagagt
ggaaaagatg
35 121 aaatcctcgg agaaaatcgt ctatgtgtat atgaagctaa actatgaggt
catgactaaa
181 ctaggtttca aggtcacct cccaccttct atgcgtagta aacgggctgc
agacttcac

241 gggaatgatt ttggtaacga tcgaaaccac aggaatcagg ttgaacgtcc
 tcagatgact
 301 ttcggcagcc tccagagaat cttcccgaag atcatgcca agaagccagc
 agaggaagaa
 5 361 aatggtttga aggaagtgcc agaggcatct ggcccacaaa atgatgggaa
 acagctgtgc
 421 cccccgggaa atccaagtac cttggagaag attaacaaga catctggacc
 caaaaggggg
 481 aaacatgcct ggaccacag actgcgtgag agaaagcagc tggtggttta
 10 tgaagagatc
 541 agcgaccctg aggaagatga cgagtaactc ccctcg

U19142. Human GAGE-1 prot...[gi:914898]

15 LOCUS HSU19142 646 bp mRNA linear
 DEFINITION Human GAGE-1 protein mRNA, complete cds.
 ACCESSION U19142
 VERSION U19142.1 GI:914898

20 SEQ ID No. 96
 /translation="MSWRGRSTYRPRPRRYVEPPEMIGPMRPEQFSDEVEPATPEEGE
 PATQRQDPAAQEGEDEGASAGQGPKEADSQEQGHPQTGCECEDGPDGQEMDPPNPE
 EVKTPEEEMRSHYVAQTGILWLLMNNCFNLNSPRKP"

25
 SEQ ID NO. 97
 1 ctgccgtccg gactcttttt cctctactga gattcatctg tgtgaaatat
 gagttggcga
 61 ggaagatcga cctatcggcc tagaccaaga cgctacgtag agcctcctga
 30 aatgattggg
 121 cctatgcggc ccgagcagtt cagtgatgaa gtggaaccag caacacctga
 agaaggggaa
 181 ccagcaactc aacgtcagga tcctgcagct gctcaggagg gagaggatga
 gggagcatct
 35 241 gcaggatcaag ggccgaagcc tgaagctgat agccaggaac agggtcaccc
 acagactggg
 301 tgtgagtgtg aagatgggtcc tgatgggcag gagatggacc cgccaaatcc
 agaggaggtg

361 aaaacgcctg aagaagagat gaggtctcac tatgttgccc agactgggat
tctctggctt
421 ttaatgaaca attgcttctt aaatctttcc ccacggaaac cttgagtga
tgaaatatca
5 481 aatggcgaga gaccgtttag ttcctatcat ctgtggcatg tgaagggcaa
tcacagtgtt
541 aaaagaagac atgctgaaat gttgcaggct gctcctatgt tggaaaattc
ttcattgaag
601 ttctcccaat aaagctttac agccttctgc aaagaaaaaa aaaaaa
10 //

NM_001168. Homo sapiens bacu...[gi:4502144]
LOCUS BIRC5 1619 bp mRNA linear
DEFINITION Homo sapiens baculoviral IAP repeat-containing 5
15 (survivin) (BIRC5), mRNA.
ACCESSION NM_001168
VERSION NM_001168.1 GI:4502144

SEQ ID NO. 98
20 /translation="MGAPTLPPAWQPFLKDHRISTFKNWPFLGCACTPERMAEAGFI

HCPTENEPDLAQCFFCFKELEGWEPDDDDPIEEHKKHSSGCAFLSVKKQFEELTLGEFL
KLDREKAKNKIAKETNNKKKEFEETAKKVRRAIEQLAAMD"

25 SEQ ID NO. 99
1 ccgccagatt tgaatcgcg gaccggttg cagaggtggc ggcggcgcca
tggtgcccc
61 gacgttgccc cctgcctggc agccctttct caaggaccac cgcattctta
cattcaagaa
30 121 ctggcccttc ttggagggt ggcctgcac cccggagcgg atggccgagg
ctggcttcat
181 ccactgcccc actgagaacg agccagactt ggcccagtgt ttcttctgct
tcaaggagct
241 ggaaggctgg gagccagatg acgaccccat agaggaacat aaaaagcatt
35 cgtccggttg
301 cgctttcctt tctgtcaaga agcagtttga agaattaacc cttggtgaat
ttttgaaact
361 ggacagagaa agagccaaga acaaaattgc aaaggaaacc aacaataaga
agaaagaatt

	421	tgaggaaact	gcgaagaaag	tgccgctgc	catcgagcag	ctggctgcca
		tggtattgagg				
	481	cctctggccg	gagctgcctg	gtcccagagt	ggctgcacca	cttccaggg
		ttattccctg				
5	541	gtgccaccag	ccttcctgtg	ggccccttag	caatgtctta	ggaaaggaga
		tcaacatttt				
	601	caaattagat	gtttcaactg	tgctcctggt	ttgtcttgaa	agtggcacca
		gaggtgcttc				
	661	tgctgtgca	gcgggtgctg	ctggtaacag	tggtgcttc	tctctctctc
10		tctctttttt				
	721	gggggctcat	ttttgctggt	ttgattccc	ggcttaccag	gtgagaagt
		agggaggaag				
	781	aaggcagtgt	cccttttgct	agagctgaca	gctttgttcg	cgtgggcaga
		gccttcaca				
15	841	gtgaatgtgt	ctggacctca	tgttggtgag	gctgtcacag	tcctgagtgt
		ggacttgga				
	901	ggtgcctgtt	gaatctgagc	tcaggttcc	ttatctgtca	cacctgtgcc
		tcctcagagg				
	961	acagtttttt	tgttggtgtg	tttttttgtt	tttttttttt	ggtagatgca
20		tgacttgtgt				
	1021	gtgatgagag	aatggagaca	gagtccctgg	ctcctctact	gtttaacaac
		atggctttct				
	1081	tattttgttt	gaattgttaa	ttcacagaat	agcacaaact	acaattaaaa
		ctaagcacia				
25	1141	agccattcta	agtcattggg	gaaacgggg	gaacttcagg	tggatgagga
		gacagaatag				
	1201	agtgatagga	agcgtctggc	agatactcct	tttgccactg	ctgtgtgatt
		agacaggccc				
	1261	agtgagccgc	ggggcacatg	ctggccgctc	ctccctcaga	aaaaggcagt
30		ggcctaaatc				
	1321	ctttttaaat	gacttggtctc	gatgctgtgg	gggaactggct	gggctgctgc
		aggccgtgtg				
	1381	tctgtcagcc	caaccttcac	atctgtcacg	ttctccacac	gggggagaga
		cgcagtcgc				
35	1441	ccagggtccc	gctttctttg	gaggcagcag	ctccgcagg	gctgaagtct
		ggcgtaagat				
	1501	gatggatttg	attcgccctc	ctccctgtca	tagagctgca	gggtggattg
		ttacagcttc				

1561 gctggaaacc tctggaggctc atctcggctg ttcctgagaa ataaaaagcc
tgtcatttc
//

5

U06452. Human melanoma an...[gi:476131]

LOCUS HSU06452 1524 bp mRNA linear

DEFINITION Human melanoma antigen recognized by T-cells (MART-1)
mRNA.

10 ACCESSION U06452

VERSION U06452.1 GI:476131

SEQ ID NO.100

/translation="MPREDAHFYGYPKKGHGHSTTAEEAAGIGILTVILGVLLIG

15

CWYCRRRNGYRALMDKSLHVGTTQCALTRRCPEGFDRDSKVSLEKNCEPVVPNAPP
AYEKLSAEQSPPPYSP"

SEQ ID NO. 101

20 1 agcagacaga ggactctcat taaggaaggt gtcctgtgcc ctgaccctac
aagatgccaa
61 gagaagatgc tcacttcac tatggttacc ccaagaaggg gcacggccac
tcttacacca
121 cggctgaaga ggccgctggg atcggcatcc tgacagtgat cctgggagtc
25 ttactgctca
181 tcggctgttg gtattgtaga agacgaaatg gatacagagc cttgatggat
aaaagtcttc
241 atgttggcac tcaatgtgcc ttaacaagaa gatgccacaca agaagggttt
gatcatcggg
30 301 acagcaaagt gtctcttcaa gagaaaaact gtgaacctgt ggttcccaat
gctccacctg
361 cttatgagaa actctctgca gaacagtcac caccacctta ttcaccttaa
gagccagcga
421 gacacctgag acatgctgaa attatttctc tcacactttt gcttgaattt
35 aatacagaca
481 tctaattgtc tccttttgaa tgggtgtagga aaaatgcaag ccatctctaa
taataagtca
541 gtgttaaaat tttagtaggt ccgctagcag tactaatcat gtgaggaaat
gatgagaaat


```

        601 attaaattgg gaaaactcca tcaataaatg ttgcaatgca tgatactatc
        tgtgccagag
        661 gtaatgtag taaatccatg gtgttatatt ctgagagaca gaattcaagt
        gggtagtctg
5       721 gggccatcca atttctcttt acttgaaatt tggctaataa caaactagtc
        aggttttcga
        781 accttgaccg acatgaactg tacacagaat tgttccagta ctatggagtg
        ctcacaaagg
        841 atacttttac aggttaagac aaagggttga ctggcctatt tatctgatca
10      agaàcatgtc
        901 agcaatgtct ctttgtgctc taaaattcta ttatactaca ataatatatt
        gtaaagatcc
        961 tatagctctt tttttttgag atggagtttc gcttttggtg cccaggctgg
        agtgcaatgg
15      1021 cgcgatcttg gctcaccata acctccgcct cccaggttca agcaattctc
        ctgccttagc
        1081 ctcttgagta gctgggatta caggcgtgcg ccactatgcc tgactaattt
        tgtagtttta
        1141 gtagagacgg ggtttctcca tgttggtcag gctggtctca aactcctgac
20      ctcaggtgat
        1201 ctgcccgcct cagcctccca aagtgtgga attacaggcg tgagccacca
        cgcctggctg
        1261 gatcctatat cttaggtaag acatataacg cagtctaatt acatttcact
        tcaaggctca
25      1321 atgctattct aactaatgac aagtattttc tactaaacca gaaattggta
        gaaggattta
        1381 aataagtaaa agctactatg tactgcctta gtgctgatgc ctgtgtactg
        ccttaaattgt
        1441 acctatggca atttagctct cttgggttcc caaatccctc tcacaagaat
30      gtgcagaaga
        1501 aatcataaag gatcagagat tctg
        //

```

U19180. Human B melanoma ...[gi:726039]

```

35  LOCUS      HSU19180                1004 bp    mRNA    linear
      DEFINITION Human B melanoma antigen (BAGE) mRNA, complete cds.
      ACCESSION  U19180
      VERSION    U19180.1  GI:726039

```

SEQ IS NO. 102

/translation="MAARAVFLALSAQLLQARLMKEESPVSWRLEPEDGTALCFIF"

SEQ ID NO. 103

```
5          1  cgccaattta  ggggtctccgg  tatctcccgc  tgagctgctc  tgttcccggc
            ttagaggacc
            61  aggagaaggg  ggagctggag  gctggagcct  gtaacaccgt  ggctcgtctc
            actctggatg
            121  gtggtggcaa  cagagatggc  agcgcagctg  gagtgttagg  agggcggcct
10  gagcggtagg
            181  agtggggctg  gagcagtaag  atggcggcca  gagcggtttt  tctggcattg
            tctgcccagc
            241  tgctccaagc  caggctgatg  aaggaggagt  cccctgtggt  gagctggagg
            ttggagcctg
15          301  aagaoggcac  agctctgtgc  ttcattcttct  gaggttgtgg  cagccacggc
            gatggagacg
            361  gcagctcaac  aggagcaata  ggaggagatg  gagtttcact  gtgtcagcca
            ggatggtctc
            421  gatctcctga  cctcgtgatc  cgcccgccct  ggccttccaa  agtgccgaga
20  ttacagcgat
            481  gtgcattttg  taagcacttt  ggagccacta  tcaaagtctg  tgaagagaaa
            tgtaccaga
            541  tgtatcatta  tccttgtgct  gcaggagccg  gtccttttca  ggatttcagt
            cacatcttcc
25          601  tgctttgtcc  agaacacatt  gaccaagctc  ctgaaagatg  taagtttact
            acgcatagac
            661  ttttaaactt  caaccaatgt  atttactgaa  aataacaaat  gttgtaaatt
            ccctgagtgt
            721  tattctactt  gtattaaaag  gtaataatac  ataatcatta  aaatctgagg
30  gatcattgcc
            781  agagattggt  ggggagggaa  atgttatcaa  cggtttcatt  gaaattaaat
            ccqaaaagtt
            841  atttcctcag  aaaaatcaaa  taaagtttgc  atgtttttta  ttcttaaaac
            attttaaaaa
35          901  ccactgtaga  atgatgtaaa  tagggactgt  gcagtatttc  tgacatatac
            tataaaatta
            961  ttaaaaagtc  aatcagtatt  caacatcttt  tacactaaaa  agcc
//
```

The teachings and embodiments disclosed in any of the publications, including patents, patent publications and non-patent publications, disclosed herein are contemplated as supporting principals and embodiments related to and useful in connection with the present invention.

5 The invention illustratively described herein suitably may be practiced in the absence of any element or elements, limitation or limitations which is not specifically disclosed herein. The terms and expressions which have been employed are used as terms of description and not of limitation, and there is no intention that in the use of such terms and expressions indicates the exclusion of equivalents of the features shown and described or portions thereof. It is recognized that various modifications are possible within the scope of the invention claimed. Thus, it should
10 be understood that although the present invention has been specifically disclosed by preferred embodiments and optional features, modification and variation of the concepts herein disclosed may be resorted to by those skilled in the art, and that such modifications and variations are considered to be within the scope of the embodiments of this invention.

15

WHAT IS CLAIMED IS:

1. A polypeptide, comprising a component selected from the group consisting of:
 - (i) a polypeptide epitope having the sequence as disclosed in TABLE 1B;
 - (ii) an epitope cluster comprising the polypeptide of (i);
 - (iii) a polypeptide having substantial similarity to (i) or (ii);
 - (iv) a polypeptide having functional similarity to any of (i) through (iii); and
 - (v) a nucleic acid encoding the polypeptide of any of (i) through (iv).
2. The polypeptide of claim 1, wherein the polypeptide is immunologically active.
3. The polypeptide of claim 1, wherein the polypeptide is less than about 30 amino acids in length.
4. The polypeptide of claim 1, wherein the polypeptide is 8 to 10 amino acids in length.
5. The polypeptide of claim 1, wherein the substantial or functional similarity comprises addition of at least one amino acid.
6. The polypeptide of claim 5, wherein the at least one additional amino acid is at an N-terminus of the polypeptide.
7. The polypeptide of claim 1, wherein the substantial or functional similarity comprises a substitution of at least one amino acid.
8. The polypeptide of claim 1, the polypeptide having affinity to an HLA-A2 molecule.
9. The polypeptide of claim 8, wherein the affinity is determined by an assay of binding.
10. The polypeptide of claim 8, wherein the affinity is determined by an assay of restriction of epitope recognition.
11. The polypeptide of claim 8, wherein the affinity is determined by a prediction algorithm.
12. The polypeptide of claim 1, the polypeptide having affinity to an HLA-B7 or HLA-B51 molecule.
13. The polypeptide of claim 1, wherein the polypeptide is a housekeeping epitope.
14. The polypeptide of claim 1, wherein the polypeptide corresponds to an epitope displayed on a tumor cell.
15. The polypeptide of claim 1, wherein the polypeptide corresponds to an epitope displayed on a neovasculature cell.
16. The polypeptide of claim 1, wherein the polypeptide is an immune epitope.
17. The polypeptide of claim 1, wherein the polypeptide is encoded by a nucleic acid.

18. A composition comprising the polypeptide of claim 1 and a pharmaceutically acceptable adjuvant, carrier, diluent, or excipient.
19. The composition of claim 18, where the adjuvant is a polynucleotide.
20. The composition of claim 19 wherein the polynucleotide comprises a dinucleotide.
21. The composition of claim 20 wherein the dinucleotide is CpG.
22. The composition of claim 18, wherein the adjuvant is encoded by a polynucleotide.
23. The composition of claim 18 wherein the adjuvant is a cytokine.
24. The composition of claim 23 wherein the cytokine is GM-CSF.
25. The composition of claim 18 further comprising a professional antigen-presenting cell (pAPC).
26. The composition of claim 25, wherein the pAPC is a dendritic cell.
27. The composition of claim 18, further comprising a second epitope.
28. The composition of claim 27, wherein the second epitope is a polypeptide.
29. The composition of claim 27, wherein the second epitope is a nucleic acid.
30. The composition of claim 27, wherein the second epitope is a housekeeping epitope.
31. The composition of claim 27, wherein the second epitope is an immune epitope.
32. A composition comprising the nucleic acid of claim 1 and a pharmaceutically acceptable adjuvant, carrier, diluent, or excipient.
33. A recombinant construct comprising the nucleic acid of Claim 1.
34. The construct of claim 33, further comprising a plasmid, a viral vector, a bacterial vector, or an artificial chromosome.
35. The construct of claim 33, further comprising a sequence encoding at least one feature selected from the group consisting of a second epitope, an IRES, an ISS, an NIS, and ubiquitin.
36. A purified antibody that specifically binds to the polypeptide of claim 1.
37. A purified antibody that specifically binds to a peptide-MHC protein complex comprising the polypeptide of claim 1.
38. The antibody of claim 36 or claim 37, wherein the antibody is a monoclonal antibody.
39. A multimeric MHC-peptide complex comprising the polypeptide of claim 1.
40. An isolated T cell expressing a T cell receptor specific for an MHC-peptide complex, the complex comprising the polypeptide of claim 1.
41. The T cell of claim 40, produced by an *in vitro* immunization.
42. The T cell of claim 40, isolated from an immunized animal.
43. A T cell clone comprising the T cell of claim 40.

44. A polyclonal population of T cells comprising the T cell of claim 40.
45. A pharmaceutical composition comprising the T cell of claim 40 and a pharmaceutically acceptable adjuvant, carrier, diluent, or excipient.
46. An isolated protein molecule comprising the binding domain of a T cell receptor specific for an MHC-peptide complex, the complex comprising the epitope of claim 1.
47. The protein of claim 46, wherein the protein is multivalent.
48. An isolated nucleic acid encoding the protein of claim 46.
49. A recombinant construct comprising the nucleic acid of claim 48.
50. A host cell expressing a recombinant construct, the construct comprising the nucleic acid of claim 1, or the construct encoding a protein molecule comprising the binding domain of a T cell receptor specific for an MHC-peptide complex.
51. The host cell of claim 50, wherein the host cell is a dendritic cell, macrophage, tumor cell, or tumor-derived cell.
52. The host cell of claim 50, wherein the host cell is a bacterium, fungus, or protozoan.
53. A composition comprising the host cell of claim 50 and a pharmaceutically acceptable adjuvant, carrier, diluent, or excipient.
54. A composition comprising at least one component selected from the group consisting of the epitope of claim 1; the composition of claim 18, 32, or 45, the construct of claim 33; the T cell of claim 40, a host cell expressing a recombinant construct comprising a nucleic acid encoding a T cell receptor binding domain specific for an MHC-peptide complex and a composition comprising the same, and a host cell expressing a recombinant construct comprising the nucleic acid of claim 1 and a composition comprising the same.
55. A method of treating an animal, comprising:
administering to an animal the composition of claim 54.
56. The method of claim 55, wherein the administering step comprises a mode of delivery selected from the group consisting of transdermal, intranodal, perinodal, oral, intravenous, intradermal, intramuscular, intraperitoneal, mucosal, aerosol inhalation, and instillation.
57. The method of claim 55, further comprising a step of assaying to determine a characteristic indicative of a state of a target cell or target cells.
58. The method of claim 57, comprising a first assaying step and a second assaying step, wherein the first assaying step precedes the administering step, and wherein the second assaying step follows the administering step.
59. The method of claim 58, further comprising a step of comparing the characteristic determined in the first assaying step with the characteristic determined in the second assaying step to obtain a result.

60. The method of claim 59, wherein the result is selected from the group consisting of: evidence of an immune response, a diminution in number of target cells, a loss of mass or size of a tumor comprising target cells, a decrease in number or concentration of an intracellular parasite infecting target cells.
61. A method of evaluating immunogenicity of an immunogenic composition, comprising:
- administering to an animal the composition of claim 54; and
 - evaluating immunogenicity based on a characteristic of the animal.
62. The method of claim 61, wherein the animal is MHC-transgenic.
63. A method of evaluating immunogenicity, comprising:
- in vitro* stimulation of a T cell with the composition of claim 54; and
 - evaluating immunogenicity based on a characteristic of the T cell.
64. The method of claim 63, wherein the stimulation is a primary stimulation.
65. A method of making a passive/adoptive immunotherapeutic, comprising:
- combining the T cell of claim 40, or a host cell expressing a recombinant construct comprising a nucleic acid encoding a T cell receptor binding domain specific for an MHC-peptide complex, or a host cell expressing a recombinant construct comprising the nucleic acid of claim 1 with a pharmaceutically acceptable adjuvant, carrier, diluent, or excipient.
66. A method of determining specific T cell frequency comprising the step of contacting T cells with a MHC-peptide complex comprising the polypeptide of claim 1.
67. The method of claim 66, wherein the contacting step comprises at least one feature selected from the group consisting of immunization, restimulation, detection, and enumeration.
68. The method of Claim 66, further comprising ELISPOT analysis, limiting dilution analysis, flow cytometry, in situ hybridization, the polymerase chain reaction or any combination thereof.
69. A method of evaluating immunologic response, comprising the method of claim 66 carried out prior to and subsequent to an immunization step.
70. A method of evaluating immunologic response, comprising:
- determining frequency, cytokine production, or cytolytic activity of T cells, prior to and subsequent to a step of stimulation with MHC-peptide complexes comprising the polypeptide of claim 1.
71. A method of diagnosing a disease comprising:
- contacting a subject tissue with at least one component selected from the group consisting of the T cell of claim 40, the host cell of claim 50, the antibody of claim 36, and the protein of claim 46; and

diagnosing the disease based on a characteristic of the tissue or of the component.

72. The method of claim 71, wherein the contacting step takes place *in vivo*.

73. The method of claim 71, wherein the contacting step takes place *in vitro*.

74. A method of making a vaccine, comprising:

combining at least one component selected from the group consisting of the polypeptide of claim 1; the composition of claim 18, 32, 45, or 53; the construct of claim 33; the T cell of claim 40, and the host cell of claim 50, with a pharmaceutically acceptable adjuvant, carrier, diluent, or excipient.

75. A computer readable medium having recorded thereon the sequence of any one of SEQ ID NOS: 108-610, in a machine having a hardware or software that calculates the physical, biochemical, immunologic, or molecular genetic properties of a molecule embodying said sequence.

76. A method of treating an animal comprising combining the method of claim 55 combined with at least one mode of treatment selected from the group of radiation therapy, chemotherapy, biochemotherapy, and surgery.

77. An isolated polypeptide comprising an epitope cluster from a target-associated antigen having the sequence as disclosed in Tables 68-73, wherein the amino acid sequence consists of not more than about 80% of the amino acid sequence of the antigen.

78. A vaccine or immunotherapeutic product comprising the polypeptide of claim 77.

79. An isolated polynucleotide encoding the polypeptide of claim 77.

80. A vaccine or immunotherapeutic product comprising the polynucleotide of claim 79.

81. The polynucleotide of claim 79 or 80, wherein the polynucleotide is DNA.

82. The polynucleotide of claim 79 or 80, wherein the polynucleotide is RNA.

FIG. 1B

CTAG_HUMAN	NY-ESO	(101)	101	150
AAD05202	- CAG-3	(101)	101	150
CAA11044	-LAGE-1a	(101)	101	150
CAA10194	- LAGE-1s	(101)	101	150
CAA11043	- LAGE-1b	(101)	101	150
CAA10196	- LAGE-1L	(101)	101	150
AAH02833	CT-2	(101)	101	150
Consensus		(101)	101	150
CTAG_HUMAN	NY-ESO	(151)	151	200
AAD05202	- CAG-3	(151)	151	200
CAA11044	-LAGE-1a	(151)	151	200
CAA10194	- LAGE-1s	(151)	151	200
CAA11043	- LAGE-1b	(151)	151	200
CAA10196	- LAGE-1L	(151)	151	200
AAH02833	CT-2	(151)	151	200
Consensus		(151)	151	200

FIG. 1C

CTAG_HUMAN	NY-ESO	(181)	----
AAD05202	- CAG-3	(181)	----
CAA11044	-LAGE-1a	(181)	----
CAA10194	- LAGE-1s	(181)	----
CAA11043	- LAGE-1b	(201)	FNVMSAPHI
CAA10196	- LAGE-1L	(201)	FNVMSAPHI
AAH02833	CT-2	(201)	FNVMSAPHI
	Consensus	(201)	



*FIG. 2*

FIG. 3A

FACscan Analysis of Binding Assay to Determine the Binding Ability of Tyrosinase 208-216 Peptide to MHC Class 1




F1 (HLA A2 Peptide) = 3.13

F1 (TYR 208-216 Peptide) = 0.01

FIG. 3B

FACscan Analysis of Binding Assay to Determine the Binding Ability of Tyrosinase 207-215 Peptide to MHC Class 1




F1 (HLA A2 Peptide) = 3.13

F1 (TYR 207-215 Peptide) = 2.00


FIG. 3C

HLA A2 restricted and tyrosinase specific lysis by
CTL from Tyr207-215 IVS blood



CTL from Tyr 207-215 IVS blood

FIG. 4






FIG. 6

SSX2₄₁₋₄₉ specific lysis by CTL from peptide
injected HHD1 mice










FIG. 7A

163-AFSPQGMPEGLVYV**N**YARTEDEFFKLERDM-192




Pool sequencing of PSMA_163-192 Digested for 60 min by proteasome

FIG. 7B




Pool sequencing of PSMA_163-192 Digested for 60 min by proteasome




Pool sequencing of PSMA_163-192 Digested for 60 min by proteasome

FIG. 7C


FIG. 8





Pool sequencing of PSMA_281_310 Digested for 60 min by Proteasome

FIG. 10
Comparison of Peptides Binding
Affinity to HLA A2
by Binding Assay



Autologous DC Present A1 Peptide to CD8 T cell




FIG. 11

Secretion of IFN γ Was Blocked by Anti-A1 Antibody




FIG. 12

FIG. 13
Comparison of Peptides Binding Affinity
to HLA A2 by Binding Assay







FIG. 14
Comparison of Peptides Binding Affinity
to HLA A2 by Binding Assay





Graphs show lysis of unpulsed EL4 cells (open circles) and EL4 cells pulsed with gp33 peptide (solid triangles). Symbols represent individual mice and one of three similar experiments is shown.

FIG. 15



Mean tumor volumes \pm 1SD are shown for mice immunized with pEFGPL33A DNA (solid circles) or control pEGFP-N3 DNA (open triangles). Numbers in brackets indicate number of mice with tumors/total number of mice in group. One of two similar experiments is shown.

FIG. 16




FIG. 17

Tyrosinase (171-203)




Figure 18

Tyr (401-427)




Figure 19

Tyrosinase (415-449)




Figure 20




Figure 21

CEA 131-159




Figure 23

CEA 225-251




Figure 24

CEA 239-270




Figure 25

CEA 259-286




Figure 26

CEA 309-336




Figure 27

CEA 381-408




Figure 28

CEA 403-429




Figure 29




Figure 30

CEA 437-464




Figure 31

CEA 581-607




Figure 32




Figure 33

CEA 615-64I




Figure 34

CEA 643-677




Figure 35

GAGE-1 (6-32) 30 min




Figure 36




Figure 37

GAGE-1 (112-137)




Figure 38

MAGE-1 (51-77)




Figure 39

MAGE-1 (126-153)




Figure 40

MAGE-2 (272-299)




Figure 41

MAGE-2 (287-314)




Figure 42




Figure 43




Figure 44




Figure 45




Figure 46




Figure 47




Figure 48

PSA 156-188




Figure 49

PSCA 67-94




Figure 50

PSMA (378-405)




Figure 51

PSMA (597-623)




Figure 52

PSMA (615-642)




Figure 53

SCP-1 (57-86)




Figure 54

SCP-1 (201-227)




Figure 55

SCP-1 (395-424)




Figure S6

SCP-1 (416-442)




Figure 57

SCP-1 (518-545)




Figure 58

SCP-1 (545-578)




Figure 59

SCP-1 (559-585)




Figure 60




Figure 61

SCP-1 (694-720)




Figure 62

SCP-1 735-769




Figure 63

SCP-1 (786-816)




Figure 64

SCP-1 (806-833)




Figure 65

SCP-1 (826-853)




Figure 66

SCP-1 (832-859)




Figure 67




Figure 68

Survivin (116-142)




Figure 69

BAGE (1-35)




Figure 70

SEQUENCE LISTING

<110> MANNKIND CORPORATION
 SIMARD, John J. L.
 DIAMOND, David C.
 LIU, Liping
 LIU, Zheng

<120> EPITOPE SEQUENCES

<130> MANNK.032VPC

<150> US 60/409123

<151> 2002-09-06

<160> 610

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 10

<212> PRT

<213> Homo sapiens

<400> 1

Phe Leu Pro Trp His Arg Leu Phe Leu Leu
 1 5 10

<210> 2

<211> 529

<212> PRT

<213> Homo sapiens

<400> 2

Met	Leu	Leu	Ala	Val	Leu	Tyr	Cys	Leu	Leu	Trp	Ser	Phe	Gln	Thr	Ser
1				5					10					15	
Ala	Gly	His	Phe	Pro	Arg	Ala	Cys	Val	Ser	Ser	Lys	Asn	Leu	Met	Glu
			20					25					30		
Lys	Glu	Cys	Cys	Pro	Pro	Trp	Ser	Gly	Asp	Arg	Ser	Pro	Cys	Gly	Gln
		35					40					45			
Leu	Ser	Gly	Arg	Gly	Ser	Cys	Gln	Asn	Ile	Leu	Leu	Ser	Asn	Ala	Pro
	50					55					60				
Leu	Gly	Pro	Gln	Phe	Pro	Phe	Thr	Gly	Val	Asp	Arg	Glu	Ser	Trp	
65				70					75					80	
Pro	Ser	Val	Phe	Tyr	Asn	Arg	Thr	Cys	Gln	Cys	Ser	Gly	Asn	Phe	Met
			85						90				95		
Gly	Phe	Asn	Cys	Gly	Asn	Cys	Lys	Phe	Gly	Phe	Trp	Gly	Pro	Asn	Cys
			100					105					110		
Thr	Glu	Arg	Arg	Leu	Leu	Val	Arg	Arg	Asn	Ile	Phe	Asp	Leu	Ser	Ala
		115					120					125			
Pro	Glu	Lys	Asp	Lys	Phe	Phe	Ala	Tyr	Leu	Thr	Leu	Ala	Lys	His	Thr
	130					135					140				
Ile	Ser	Ser	Asp	Tyr	Val	Ile	Pro	Ile	Gly	Thr	Tyr	Gly	Gln	Met	Lys
145					150				155					160	
Asn	Gly	Ser	Thr	Pro	Met	Phe	Asn	Asp	Ile	Asn	Ile	Tyr	Asp	Leu	Phe
				165				170					175		
Val	Trp	Met	His	Tyr	Tyr	Val	Ser	Met	Asp	Ala	Leu	Leu	Gly	Gly	Ser
			180					185					190		

Glu Ile Trp Arg Asp Ile Asp Phe Ala His Glu Ala Pro Ala Phe Leu
 195 200 205
 Pro Trp His Arg Leu Phe Leu Leu Arg Trp Glu Gln Glu Ile Gln Lys
 210 215 220
 Leu Thr Gly Asp Glu Asn Phe Thr Ile Pro Tyr Trp Asp Trp Arg Asp
 225 230 235 240
 Ala Glu Lys Cys Asp Ile Cys Thr Asp Glu Tyr Met Gly Gly Gln His
 245 250 255
 Pro Thr Asn Pro Asn Leu Leu Ser Pro Ala Ser Phe Phe Ser Ser Trp
 260 265 270
 Gln Ile Val Cys Ser Arg Leu Glu Tyr Asn Ser His Gln Ser Leu
 275 280 285
 Cys Asn Gly Thr Pro Glu Gly Pro Leu Arg Arg Asn Pro Gly Asn His
 290 295 300
 Asp Lys Ser Arg Thr Pro Arg Leu Pro Ser Ser Ala Asp Val Glu Phe
 305 310 315 320
 Cys Leu Ser Leu Thr Gln Tyr Glu Ser Gly Ser Met Asp Lys Ala Ala
 325 330 335
 Asn Phe Ser Phe Arg Asn Thr Leu Glu Gly Phe Ala Ser Pro Leu Thr
 340 345 350
 Gly Ile Ala Asp Ala Ser Gln Ser Ser Met His Asn Ala Leu His Ile
 355 360 365
 Tyr Met Asn Gly Thr Met Ser Gln Val Gln Gly Ser Ala Asn Asp Pro
 370 375 380
 Ile Phe Leu Leu His His Ala Phe Val Asp Ser Ile Phe Glu Gln Trp
 385 390 395 400
 Leu Arg Arg His Arg Pro Leu Gln Glu Val Tyr Pro Glu Ala Asn Ala
 405 410 415
 Pro Ile Gly His Asn Arg Glu Ser Tyr Met Val Pro Phe Ile Pro Leu
 420 425 430
 Tyr Arg Asn Gly Asp Phe Phe Ile Ser Ser Lys Asp Leu Gly Tyr Asp
 435 440 445
 Tyr Ser Tyr Leu Gln Asp Ser Asp Pro Asp Ser Phe Gln Asp Tyr Ile
 450 455 460
 Lys Ser Tyr Leu Glu Gln Ala Ser Arg Ile Trp Ser Trp Leu Leu Gly
 465 470 475 480
 Ala Ala Met Val Gly Ala Val Leu Thr Ala Leu Leu Ala Gly Leu Val
 485 490 495
 Ser Leu Leu Cys Arg His Lys Arg Lys Gln Leu Pro Glu Glu Lys Gln
 500 505 510
 Pro Leu Leu Met Glu Lys Glu Asp Tyr His Ser Leu Tyr Gln Ser His
 515 520 525
 Leu

<210> 3

<211> 188

<212> PRT

<213> Homo sapiens

<400> 3

Met Asn Gly Asp Asp Ala Phe Ala Arg Arg Pro Thr Val Gly Ala Gln
 1 5 10 15
 Ile Pro Glu Lys Ile Gln Lys Ala Phe Asp Asp Ile Ala Lys Tyr Phe
 20 25 30
 Ser Lys Glu Glu Trp Glu Lys Met Lys Ala Ser Glu Lys Ile Phe Tyr
 35 40 45
 Val Tyr Met Lys Arg Lys Tyr Glu Ala Met Thr Lys Leu Gly Phe Lys
 50 55 60
 Ala Thr Leu Pro Pro Phe Met Cys Asn Lys Arg Ala Glu Asp Phe Gln

```

65          70          75          80
Gly Asn Asp Leu Asp Asn Asp Pro Asn Arg Gly Asn Gln Val Glu Arg
      85          90          95
Pro Gln Met Thr Phe Gly Arg Leu Gln Gly Ile Ser Pro Lys Ile Met
      100          105          110
Pro Lys Lys Pro Ala Glu Glu Gly Asn Asp Ser Glu Glu Val Pro Glu
      115          120          125
Ala Ser Gly Pro Gln Asn Asp Gly Lys Glu Leu Cys Pro Pro Gly Lys
      130          135          140
Pro Thr Thr Ser Glu Lys Ile His Glu Arg Ser Gly Pro Lys Arg Gly
145          150          155          160
Glu His Ala Trp Thr His Arg Leu Arg Glu Arg Lys Gln Leu Val Ile
      165          170          175
Tyr Glu Glu Ile Ser Asp Pro Glu Glu Asp Asp Glu
      180          185

```

<210> 4

<211> 750

<212> PRT

<213> Homo sapiens

<400> 4

```

Met Trp Asn Leu Leu His Glu Thr Asp Ser Ala Val Ala Thr Ala Arg
1          5          10          15
Arg Pro Arg Trp Leu Cys Ala Gly Ala Leu Val Leu Ala Gly Gly Phe
      20          25          30
Phe Leu Leu Gly Phe Leu Phe Gly Trp Phe Ile Lys Ser Ser Asn Glu
      35          40          45
Ala Thr Asn Ile Thr Pro Lys His Asn Met Lys Ala Phe Leu Asp Glu
      50          55          60
Leu Lys Ala Glu Asn Ile Lys Lys Phe Leu Tyr Asn Phe Thr Gln Ile
65          70          75          80
Pro His Leu Ala Gly Thr Glu Gln Asn Phe Gln Leu Ala Lys Gln Ile
      85          90          95
Gln Ser Gln Trp Lys Glu Phe Gly Leu Asp Ser Val Glu Leu Ala His
      100          105          110
Tyr Asp Val Leu Leu Ser Tyr Pro Asn Lys Thr His Pro Asn Tyr Ile
      115          120          125
Ser Ile Ile Asn Glu Asp Gly Asn Glu Ile Phe Asn Thr Ser Leu Phe
      130          135          140
Glu Pro Pro Pro Pro Gly Tyr Glu Asn Val Ser Asp Ile Val Pro Pro
145          150          155          160
Phe Ser Ala Phe Ser Pro Gln Gly Met Pro Glu Gly Asp Leu Val Tyr
      165          170          175
Val Asn Tyr Ala Arg Thr Glu Asp Phe Phe Lys Leu Glu Arg Asp Met
      180          185          190
Lys Ile Asn Cys Ser Gly Lys Ile Val Ile Ala Arg Tyr Gly Lys Val
      195          200          205
Phe Arg Gly Asn Lys Val Lys Asn Ala Gln Leu Ala Gly Ala Lys Gly
      210          215          220
Val Ile Leu Tyr Ser Asp Pro Ala Asp Tyr Phe Ala Pro Gly Val Lys
225          230          235          240
Ser Tyr Pro Asp Gly Trp Asn Leu Pro Gly Gly Gly Val Gln Arg Gly
      245          250          255
Asn Ile Leu Asn Leu Asn Gly Ala Gly Asp Pro Leu Thr Pro Gly Tyr
      260          265          270
Pro Ala Asn Glu Tyr Ala Tyr Arg Arg Gly Ile Ala Glu Ala Val Gly
      275          280          285
Leu Pro Ser Ile Pro Val His Pro Ile Gly Tyr Tyr Asp Ala Gln Lys
      290          295          300

```

Leu Leu Glu Lys Met Gly Gly Ser Ala Pro Pro Asp Ser Ser Trp Arg
 305 310 315 320
 Gly Ser Leu Lys Val Pro Tyr Asn Val Gly Pro Gly Phe Thr Gly Asn
 325 330 335
 Phe Ser Thr Gln Lys Val Lys Met His Ile His Ser Thr Asn Glu Val
 340 345 350
 Thr Arg Ile Tyr Asn Val Ile Gly Thr Leu Arg Gly Ala Val Glu Pro
 355 360 365
 Asp Arg Tyr Val Ile Leu Gly Gly His Arg Asp Ser Trp Val Phe Gly
 370 375 380
 Gly Ile Asp Pro Gln Ser Gly Ala Ala Val Val His Glu Ile Val Arg
 385 390 395 400
 Ser Phe Gly Thr Leu Lys Lys Glu Gly Trp Arg Pro Arg Arg Thr Ile
 405 410 415
 Leu Phe Ala Ser Trp Asp Ala Glu Glu Phe Gly Leu Leu Gly Ser Thr
 420 425 430
 Glu Trp Ala Glu Glu Asn Ser Arg Leu Leu Gln Glu Arg Gly Val Ala
 435 440 445
 Tyr Ile Asn Ala Asp Ser Ser Ile Glu Gly Asn Tyr Thr Leu Arg Val
 450 455 460
 Asp Cys Thr Pro Leu Met Tyr Ser Leu Val His Asn Leu Thr Lys Glu
 465 470 475 480
 Leu Lys Ser Pro Asp Glu Gly Phe Glu Gly Lys Ser Leu Tyr Glu Ser
 485 490 495
 Trp Thr Lys Lys Ser Pro Ser Pro Glu Phe Ser Gly Met Pro Arg Ile
 500 505 510
 Ser Lys Leu Gly Ser Gly Asn Asp Phe Glu Val Phe Phe Gln Arg Leu
 515 520 525
 Gly Ile Ala Ser Gly Arg Ala Arg Tyr Thr Lys Asn Trp Glu Thr Asn
 530 535 540
 Lys Phe Ser Gly Tyr Pro Leu Tyr His Ser Val Tyr Glu Thr Tyr Glu
 545 550 555 560
 Leu Val Glu Lys Phe Tyr Asp Pro Met Phe Lys Tyr His Leu Thr Val
 565 570 575
 Ala Gln Val Arg Gly Gly Met Val Phe Glu Leu Ala Asn Ser Ile Val
 580 585 590
 Leu Pro Phe Asp Cys Arg Asp Tyr Ala Val Val Leu Arg Lys Tyr Ala
 595 600 605
 Asp Lys Ile Tyr Ser Ile Ser Met Lys His Pro Gln Glu Met Lys Thr
 610 615 620
 Tyr Ser Val Ser Phe Asp Ser Leu Phe Ser Ala Val Lys Asn Phe Thr
 625 630 635 640
 Glu Ile Ala Ser Lys Phe Ser Glu Arg Leu Gln Asp Phe Asp Lys Ser
 645 650 655
 Asn Pro Ile Val Leu Arg Met Met Asn Asp Gln Leu Met Phe Leu Glu
 660 665 670
 Arg Ala Phe Ile Asp Pro Leu Gly Leu Pro Asp Arg Pro Phe Tyr Arg
 675 680 685
 His Val Ile Tyr Ala Pro Ser Ser His Asn Lys Tyr Ala Gly Glu Ser
 690 695 700
 Phe Pro Gly Ile Tyr Asp Ala Leu Phe Asp Ile Glu Ser Lys Val Asp
 705 710 715 720
 Pro Ser Lys Ala Trp Gly Glu Val Lys Arg Gln Ile Tyr Val Ala Ala
 725 730 735
 Phe Thr Val Gln Ala Ala Ala Glu Thr Leu Ser Glu Val Ala
 740 745 750

<210> 5

<211> 1964

<212> DNA

<213> Homo sapiens

<400> 5

```

atcaactgtag tagtagctgg aaagagaaat ctgtgactcc aattagccag ttcctgcaga 60
ccttgtgagg actagaggaa gaatgctcct ggctgttttg tactgcctgc tgtggagttt 120
ccagacctcc gctggccatt tccctagagc ctgtgtctcc tctaagaacc tgatggagaa 180
ggaatgctgt ccaccgtgga gcggggacag gagtccctgt ggccagcttt caggcagagg 240
ttcctgtcag aatatccttc tgtccaatgc accacttggg cctcaatttc ccttcacagg 300
ggtggatgac cgggagtcgt ggccttcctg cttttataat aggacctgcc agtgcctctg 360
caacttcatg ggattcaact gtggaactg caagtttggc ttttggggac caaactgcac 420
agagagacga ctcttgggtg gaagaaacat cttcgatttg agtgccccag agaaggacaa 480
attttttgccc tacctcactt tagcaaaagc taccatcagc tcagactatg tcatcccat 540
agggacctat ggccaaatga aaaatggatc aacacccatg ttttaacgaca tcaatattta 600
tgacctcttt gtctggatgc attattatgt gtcaatggat gcaactgctg ggggatctga 660
aatctggaga gacattgatt ttgccatga agcaccagct tttctgcctt ggcatagact 720
cttcttgttg cggtgggaac aagaaatcca gaagctgaca ggagatgaaa acttcactat 780
tccatattgg gactggcggt atgcagaaaa gtgtgacatt tgcacagatg agtacatggg 840
aggtcagcac cccacaaatc ctaacttact cagcccagca tcattcttct cctcttggca 900
gattgtctgt agccgattgg aggagtacaa cagccatcag tctttatgca atggaacgcc 960
cgagggacct ttacggcgta atcctggaaa ccatgacaaa tccagaaccc caaggctccc 1020
ctcttcagct gatgtagaat tttgcctgag tttgacccaa tatgaatctg gttccatgga 1080
taaaagctgcc aatttcagct tttagaaatac actggaagga tttgctagt cacttactgg 1140
gatagcggat gcctctcaaa gcagcatgca caatgccttg cacatctata tgaatggaac 1200
aatgtcccag gtacagggat ctgccaacga tcctatcttc cttcttcacc atgcatttgt 1260
tgacagtatt tttgagcagt ggctccgaag gcaccgtcct cttcaagaag tttatccaga 1320
agccaatgca cccattggac ataaccggga atcctacatg gttcctttta taccactgta 1380
cagaaatggt gatttcttta tttcatccaa agatctgggc tatgactata gctatctaca 1440
agattcagac ccagactctt ttcaagacta cattaagtcc tatttggaa cagcgagtgc 1500
gatctggtca tggctccttg gggcggggat ggtagggggc gtccctactg cctgctggc 1560
agggcttgtg agcttgcctg gtcgtcaca gagaaagcag ctctcctgaag aaaagcagcc 1620
actcctcatg gagaaagagg attaccacag cttgtatcag agccatttat aaaaggctta 1680
ggcaatagag tagggccaaa aagcctgacc tcactctaac tcaaagtaat gtccagggtc 1740
ccagagaata tctgctggta ttttctgtg aagaccattt gcaaaattgt aacctaatac 1800
aaagtgtagc cttcttccaa ctccaggtaga acacacctgt ctttgtcttg ctgttttcac 1860
tcagcccttt taacattttc ccctaagccc atatgtctaa ggaaaggatg ctatttggtg 1920
atgaggaact gttatttgta tgtgaattaa agtgccttta tttt 1964

```

<210> 6

<211> 766

<212> DNA

<213> Homo sapiens

<400> 6

```

ctctctttcg attcttccat actcagagta cgcacggtct gatcttctct ttggattctt 60
ccaaaatcag agtcagactg ctcccgggtgc catgaacgga gacgacgcct ttgcaaggag 120
acccacggtt ggtgctcaaa taccagagaa gatccaaaag gccttcgatg atattgccaa 180
atacttctct aagggaagagt gggaaaagat gaaagcctcg gagaaaatct tctatgtgta 240
tatgaagaga aagtatgagg ctatgactaa actaggtttc aaggccaccc tcccaccttt 300
catgtgtaat aaacgggccc aagacttcca ggggaatgat ttggataatg accctaaccg 360
tggaatcag gttgaacgtc ctccagatgac tttcggcagg ctccagggaa tctccccgaa 420
gatcatgccc aagaagccag cagaggaagg aaatgattcg gaggaagtgc cagaagcatc 480
tgggccacaa aatgatggga aagagctgtg cccccggga aaaccaacta cctctgagaa 540
gattcacgag agatctggac ccaaaagggg ggaacatgcc tggaccacac gactgcgtga 600
gagaaaaacg ctggtgattt atgaagagat cagcgaccct gaggaagatg acgagtaact 660
cccctcaggg atacgacaca tgcccagatg gagaagcaga acgtgggtgac ctttcacgaa 720
catgggcatg gctgcggacc cctcgtcatc aggtgcatag caagtg 766

```

<210> 7

<211> 2653

<212> DNA

<213> Homo sapiens

<400> 7

```

ctcaaaaggg gccggatttc cttctcctgg aggcagatgt tgcctctctc tctcgcctcg 60
attggttcag tgcactctag aaacactgct gtgggtggaga aactggaccc caggtctgga 120
gcgaattcca gctgcaggg ctgataagcg aggcattagt gagattgaga gagactttac 180
cccgcgctgg tgggttgagg gcgcgcagta gagcagcagc acaggcgcgg gtcccgagg 240
gccggctctg ctgcgcgcga gatgtggaat ctcccttcacg aaaccgactc ggctgtggcc 300
accgcgcgcc gccgcgcgtg gctgtgcgct ggggcgcgtg tgctggcggg tggcttcttt 360
ctcctcggct tcctcttcgg gtggtttata aaatcctcca atgaagctac taacattact 420
ccaaagcata atatgaaagc atttttggat gaattgaaag ctgagaacat caagaagttc 480
ttatataatt ttacacagat accacattta gcaggaacag aacaaaactt tcagcttgca 540
aagcaaattc aatcccagtg gaaagaattt ggcttgatt ctggtgagct agcacattat 600
gatgtcctgt tgtcctaccc aaataagact catcccaact acatctcaat aattaatgaa 660
gatggaaatg agattttcaa cacatcatta tttgaaccac ctccctcagg atatgaaaat 720
gtttcggata ttgtaccacc tttcagtgtc ttctctctc aaggaatgcc agaggcgat 780
ctagtgtatg ttaactatgc acgaaactgaa gacttcttta aattggaacg ggacatgaaa 840
atcaattgct ctgggaaaat tgtaattgcc agatatggga aagttttcag aggaaataag 900
gttaaaaatg cccagctggc agggggccaa ggagtcattc tctactccga ccctgctgac 960
tactttgctc ctggggtgaa gtcctatcca gatggttgga atcttctcgg aggtggtgtc 1020
cagcgtggaa atatcctaaa tctgaatggt gcaggagacc ctctcacacc aggttaccca 1080
gcaaatgaat atgcttatag gcgtggaatt gcagaggctg ttggtcttcc aagtattcct 1140
gttcatccaa ttgatactta tgatgcacag aagctcctag aaaaaatggg tggctcagca 1200
ccaccagata gcagctggag aggaagtctc aaagtgcctt acaatgttgg acctggcttt 1260
actggaaact tttctacaca aaaagtcaag atgcacatcc actctaccaa tgaagtgaca 1320
agaatttaca atgtgatagg tactctcaga ggagcagtg aaccagacag atatgtcatt 1380
ctggggaggc accgggactc atgggtgttt ggtggtattg accctcagag tggagcagct 1440
gttggtcatg aaattgtgag gagctttgga acactgaaaa aggaaggggt gagacctaga 1500
agaacaattt tgtttgcaag ctgggatgca gaagaatttg gtcttcttgg ttctactgag 1560
tgggcagagg agaattcaag actccttcaa gagcgtggcg tggcttatat taatgctgac 1620
tcatctatag aaggaaacta cactctgaga gttgattgta caccgctgat gtacagctt 1680
gtacacaacc taacaaaaga gctgaaaagc cctgatgaag gctttgaagg caaatctctt 1740
tatgaaagt ggactaaaaa aagtccttcc ccagagttca gtggcatgcc caggataagc 1800
aaattgggat ctggaaatga ttttgagggt ttcttccaac gacttggaat tgcttcaggc 1860
agagcacggg atactaaaaa ttgggaaaca aacaaattca gcggctatcc actgtatcac 1920
agtgtctatg aaacatatga gttggtggaa aagttttatg atccaatgtt taaatatcac 1980
ctcactgtgg cccagggttc agggaggatg gtggttgagc tagccaattc catagtgtc 2040
ccttttgatt gtcgagatta tgctgtagt ttaagaaagt atgctgacaa aatctacagt 2100
atttctatga aacatccaca ggaaatgaag acatacagtg tatcatttga ttacttttt 2160
tctgcagtaa agaattttac agaaattgct tccaagtcca gtgagagact ccaggacttt 2220
gacaaaagca acccaatagt attaagaatg atgaatgat aactcatggt tctggaaaga 2280
gcattttatg atccattagg gttaccagac aggccttttt ataggcatgt catctatgct 2340
ccaagcagcc acaacaagta tgcaggggag tcattcccag gaatttatga tgctctgttt 2400
gatattgaaa gcaaagtgga cccttccaag gcctggggag aagtgaagag acagatttat 2460
gttgagcct tcacagtgc ggcagctgca gagactttga gtgaagtagc ctaagaggat 2520
tctttagaga atccgtattg aatttgtgtg gtatgtcact cagaaagaat cgtaatgggt 2580
atattgataa attttaaaat tggatatatt gaaataaagt tgaatattat atataaaaaa 2640
aaaaaaaaa aaa 2653

```

<210> 8

<211> 9

<212> PRT

<213> Homo sapiens

<400> 8

Phe Leu Pro Trp His Arg Leu Phe Leu

1

5

<210> 9

<211> 9

<212> PRT

<213> Homo sapiens

<400> 9

Leu Pro Trp His Arg Leu Phe Leu Leu
1 5

<210> 10

<211> 38

<212> PRT

<213> Homo sapiens

<400> 10

Tyr Phe Ser Lys Glu Glu Trp Glu Lys Met Lys Ala Ser Glu Lys Ile
1 5 10 15
Phe Tyr Val Tyr Met Lys Arg Lys Tyr Glu Ala Met Thr Lys Leu Gly
20 25 30
Phe Lys Ala Thr Leu Pro
35

<210> 11

<211> 9

<212> PRT

<213> Homo sapiens

<400> 11

Phe Ser Lys Glu Glu Trp Glu Lys Met
1 5

<210> 12

<211> 9

<212> PRT

<213> Homo sapiens

<400> 12

Lys Met Lys Ala Ser Glu Lys Ile Phe
1 5

<210> 13

<211> 9

<212> PRT

<213> Homo sapiens

<400> 13

Met Lys Ala Ser Glu Lys Ile Phe Tyr
1 5

<210> 14

<211> 10

<212> PRT

<213> Homo sapiens

<400> 14

Lys Met Lys Ala Ser Glu Lys Ile Phe Tyr
1 5 10

<210> 15
<211> 9
<212> PRT
<213> Homo sapiens

<400> 15
Lys Ala Ser Glu Lys Ile Phe Tyr Val
1 5

<210> 16
<211> 10
<212> PRT
<213> Homo sapiens

<400> 16
Met Lys Ala Ser Glu Lys Ile Phe Tyr Val
1 5 10

<210> 17
<211> 10
<212> PRT
<213> Homo sapiens

<400> 17
Lys Ala Ser Glu Lys Ile Phe Tyr Val Tyr
1 5 10

<210> 18
<211> 9
<212> PRT
<213> Homo sapiens

<400> 18
Ala Ser Glu Lys Ile Phe Tyr Val Tyr
1 5

<210> 19
<211> 9
<212> PRT
<213> Homo sapiens

<400> 19
Arg Lys Tyr Glu Ala Met Thr Lys Leu
1 5

<210> 20
<211> 10
<212> PRT
<213> Homo sapiens

<400> 20
Lys Arg Lys Tyr Glu Ala Met Thr Lys Leu
1 5 10

<210> 21

<211> 10
<212> PRT
<213> Homo sapiens

<400> 21
Lys Tyr Glu Ala Met Thr Lys Leu Gly Phe
1 5 10

<210> 22
<211> 9
<212> PRT
<213> Homo sapiens

<400> 22
Tyr Glu Ala Met Thr Lys Leu Gly Phe
1 5

<210> 23
<211> 8
<212> PRT
<213> Homo sapiens

<400> 23
Glu Ala Met Thr Lys Leu Gly Phe
1 5

<210> 24
<211> 10
<212> PRT
<213> Homo sapiens

<400> 24
Phe Leu Pro Ser Asp Tyr Phe Pro Ser Val
1 5 10

<210> 25
<211> 9
<212> PRT
<213> Homo sapiens

<400> 25
Ala Glu Met Gly Lys Tyr Ser Phe Tyr
1 5

<210> 26
<211> 9
<212> PRT
<213> Homo sapiens

<400> 26
Lys Tyr Ser Glu Lys Ile Ser Tyr Val
1 5

<210> 27
<211> 9

<212> PRT

<213> Homo sapiens

<400> 27

Lys Val Ser Glu Lys Ile Val Tyr Val
 1 5

<210> 28

<211> 9

<212> PRT

<213> Homo sapiens

<400> 28

Lys Ser Ser Glu Lys Ile Val Tyr Val
 1 5

<210> 29

<211> 9

<212> PRT

<213> Homo sapiens

<400> 29

Lys Ala Ser Glu Lys Ile Ile Tyr Val
 1 5

<210> 30

<211> 30

<212> PRT

<213> Homo sapiens

<400> 30

Ala Phe Ser Pro Gln Gly Met Pro Glu Gly Asp Leu Val Tyr Val Asn
 1 5 10 15
 Tyr Ala Arg Thr Glu Asp Phe Phe Lys Leu Glu Arg Asp Met
 20 25 30

<210> 31

<211> 23

<212> PRT

<213> Homo sapiens

<400> 31

Gly Met Pro Glu Gly Asp Leu Val Tyr Val Asn Tyr Ala Arg Thr Glu
 1 5 10 15
 Asp Phe Phe Lys Leu Glu Arg
 20

<210> 32

<211> 9

<212> PRT

<213> Homo sapiens

<400> 32

Met Pro Glu Gly Asp Leu Val Tyr Val
 1 5

<210> 33
<211> 10
<212> PRT
<213> Homo sapiens

<400> 33
Gly Met Pro Glu Gly Asp Leu Val Tyr Val
1 5 10

<210> 34
<211> 9
<212> PRT
<213> Homo sapiens

<400> 34
Gly Met Pro Glu Gly Asp Leu Val Tyr
1 5

<210> 35
<211> 10
<212> PRT
<213> Homo sapiens

<400> 35
Gln Gly Met Pro Glu Gly Asp Leu Val Tyr
1 5 10

<210> 36
<211> 8
<212> PRT
<213> Homo sapiens

<400> 36
Met Pro Glu Gly Asp Leu Val Tyr
1 5

<210> 37
<211> 9
<212> PRT
<213> Homo sapiens

<400> 37
Glu Gly Asp Leu Val Tyr Val Asn Tyr
1 5

<210> 38
<211> 10
<212> PRT
<213> Homo sapiens

<400> 38
Pro Glu Gly Asp Leu Val Tyr Val Asn Tyr
1 5 10

<210> 39
<211> 10
<212> PRT
<213> Homo sapiens

<400> 39
Leu Val Tyr Val Asn Tyr Ala Arg Thr Glu
1 5 10

<210> 40
<211> 9
<212> PRT
<213> Homo sapiens

<400> 40
Val Asn Tyr Ala Arg Thr Glu Asp Phe
1 5

<210> 41
<211> 10
<212> PRT
<213> Homo sapiens

<400> 41
Tyr Val Asn Tyr Ala Arg Thr Glu Asp Phe
1 5 10

<210> 42
<211> 9
<212> PRT
<213> Homo sapiens

<400> 42
Asn Tyr Ala Arg Thr Glu Asp Phe Phe
1 5

<210> 43
<211> 8
<212> PRT
<213> Homo sapiens

<400> 43
Tyr Ala Arg Thr Glu Asp Phe Phe
1 5

<210> 44
<211> 9
<212> PRT
<213> Homo sapiens

<400> 44
Arg Thr Glu Asp Phe Phe Lys Leu Glu
1 5

<210> 45

<210> 51
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 51
 Ser Ile Pro Val His Pro Ile Gly Tyr
 1 5

<210> 52
 <211> 10
 <212> PRT
 <213> Homo sapiens

<400> 52
 Pro Ser Ile Pro Val His Pro Ile Gly Tyr
 1 5 10

<210> 53
 <211> 8
 <212> PRT
 <213> Homo sapiens

<400> 53
 Ile Pro Val His Pro Ile Gly Tyr
 1 5

<210> 54
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 54
 Tyr Tyr Asp Ala Gln Lys Leu Leu Glu
 1 5

<210> 55
 <211> 27
 <212> PRT
 <213> Homo sapiens

<400> 55
 Ser Ser Ile Glu Gly Asn Tyr Thr Leu Arg Val Asp Cys Thr Pro Leu
 1 5 10 15
 Met Tyr Ser Leu Val His Leu Thr Lys Glu Leu
 20 25

<210> 56
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 56
 Ile Glu Gly Asn Tyr Thr Leu Arg Val

1 5

<210> 57
<211> 10
<212> PRT
<213> Homo sapiens

<400> 57
Ser Ile Glu Gly Asn Tyr Thr Leu Arg Val
1 5 10

<210> 58
<211> 8
<212> PRT
<213> Homo sapiens

<400> 58
Glu Gly Asn Tyr Thr Leu Arg Val
1 5

<210> 59
<211> 9
<212> PRT
<213> Homo sapiens

<400> 59
Thr Leu Arg Val Asp Cys Thr Pro Leu
1 5

<210> 60
<211> 10
<212> PRT
<213> Homo sapiens

<400> 60
Tyr Thr Leu Arg Val Asp Cys Thr Pro Leu
1 5 10

<210> 61
<211> 9
<212> PRT
<213> Homo sapiens

<400> 61
Leu Arg Val Asp Cys Thr Pro Leu Met
1 5

<210> 62
<211> 9
<212> PRT
<213> Homo sapiens

<400> 62
Arg Val Asp Cys Thr Pro Leu Met Tyr
1 5

<210> 63
 <211> 10
 <212> PRT
 <213> Homo sapiens

<400> 63
 Leu Arg Val Asp Cys Thr Pro Leu Met Tyr
 1 5 10

<210> 64
 <211> 35
 <212> PRT
 <213> Homo sapiens

<400> 64
 Phe Asp Lys Ser Asn Pro Ile Val Leu Arg Met Met Asn Asp Gln Leu
 1 5 10 15
 Met Phe Leu Glu Arg Ala Phe Ile Asp Pro Leu Gly Leu Pro Asp Arg
 20 25 30
 Pro Phe Tyr
 35

<210> 65
 <211> 22
 <212> PRT
 <213> Homo sapiens

<400> 65
 Val Leu Arg Met Met Asn Asp Gln Leu Met Phe Leu Glu Arg Ala Phe
 1 5 10 15
 Ile Asp Pro Leu Gly Leu
 20

<210> 66
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 66
 Met Met Asn Asp Gln Leu Met Phe Leu
 1 5

<210> 67
 <211> 10
 <212> PRT
 <213> Homo sapiens

<400> 67
 Arg Met Met Asn Asp Gln Leu Met Phe Leu
 1 5 10

<210> 68
 <211> 9
 <212> PRT

<213> Homo sapiens

<400> 68

Arg Met Met Asn Asp Gln Leu Met Phe
1 5

<210> 69

<211> 17

<212> PRT

<213> Homo sapiens

<400> 69

Met Leu Leu Ala Val Leu Tyr Cys Leu Leu Trp Ser Phe Gln Thr Ser
1 5 10 15
Ala

<210> 70

<211> 661

<212> PRT

<213> Homo sapiens

<400> 70

Met Asp Leu Val Leu Lys Arg Cys Leu Leu His Leu Ala Val Ile Gly
1 5 10 15
Ala Leu Leu Ala Val Gly Ala Thr Lys Val Pro Arg Asn Gln Asp Trp
20 25 30
Leu Gly Val Ser Arg Gln Leu Arg Thr Lys Ala Trp Asn Arg Gln Leu
35 40 45
Tyr Pro Glu Trp Thr Glu Ala Gln Arg Leu Asp Cys Trp Arg Gly Gly
50 55 60
Gln Val Ser Leu Lys Val Ser Asn Asp Gly Pro Thr Leu Ile Gly Ala
65 70 75 80
Asn Ala Ser Phe Ser Ile Ala Leu Asn Phe Pro Gly Ser Gln Lys Val
85 90 95
Leu Pro Asp Gly Gln Val Ile Trp Val Asn Asn Thr Ile Ile Asn Gly
100 105 110
Ser Gln Val Trp Gly Gly Gln Pro Val Tyr Pro Gln Glu Thr Asp Asp
115 120 125
Ala Cys Ile Phe Pro Asp Gly Gly Pro Cys Pro Ser Gly Ser Trp Ser
130 135 140
Gln Lys Arg Ser Phe Val Tyr Val Trp Lys Thr Trp Gly Gln Tyr Trp
145 150 155 160
Gln Val Leu Gly Gly Pro Val Ser Gly Leu Ser Ile Gly Thr Gly Arg
165 170 175
Ala Met Leu Gly Thr His Thr Met Glu Val Thr Val Tyr His Arg Arg
180 185 190
Gly Ser Arg Ser Tyr Val Pro Leu Ala His Ser Ser Ser Ala Phe Thr
195 200 205
Ile Thr Asp Gln Val Pro Phe Ser Val Ser Val Ser Gln Leu Arg Ala
210 215 220
Leu Asp Gly Gly Asn Lys His Phe Leu Arg Asn Gln Pro Leu Thr Phe
225 230 235 240
Ala Leu Gln Leu His Asp Pro Ser Gly Tyr Leu Ala Glu Ala Asp Leu
245 250 255
Ser Tyr Thr Trp Asp Phe Gly Asp Ser Ser Gly Thr Leu Ile Ser Arg
260 265 270
Ala Pro Val Val Thr His Thr Tyr Leu Glu Pro Gly Pro Val Thr Ala
275 280 285

Gln Val Val Leu Gln Ala Ala Ile Pro Leu Thr Ser Cys Gly Ser Ser
 290 295 300
 Pro Val Pro Gly Thr Thr Asp Gly His Arg Pro Thr Ala Glu Ala Pro
 305 310 315 320
 Asn Thr Thr Ala Gly Gln Val Pro Thr Thr Glu Val Val Gly Thr Thr
 325 330 335
 Pro Gly Gln Ala Pro Thr Ala Glu Pro Ser Gly Thr Thr Ser Val Gln
 340 345 350
 Val Pro Thr Thr Glu Val Ile Ser Thr Ala Pro Val Gln Met Pro Thr
 355 360 365
 Ala Glu Ser Thr Gly Met Thr Pro Glu Lys Val Pro Val Ser Glu Val
 370 375 380
 Met Gly Thr Thr Leu Ala Glu Met Ser Thr Pro Glu Ala Thr Gly Met
 385 390 395 400
 Thr Pro Ala Glu Val Ser Ile Val Val Leu Ser Gly Thr Thr Ala Ala
 405 410 415
 Gln Val Thr Thr Thr Glu Trp Val Glu Thr Thr Ala Arg Glu Leu Pro
 420 425 430
 Ile Pro Glu Pro Glu Gly Pro Asp Ala Ser Ser Ile Met Ser Thr Glu
 435 440 445
 Ser Ile Thr Gly Ser Leu Gly Pro Leu Leu Asp Gly Thr Ala Thr Leu
 450 455 460
 Arg Leu Val Lys Arg Gln Val Pro Leu Asp Cys Val Leu Tyr Arg Tyr
 465 470 475 480
 Gly Ser Phe Ser Val Thr Leu Asp Ile Val Gln Gly Ile Glu Ser Ala
 485 490 495
 Glu Ile Leu Gln Ala Val Pro Ser Gly Glu Gly Asp Ala Phe Glu Leu
 500 505 510
 Thr Val Ser Cys Gln Gly Gly Leu Pro Lys Glu Ala Cys Met Glu Ile
 515 520 525
 Ser Ser Pro Gly Cys Gln Pro Pro Ala Gln Arg Leu Cys Gln Pro Val
 530 535 540
 Leu Pro Ser Pro Ala Cys Gln Leu Val Leu His Gln Ile Leu Lys Gly
 545 550 555 560
 Gly Ser Gly Thr Tyr Cys Leu Asn Val Ser Leu Ala Asp Thr Asn Ser
 565 570 575
 Leu Ala Val Val Ser Thr Gln Leu Ile Met Pro Gly Gln Glu Ala Gly
 580 585 590
 Leu Gly Gln Val Pro Leu Ile Val Gly Ile Leu Leu Val Leu Met Ala
 595 600 605
 Val Val Leu Ala Ser Leu Ile Tyr Arg Arg Arg Leu Met Lys Gln Asp
 610 615 620
 Phe Ser Val Pro Gln Leu Pro His Ser Ser Ser His Trp Leu Arg Leu
 625 630 635 640
 Pro Arg Ile Phe Cys Ser Cys Pro Ile Gly Glu Asn Ser Pro Leu Leu
 645 650 655
 Ser Gly Gln Gln Val
 660

<210> 71

<211> 309

<212> PRT

<213> Homo sapiens

<400> 71

Met Ser Leu Glu Gln Arg Ser Leu His Cys Lys Pro Glu Glu Ala Leu
 1 5 10 15
 Glu Ala Gln Gln Glu Ala Leu Gly Leu Val Cys Val Gln Ala Ala Thr
 20 25 30
 Ser Ser Ser Ser Pro Leu Val Leu Gly Thr Leu Glu Glu Val Pro Thr

```

      35      40      45
Ala Gly Ser Thr Asp Pro Pro Gln Ser Pro Gln Gly Ala Ser Ala Phe
  50      55      60
Pro Thr Thr Ile Asn Phe Thr Arg Gln Arg Gln Pro Ser Glu Gly Ser
  65      70      75      80
Ser Ser Arg Glu Glu Glu Gly Pro Ser Thr Ser Cys Ile Leu Glu Ser
      85      90      95
Leu Phe Arg Ala Val Ile Thr Lys Lys Val Ala Asp Leu Val Gly Phe
      100      105      110
Leu Leu Leu Lys Tyr Arg Ala Arg Glu Pro Val Thr Lys Ala Glu Met
      115      120      125
Leu Glu Ser Val Ile Lys Asn Tyr Lys His Cys Phe Pro Glu Ile Phe
      130      135      140
Gly Lys Ala Ser Glu Ser Leu Gln Leu Val Phe Gly Ile Asp Val Lys
      145      150      155      160
Glu Ala Asp Pro Thr Gly His Ser Tyr Val Leu Val Thr Cys Leu Gly
      165      170      175
Leu Ser Tyr Asp Gly Leu Leu Gly Asp Asn Gln Ile Met Pro Lys Thr
      180      185      190
Gly Phe Leu Ile Ile Val Leu Val Met Ile Ala Met Glu Gly Gly His
      195      200      205
Ala Pro Glu Glu Glu Ile Trp Glu Glu Leu Ser Val Met Glu Val Tyr
      210      215      220
Asp Gly Arg Glu His Ser Ala Tyr Gly Glu Pro Arg Lys Leu Leu Thr
      225      230      235      240
Gln Asp Leu Val Gln Glu Lys Tyr Leu Glu Tyr Arg Gln Val Pro Asp
      245      250      255
Ser Asp Pro Ala Arg Tyr Glu Phe Leu Trp Gly Pro Arg Ala Leu Ala
      260      265      270
Glu Thr Ser Tyr Val Lys Val Leu Glu Tyr Val Ile Lys Val Ser Ala
      275      280      285
Arg Val Arg Phe Phe Phe Pro Ser Leu Arg Glu Ala Ala Leu Arg Glu
      290      295      300
Glu Glu Glu Gly Val
      305

```

<210> 72

<211> 314

<212> PRT

<213> Homo sapiens

<400> 72

```

Met Pro Leu Glu Gln Arg Ser Gln His Cys Lys Pro Glu Glu Gly Leu
  1      5      10      15
Glu Ala Arg Gly Glu Ala Leu Gly Leu Val Gly Ala Gln Ala Pro Ala
      20      25      30
Thr Glu Glu Gln Gln Thr Ala Ser Ser Ser Thr Leu Val Glu Val
      35      40      45
Thr Leu Gly Glu Val Pro Ala Ala Asp Ser Pro Ser Pro Pro His Ser
      50      55      60
Pro Gln Gly Ala Ser Ser Phe Ser Thr Thr Ile Asn Tyr Thr Leu Trp
      65      70      75      80
Arg Gln Ser Asp Glu Gly Ser Ser Asn Gln Glu Glu Gly Pro Arg
      85      90      95
Met Phe Pro Asp Leu Glu Ser Glu Phe Gln Ala Ala Ile Ser Arg Lys
      100      105      110
Met Val Glu Leu Val His Phe Leu Leu Lys Tyr Arg Ala Arg Glu
      115      120      125
Pro Val Thr Lys Ala Glu Met Leu Glu Ser Val Leu Arg Asn Cys Gln
      130      135      140

```

Asp Phe Phe Pro Val Ile Phe Ser Lys Ala Ser Glu Tyr Leu Gln Leu
 145 150 155 160
 Val Phe Gly Ile Glu Val Val Glu Val Val Pro Ile Ser His Leu Tyr
 165 170 175
 Ile Leu Val Thr Cys Leu Gly Leu Ser Tyr Asp Gly Leu Leu Gly Asp
 180 185 190
 Asn Gln Val Met Pro Lys Thr Gly Leu Leu Ile Ile Val Leu Ala Ile
 195 200 205
 Ile Ala Ile Glu Gly Asp Cys Ala Pro Glu Glu Lys Ile Trp Glu Glu
 210 215 220
 Leu Ser Met Leu Glu Val Phe Glu Gly Arg Glu Asp Ser Val Phe Ala
 225 230 235 240
 His Pro Arg Lys Leu Leu Met Gln Asp Leu Val Gln Glu Asn Tyr Leu
 245 250 255
 Glu Tyr Arg Gln Val Pro Gly Ser Asp Pro Ala Cys Tyr Glu Phe Leu
 260 265 270
 Trp Gly Pro Arg Ala Leu Ile Glu Thr Ser Tyr Val Lys Val Leu His
 275 280 285
 His Thr Leu Lys Ile Gly Gly Glu Pro His Ile Ser Tyr Pro Pro Leu
 290 295 300
 His Glu Arg Ala Leu Arg Glu Gly Glu Glu
 305 310

<210> 73

<211> 314

<212> PRT

<213> Homo sapiens

<400> 73

Met Pro Leu Glu Gln Arg Ser Gln His Cys Lys Pro Glu Glu Gly Leu
 1 5 10 15
 Glu Ala Arg Gly Glu Ala Leu Gly Leu Val Gly Ala Gln Ala Pro Ala
 20 25 30
 Thr Glu Glu Gln Glu Ala Ala Ser Ser Ser Ser Thr Leu Val Glu Val
 35 40 45
 Thr Leu Gly Glu Val Pro Ala Ala Glu Ser Pro Asp Pro Pro Gln Ser
 50 55 60
 Pro Gln Gly Ala Ser Ser Leu Pro Thr Thr Met Asn Tyr Pro Leu Trp
 65 70 75 80
 Ser Gln Ser Tyr Glu Asp Ser Ser Asn Gln Glu Glu Glu Gly Pro Ser
 85 90 95
 Thr Phe Pro Asp Leu Glu Ser Glu Phe Gln Ala Ala Leu Ser Arg Lys
 100 105 110
 Val Ala Glu Leu Val His Phe Leu Leu Leu Lys Tyr Arg Ala Arg Glu
 115 120 125
 Pro Val Thr Lys Ala Glu Met Leu Gly Ser Val Val Gly Asn Trp Gln
 130 135 140
 Tyr Phe Phe Pro Val Ile Phe Ser Lys Ala Ser Ser Ser Leu Gln Leu
 145 150 155 160
 Val Phe Gly Ile Glu Leu Met Glu Val Asp Pro Ile Gly His Leu Tyr
 165 170 175
 Ile Phe Ala Thr Cys Leu Gly Leu Ser Tyr Asp Gly Leu Leu Gly Asp
 180 185 190
 Asn Gln Ile Met Pro Lys Ala Gly Leu Leu Ile Ile Val Leu Ala Ile
 195 200 205
 Ile Ala Arg Glu Gly Asp Cys Ala Pro Glu Glu Lys Ile Trp Glu Glu
 210 215 220
 Leu Ser Val Leu Glu Val Phe Glu Gly Arg Glu Asp Ser Ile Leu Gly
 225 230 235 240
 Asp Pro Lys Lys Leu Leu Thr Gln His Phe Val Gln Glu Asn Tyr Leu

245 250 255
 Glu Tyr Arg Gln Val Pro Gly Ser Asp Pro Ala Cys Tyr Glu Phe Leu
 260 265 270
 Trp Gly Pro Arg Ala Leu Val Glu Thr Ser Tyr Val Lys Val Leu His
 275 280 285
 His Met Val Lys Ile Ser Gly Gly Pro His Ile Ser Tyr Pro Pro Leu
 290 295 300
 His Glu Trp Val Leu Arg Glu Gly Glu Glu
 305 310

<210> 74
 <211> 180
 <212> PRT
 <213> Homo sapiens

<400> 74
 Met Gln Ala Glu Gly Arg Gly Thr Gly Gly Ser Thr Gly Asp Ala Asp
 1 5 10 15
 Gly Pro Gly Gly Pro Gly Ile Pro Asp Gly Pro Gly Gly Asn Ala Gly
 20 25 30
 Gly Pro Gly Glu Ala Gly Ala Thr Gly Gly Arg Gly Pro Arg Gly Ala
 35 40 45
 Gly Ala Ala Arg Ala Ser Gly Pro Gly Gly Gly Ala Pro Arg Gly Pro
 50 55 60
 His Gly Gly Ala Ala Ser Gly Leu Asn Gly Cys Cys Arg Cys Gly Ala
 65 70 75 80
 Arg Gly Pro Glu Ser Arg Leu Leu Glu Phe Tyr Leu Ala Met Pro Phe
 85 90 95
 Ala Thr Pro Met Glu Ala Glu Leu Ala Arg Arg Ser Leu Ala Gln Asp
 100 105 110
 Ala Pro Pro Leu Pro Val Pro Gly Val Leu Leu Lys Glu Phe Thr Val
 115 120 125
 Ser Gly Asn Ile Leu Thr Ile Arg Leu Thr Ala Ala Asp His Arg Gln
 130 135 140
 Leu Gln Leu Ser Ile Ser Ser Cys Leu Gln Gln Leu Ser Leu Leu Met
 145 150 155 160
 Trp Ile Thr Gln Cys Phe Leu Pro Val Phe Leu Ala Gln Pro Pro Ser
 165 170 175
 Gly Gln Arg Arg
 180

<210> 75
 <211> 180
 <212> PRT
 <213> Homo sapiens

<400> 75
 Met Gln Ala Glu Gly Arg Gly Thr Gly Gly Ser Thr Gly Asp Ala Asp
 1 5 10 15
 Gly Pro Gly Gly Pro Gly Ile Pro Asp Gly Pro Gly Gly Asn Ala Gly
 20 25 30
 Gly Pro Gly Glu Ala Gly Ala Thr Gly Gly Arg Gly Pro Arg Gly Ala
 35 40 45
 Gly Ala Ala Arg Ala Ser Gly Pro Arg Gly Gly Ala Pro Arg Gly Pro
 50 55 60
 His Gly Gly Ala Ala Ser Ala Gln Asp Gly Arg Cys Pro Cys Gly Ala
 65 70 75 80
 Arg Arg Pro Asp Ser Arg Leu Leu Glu Leu His Ile Thr Met Pro Phe
 85 90 95

Ser Ser Pro Met Glu Ala Glu Leu Val Arg Arg Ile Leu Ser Arg Asp
 100 105 110
 Ala Ala Pro Leu Pro Arg Pro Gly Ala Val Leu Lys Asp Phe Thr Val
 115 120 125
 Ser Gly Asn Leu Leu Phe Ile Arg Leu Thr Ala Ala Asp His Arg Gln
 130 135 140
 Leu Gln Leu Ser Ile Ser Ser Cys Leu Gln Gln Leu Ser Leu Leu Met
 145 150 155 160
 Trp Ile Thr Gln Cys Phe Leu Pro Val Phe Leu Ala Gln Ala Pro Ser
 165 170 175
 Gly Gln Arg Arg
 180

<210> 76
 <211> 210
 <212> PRT
 <213> Homo sapiens

<400> 76
 Met Gln Ala Glu Gly Arg Gly Thr Gly Gly Ser Thr Gly Asp Ala Asp
 1 5 10 15
 Gly Pro Gly Gly Pro Gly Ile Pro Asp Gly Pro Gly Gly Asn Ala Gly
 20 25 30
 Gly Pro Gly Glu Ala Gly Ala Thr Gly Gly Arg Gly Pro Arg Gly Ala
 35 40 45
 Gly Ala Ala Arg Ala Ser Gly Pro Arg Gly Gly Ala Pro Arg Gly Pro
 50 55 60
 His Gly Gly Ala Ala Ser Ala Gln Asp Gly Arg Cys Pro Cys Gly Ala
 65 70 75 80
 Arg Arg Pro Asp Ser Arg Leu Leu Glu Leu His Ile Thr Met Pro Phe
 85 90 95
 Ser Ser Pro Met Glu Ala Glu Leu Val Arg Arg Ile Leu Ser Arg Asp
 100 105 110
 Ala Ala Pro Leu Pro Arg Pro Gly Ala Val Leu Lys Asp Phe Thr Val
 115 120 125
 Ser Gly Asn Leu Leu Phe Met Ser Val Trp Asp Gln Asp Arg Glu Gly
 130 135 140
 Ala Gly Arg Met Arg Val Val Gly Trp Gly Leu Gly Ser Ala Ser Pro
 145 150 155 160
 Glu Gly Gln Lys Ala Arg Asp Leu Arg Thr Pro Lys His Lys Val Ser
 165 170 175
 Glu Gln Arg Pro Gly Thr Pro Gly Pro Pro Pro Glu Gly Ala Gln
 180 185 190
 Gly Asp Gly Cys Arg Gly Val Ala Phe Asn Val Met Phe Ser Ala Pro
 195 200 205
 His Ile
 210

<210> 77
 <211> 509
 <212> PRT
 <213> Homo sapiens

<400> 77
 Met Glu Arg Arg Arg Leu Trp Gly Ser Ile Gln Ser Arg Tyr Ile Ser
 1 5 10 15
 Met Ser Val Trp Thr Ser Pro Arg Arg Leu Val Glu Leu Ala Gly Gln
 20 25 30
 Ser Leu Leu Lys Asp Glu Ala Leu Ala Ile Ala Ala Leu Glu Leu Leu

35					40					45					
Pro	Arg	Glu	Leu	Phe	Pro	Pro	Leu	Phe	Met	Ala	Ala	Phe	Asp	Gly	Arg
50					55					60					
His	Ser	Gln	Thr	Leu	Lys	Ala	Met	Val	Gln	Ala	Trp	Pro	Phe	Thr	Cys
65					70					75					80
Leu	Pro	Leu	Gly	Val	Leu	Met	Lys	Gly	Gln	His	Leu	His	Leu	Glu	Thr
				85					90					95	
Phe	Lys	Ala	Val	Leu	Asp	Gly	Leu	Asp	Val	Leu	Leu	Ala	Gln	Glu	Val
				100					105					110	
Arg	Pro	Arg	Arg	Trp	Lys	Leu	Gln	Val	Leu	Asp	Leu	Arg	Lys	Asn	Ser
				115					120					125	
His	Gln	Asp	Phe	Trp	Thr	Val	Trp	Ser	Gly	Asn	Arg	Ala	Ser	Leu	Tyr
				130					135					140	
Ser	Phe	Pro	Glu	Pro	Glu	Ala	Ala	Gln	Pro	Met	Thr	Lys	Lys	Arg	Lys
145					150					155					160
Val	Asp	Gly	Leu	Ser	Thr	Glu	Ala	Glu	Gln	Pro	Phe	Ile	Pro	Val	Glu
				165					170					175	
Val	Leu	Val	Asp	Leu	Phe	Leu	Lys	Glu	Gly	Ala	Cys	Asp	Glu	Leu	Phe
				180					185					190	
Ser	Tyr	Leu	Ile	Glu	Lys	Val	Lys	Arg	Lys	Lys	Asn	Val	Leu	Arg	Leu
				195					200					205	
Cys	Cys	Lys	Lys	Leu	Lys	Ile	Phe	Ala	Met	Pro	Met	Gln	Asp	Ile	Lys
				210					215					220	
Met	Ile	Leu	Lys	Met	Val	Gln	Leu	Asp	Ser	Ile	Glu	Asp	Leu	Glu	Val
225					230					235					240
Thr	Cys	Thr	Trp	Lys	Leu	Pro	Thr	Leu	Ala	Lys	Phe	Ser	Pro	Tyr	Leu
				245					250					255	
Gly	Gln	Met	Ile	Asn	Leu	Arg	Arg	Leu	Leu	Leu	Ser	His	Ile	His	Ala
				260					265					270	
Ser	Ser	Tyr	Ile	Ser	Pro	Glu	Lys	Glu	Glu	Gln	Tyr	Ile	Ala	Gln	Phe
				275					280					285	
Thr	Ser	Gln	Phe	Leu	Ser	Leu	Gln	Cys	Leu	Gln	Ala	Leu	Tyr	Val	Asp
				290					295					300	
Ser	Leu	Phe	Phe	Leu	Arg	Gly	Arg	Leu	Asp	Gln	Leu	Leu	Arg	His	Val
305					310					315					320
Met	Asn	Pro	Leu	Glu	Thr	Leu	Ser	Ile	Thr	Asn	Cys	Arg	Leu	Ser	Glu
				325					330					335	
Gly	Asp	Val	Met	His	Leu	Ser	Gln	Ser	Pro	Ser	Val	Ser	Gln	Leu	Ser
				340					345					350	
Val	Leu	Ser	Leu	Ser	Gly	Val	Met	Leu	Thr	Asp	Val	Ser	Pro	Glu	Pro
				355					360					365	
Leu	Gln	Ala	Leu	Leu	Glu	Arg	Ala	Ser	Ala	Thr	Leu	Gln	Asp	Leu	Val
				370					375					380	
Phe	Asp	Glu	Cys	Gly	Ile	Thr	Asp	Asp	Gln	Leu	Leu	Ala	Leu	Leu	Pro
385					390					395					400
Ser	Leu	Ser	His	Cys	Ser	Gln	Leu	Thr	Thr	Leu	Ser	Phe	Tyr	Gly	Asn
				405					410					415	
Ser	Ile	Ser	Ile	Ser	Ala	Leu	Gln	Ser	Leu	Leu	Gln	His	Leu	Ile	Gly
				420					425					430	
Leu	Ser	Asn	Leu	Thr	His	Val	Leu	Tyr	Pro	Val	Pro	Leu	Glu	Ser	Tyr
				435					440					445	
Glu	Asp	Ile	His	Gly	Thr	Leu	His	Leu	Glu	Arg	Leu	Ala	Tyr	Leu	His
				450					455					460	
Ala	Arg	Leu	Arg	Glu	Leu	Leu	Cys	Glu	Leu	Gly	Arg	Pro	Ser	Met	Val
465					470					475					480
Trp	Leu	Ser	Ala	Asn	Pro	Cys	Pro	His	Cys	Gly	Asp	Arg	Thr	Phe	Tyr
				485					490					495	
Asp	Pro	Glu	Pro	Ile	Leu	Cys	Pro	Cys	Phe	Met	Pro	Asn			
				500					505						

<210> 78
 <211> 261
 <212> PRT
 <213> Homo sapiens

<400> 78
 Met Trp Val Pro Val Val Phe Leu Thr Leu Ser Val Thr Trp Ile Gly
 1 5 10 15
 Ala Ala Pro Leu Ile Leu Ser Arg Ile Val Gly Gly Trp Glu Cys Glu
 20 25 30
 Lys His Ser Gln Pro Trp Gln Val Leu Val Ala Ser Arg Gly Arg Ala
 35 40 45
 Val Cys Gly Gly Val Leu Val His Pro Gln Trp Val Leu Thr Ala Ala
 50 55 60
 His Cys Ile Arg Asn Lys Ser Val Ile Leu Leu Gly Arg His Ser Leu
 65 70 75 80
 Phe His Pro Glu Asp Thr Gly Gln Val Phe Gln Val Ser His Ser Phe
 85 90 95
 Pro His Pro Leu Tyr Asp Met Ser Leu Leu Lys Asn Arg Phe Leu Arg
 100 105 110
 Pro Gly Asp Asp Ser Ser His Asp Leu Met Leu Leu Arg Leu Ser Glu
 115 120 125
 Pro Ala Glu Leu Thr Asp Ala Val Lys Val Met Asp Leu Pro Thr Gln
 130 135 140
 Glu Pro Ala Leu Gly Thr Thr Cys Tyr Ala Ser Gly Trp Gly Ser Ile
 145 150 155 160
 Glu Pro Glu Glu Phe Leu Thr Pro Lys Lys Leu Gln Cys Val Asp Leu
 165 170 175
 His Val Ile Ser Asn Asp Val Cys Ala Gln Val His Pro Gln Lys Val
 180 185 190
 Thr Lys Phe Met Leu Cys Ala Gly Arg Trp Thr Gly Gly Lys Ser Thr
 195 200 205
 Cys Ser Gly Asp Ser Gly Gly Pro Leu Val Cys Asn Gly Val Leu Gln
 210 215 220
 Gly Ile Thr Ser Trp Gly Ser Glu Pro Cys Ala Leu Pro Glu Arg Pro
 225 230 235 240
 Ser Leu Tyr Thr Lys Val Val His Tyr Arg Lys Trp Ile Lys Asp Thr
 245 250 255
 Ile Val Ala Asn Pro
 260

<210> 79
 <211> 123
 <212> PRT
 <213> Homo sapiens

<400> 79
 Met Lys Ala Val Leu Leu Ala Leu Leu Met Ala Gly Leu Ala Leu Gln
 1 5 10 15
 Pro Gly Thr Ala Leu Leu Cys Tyr Ser Cys Lys Ala Gln Val Ser Asn
 20 25 30
 Glu Asp Cys Leu Gln Val Glu Asn Cys Thr Gln Leu Gly Glu Gln Cys
 35 40 45
 Trp Thr Ala Arg Ile Arg Ala Val Gly Leu Leu Thr Val Ile Ser Lys
 50 55 60
 Gly Cys Ser Leu Asn Cys Val Asp Asp Ser Gln Asp Tyr Tyr Val Gly
 65 70 75 80
 Lys Lys Asn Ile Thr Cys Cys Asp Thr Asp Leu Cys Asn Ala Ser Gly
 85 90 95
 Ala His Ala Leu Gln Pro Ala Ala Ala Ile Leu Ala Leu Leu Pro Ala

100
 Leu Gly Leu Leu Trp Gly Pro Gly Gln Leu
 115 120

110

<210> 80
 <211> 2817
 <212> DNA
 <213> Homo sapiens

<400> 80
 gtgctaaaaa gatgccttct tcatttggct gtgatagggt ctttgtggct gtgggggcta 60
 caaaagtacc cagaaaccag gactggcttg gtgtctcaag gcaactcaga accaaagcct 120
 ggaacaggca gctgtatcca gagtggacag aagcccagag acttgactgc tggagagggt 180
 gtcaagtgtc cctcaaggctc agtaatgatg ggcctacact gattggtgca aatgcctcct 240
 tctctattgc cttgaacttc cctggaagcc aaaaggtatt gccagatggg caggttatct 300
 ggggtcaacaa taccatcatc aatgggagcc aggtgtgggg aggacagcca gtgtatcccc 360
 aggaaactga cgatgcctgc atcttccctg atgggtggacc ttgccatctt ggctcttgg 420
 ctcaagaagag aagctttgtt tatgtctgga agacctgggg tgagggactc ctttctcagc 480
 ctatcatcca cacttgtgtt tacttcttct tacctgatca ctttctttt ggccgcccct 540
 tccaccttaa cttctgtgat tttctctaata cttcattttc ctcttagatc ttttctcttt 600
 cttagcacct agcccccttc aagctctatc ataattcttt ctggcaactc ttggcctcaa 660
 ttgtagtcct accccatgga atgcctcatt aggaccctt ccctgtcccc ccataatcaca 720
 gccttccaaa caccctcaga agtaatcata cttcctgacc tcccatctcc agtgccgttt 780
 cgaagcctgt ccctcagtc cctttgacca gtaatctctt cttccttgtt tttcattcca 840
 aaaaatgcttc aggccaatac tggcaagttc tagggggccc agtgtctggg ctgagcattg 900
 ggacaggcag ggcaatgtct ggcacacaca ccattggaag gactgtctac catcgccggg 960
 gatcccgag ctatgtgcct cttgtcatt ccagctcagc cttcaccatt actggtaagg 1020
 gttcaggaag ggcaaggcca gttgtagggc aaagagaagg cagggaggct tggatggact 1080
 gcaaaggaga aaggtgaaat gctgtgcaaa cttaaagtag aaggggccagg aagacctagg 1140
 cagagaaatg tgaggcttag tgccagtga gggccagcca gtcagcttgg agttggaggg 1200
 tgtggctgtg aaaggagaag ctgtggctca ggccctggtc tcacctttt tggctccaat 1260
 cccagaccag gtgcctttct ccgtgagcgt gtcccagttg cgggccttgg atggagggaa 1320
 caagcacttc ctgagaaatc agcctctgac ctttgccttc cagctccatg accccagtg 1380
 ctatctggct gaagctgacc tctcctacac ctgggacttt ggagacagta gtggaacct 1440
 gatctctcgg gcacctgtgg tcaactcatac ttacctggag cctggcccag tcaactgccc 1500
 ggtggtcctg caggctgcca ttctctcac ctctgtggc tctctcccag ttccaggcac 1560
 cacagatggg cacaggccaa ctgcagaggc ccctaaccac acagctggcc aagtgcctac 1620
 tacagaagtt gtgggtacta cacctggtca ggcgccaact gcagagccct ctggaaccac 1680
 atctgtgcag gtgccaacca ctgaagtcac aagcaactgca cctgtgcaga tgccaactgc 1740
 agagagcaca ggtatgacac ctgagaagggt gccagtttca gaggtcatgg gtaccacact 1800
 ggcagagatg tcaactccag aggtacaggt tatgacacct gcagaggat caattgtgg 1860
 gctttctgga accacagctg cacaggtaac aactacagag tgggtggaga ccacagctag 1920
 agagctacct atccctgagc ctgaagggtc agatgccagc tcaatcatgt ctacggaaag 1980
 tattacaggt tccctgggcc ccctgtgga tggtagagcc accttaaggc tggtagaag 2040
 acaagtcccc ctggattgtg ttctgtatcg atatggttcc ttttccgtca ccctggacat 2100
 tgtccagggt attgaaagtg ccgagatcct gcaggtgtg ccgtccgtg agggggatgc 2160
 atttgagctg actgtgtcct gccaaggcgg gctgcccag gaagcctgca tggagatctc 2220
 atcgccaggg tgccagcccc ctgcccagcg cctgtgccag cctgtgctac ccagcccagc 2280
 ctgccagctg gttctgcacc agatactgaa ggggtggtcg gggacatact gcctcaatgt 2340
 gtctctggct gataccaaca gcctggcagt ggtcagcacc cagcttatca tgccctggtag 2400
 gtccttggac agagactaag tgaggaggga agtgataga ggggacagct ggcaagcagc 2460
 agacatgagt gaagcagtg ctgggattct tctcacaggt caagaagcag gccttgggca 2520
 ggttccgctg atcgtgggca tcttgtggt gttgatggct gtggtccttg catctctgat 2580
 atataggcgc agacttatga agcaagactt ctccgtaccc cagttgccac atagcagcag 2640
 tcaactggct cgtctacccc gcattctctg ctcttgtccc attggtgaga atagccccct 2700
 cctcagtggt cagcaggtct gactactctc atatgatgct gtgattttcc tggagttgac 2760
 agaaacacct atatttcccc cagtcttccc tgggagacta ctattaactg aaataaaa 2817

<210> 81
 <211> 2420

<212> DNA

<213> Homo sapiens

<400> 81

```

ggatccaggc cctgccagga aaaatataag ggccctgcgt gagaacagag ggggtcatcc 60
actgcatgag agtggggatg tcacagagtc cagcccaccc tcctggtagc actgagaagc 120
cagggtctgt cttggcgtct gcaccctgag ggcccggtga ttctctctcc tggagctcca 180
ggaaccaggc agtgaggcct tggctctgaga cagtatcctc aggtcacaga gcagaggatg 240
cacagggtgt gccagcagtg aatgtttgcc ctgaatgcac accaagggcc ccacctgcca 300
caggacacat aggactccac agagtctggc ctcacctccc tactgtcagt cctgtagaat 360
cgacctctgc tggccggctg taccctgagt accctctcac ttctctcttc aggttttcag 420
gggacaggcc aaccagagg acaggattcc ctggaggcca cagaggagca ccaaggagaa 480
gatctgtaag taggcctttg ttagagtctc caagggtcag ttctcagctg aggcctctca 540
cacactccct ctctcccag gcctgtgggt cttcattgcc cagctcctgc ccacactcct 600
gcctgctgcc ctgacgagag tcatcatgtc tcttgagcag aggagtctgc actgcaagcc 660
tgaggaaagg cttgaggccc aacaagaggc cctgggcctg gtgtgtgtgc aggctgccac 720
ctcctcctcc tctcctctgg tcctgggcac cctggaggag gtgcccactg ctgggtcaac 780
agatcctccc cagagtcttc agggagcctc cgcctttccc actaccatca acttcaactc 840
acagaggcaa cccagtgagg gttccagcag ccgtgaagag gaggggccaa gcacctcttg 900
tatcctggag tccttgtttc gagcagtaat cactaagaag gtggctgatt tggttggttt 960
tctgtcctc aaatatcgag ccaggagacc agtcacaaag gcagaaatgc tggagagtgt 1020
catcaaaaat tacaagcact gtttctctga gatcttcggc aaagcctctg agtccttgca 1080
gctggctctt ggcatgacg tgaaggaagc agacccacc ggccactcct atgtccttgt 1140
cacctgccta ggtctctcct atgatggcct gctgggtgat aatcagatca tgcccaagac 1200
aggcttctctg ataattgtcc tggtcatgat tgcaatggag ggcggccatg ctctgagga 1260
ggaaatctgg gaggagctga gtgtgatgga ggtgtatgat gggaggaggc acagtgccta 1320
tggggagccc aggaagctgc tcaccaaga tttggtgcag gaaaagtacc tggagtaccg 1380
gcagggtgcc gacagtgatc ccgcacgcta tgagttcctg tgggtccaa gggccctcgc 1440
tgaaaccagc tatgtgaaag tccttgagta tgtgatcaag gtcagtgcaa gatttcgctt 1500
tttcttccca tccctgcgtg aagcagcttt gagagaggag gaagaggggag tctgagcatg 1560
agttgcagcc aaggccagtg ggagggggac tgggccagtg caccctccag ggccgcgtcc 1620
agcagcttcc cctgcctcgt gtgacatgag gccattctt cactctgaag agagcggta 1680
gtgttctcag tagtaggttt ctgttctatt gggtgacttg gagatttatc tttgttctct 1740
tttgggaattg ttcaaatgtt tttttttaag ggatggttga atgaacttca gcatccaagt 1800
ttatgaatga cagcagtcac acagttctgt gtatatagtt taagggttaag agtcttgtgt 1860
tttattcaga ttgggaaatc cattctatct tgtgaatttg gataataaca gcagtggaa 1920
aagtacttag aaatgtgaaa aatgagcagt aaaatagatg agataaagaa ctaaagaaat 1980
taagagatag tcaattcttg ccttatacct cagtctattc tgtaaaattt ttaaagatat 2040
atgcatacct ggatttctct ggcttctttg agaatgtaag agaaattaaa tctgaataaa 2100
gaattcttcc tgttctactg ctcttttctt ctccatgcac tgagcatctg ctttttgtaa 2160
ggccctgggt tagtagtgga gatgctaagg taagccagac tcataccca ccatagggtc 2220
gtagagtcta ggagctgcag tcacgtaatc gaggtggcaa gatgtcctct aaagatgtag 2280
ggaaaagtga gagaggggtg aggtgtgtgg gctccgggtg agagtgggtg agtgtcaatg 2340
ccctgagctg gggcattttg gcctttggga aactgcagtt ccttctgggg gagctgattg 2400
taatgatctt ggggtgatcc 2420

```

<210> 82

<211> 4559

<212> DNA

<213> Homo sapiens

<400> 82

```

attccttcat caaacagcca ggagtgagga agaggaccct cctgagttag gactgaggat 60
ccaccctcac cacatagtgg gaccacagaa tccagctcag cccctcttgt cagccctggg 120
acacactggc aatgatctca ccccagcac accctcccc ccaatgccac ttcgggccga 180
ctcagagtca gagacttggg ctgaggggag cagacacaa cggcagagga tggcggtcca 240
ggctcagctc ggcatccaag tcaggacctt gagggatgac caaaggcccc tcccaccccc 300
aactcccccg accccaccag gatctacagc ctacaggatcc ccgtcccaat ccctacccct 360
acaccaacac catcttcatg cttaccccca ccccccatc cagatcccca tccgggcaga 420
atcgggttcc acccttgccg tgaaccaggg gaagtacagg gcccgatgt gacgccactg 480
acttgcacat tggaggtcag aggacagcga gattctcgcc ctgagcaacg gcctgacgtc 540

```

```

ggcggaggga agcaggcgca ggctccgtga ggaggcaagg taagacgccg agggaggact 600
gaggcgggcc tcaccccgaga cagaggggccc ccaataatcc agcgctgcct ctgctgccgg 660
gcctggacca ccctgcaggg gaagacttct cagggtcagt cgccaccacc tcaccccgcc 720
accccccgcc gctttaaccg cagggaactc tggcgtaaga gctttgtgtg accaggcgag 780
ggctggttag aagtgtctag ggcccagact cagccaggaa tcaaggtcag gaccccaaga 840
ggggactgag ggcaacccac cccctaccct cactaccaat cccatcccc caccaccaacc 900
ccacccccat ccctcaaaca ccaacccac ccccaaacc cattcccatc tcctcccca 960
ccaccatcct ggagaaatcc ggctttgccc ctgcaatcaa ccacggaag ctccgggaat 1020
ggcggccaag cacgcggatc ctgacgttca catgtacggc taagggaggg aaggggttg 1080
gtctcgtgag tatggccttt gggatgcaga ggaagggcc aggcctcctg gaagacagt 1140
gagtccttag gggacccagc atgccaggac agggggccca ctgtaccct gtctcaact 1200
gagccacctt ttcatcagc cgagggaatc ctagggatgc agaccactt cagcagggg 1260
ttggggccca gcctgcgagg agtcaagggg aggaagaaga gggaggactg aggggacctt 1320
ggagtcagaa tcagtggcaa ccttgggctg ggggatcctg ggcacagtgg ccgaatgtgc 1380
cccgtgtca ttgcacctc aggggtgacag agagttgagg gctgtggtct gagggctgg 1440
acttcaggtc agcagaggga ggaatcccag gatctgccg acccaagggt tgccccttc 1500
atgaggactg gggatacccc cgcccagaa agaaggatg ccacagagtc tggaaagtc 1560
ttgttcttag ctctggggga acctgatcag ggatggccct aagtgacaat ctcatctgt 1620
ccacaggcag gaggttgggg aacctcagg gagataagg gtgtgtgtaa agaggagctg 1680
tctgtcatt tcaggggggtt ggggggttag aaagggcagt ccctggcagg agtaaagatg 1740
agtaaccac aggaggccat cataacgttc accctagaa caaagggttc agccctggac 1800
aacgcacgtg gggtaacag gatgtggccc ctctcactt gtctttccag atctcaggga 1860
gttgatgacc ttgttttcag aaggtgactc aggtcaacac aggggcccc tctggtcag 1920
agatgcagtg gttctaggat ctgccaaagc tccaggtgga gagcctgagg taggattgag 1980
ggtaccctg ggcagaaatg cagcaagggg gcccataga aatctgccct gccctgcgg 2040
ttacttcaga gacctgggc agggctgtca gctgaagtcc ctccattatc ctgggatctt 2100
tgatgtcagg gaaggggagg ccttgggtctg aaggggctgg agtcaggta gtagaggag 2160
ggctcaggc cctgccagga gtggacgtga ggaccaagc gactcgtcac ccaggacacc 2220
tggactccaa tgaatttga catctctcgt tgtccttcgc gggaggacct ggtcacgtat 2280
ggccagatgt gggctccctc atatccttct gtaccatata agggatgtga gttcttgaca 2340
tgagagattc tcaagccagc aaaagggtg gattaggccc tacaaggaga aaggtgaggg 2400
ccctgagtga gcacagagg gacctccac ccaagtagag tggggacctc acggagtctg 2460
gccaacctg ctgagacttc tgggaatccg ttgctgtgct tgcagtctgc acactgaag 2520
cccgatcatt cctctccag gaatcaggag ctccaggaa caggcagtga ggccttggtc 2580
tgagtcaagt tcctcaggtc acagagcaga ggggacgcag acagtgccaa cactgaaggt 2640
ttgcctggaa tgcacaccaa gggccccacc cgcccagaa aatggggact ccagaggggc 2700
tggcctcacc ctccctatcc tcagtcctgc agcctgagca tgtgctggcc ggtgtgacc 2760
tgagggtgccc cccacttcc tccttcagg ttgaggggg acaggctgac aagtaggacc 2820
cgaggcactg gaggagcatt gaaggagaag atctgtaagt aagcctttgt cagagcctcc 2880
aaggttcagt tcagttctca cctaaggcct cacacacgct ccttctctcc ccaggcctgt 2940
gggtcttcat tgcacagctc ctgcccgcac tctgcccctg tgcccctgacc agagtcatca 3000
tgcctcttga gcagaggagt cagcactgca agcctgaaga aggccttgag gcccgaggag 3060
aggccctggg cctggtgggt gcgcaggctc ctgctactga ggagcagcag accgcttctt 3120
cctcttctac tctagtggaa gttaccctgg gggagggtgc tgcctgccgac tcaccgagtc 3180
ctccccacag tcctcaggga gcctccagct tctcgactac catcaactac actctttgga 3240
gacaatccga tgagggtccc agcaaccaag aagaggagg gccaagaatg tttcccgacc 3300
tggagtccga gttccaagca gcaatcagta ggaagatggt tgagttggtt cattttctgc 3360
tcctcaagta tcgagccagg gagccggtca caaaggcaga aatgctggag agtgtcctca 3420
gaaattgcca ggacttctt cccgtgatct tcagcaaac ctccgagta ttgcagctg 3480
tctttggcat cgagggtgtg gaagtggctc ccatcagcca cttgtacatc cttgtcacct 3540
gcctgggcct ctctacgat ggctgctgg gcgacaatca ggtcatgcc aagacaggcc 3600
tcctgataat cgtcctggcc ataatcgaa tagaggcgga ctgtgcccct gaggagaaaa 3660
tctgggagga gctgagtatg ttggagggtg ttgaggggag ggaggacagt gtcttcgac 3720
atccaggaa gctgctcatg caagatctgg tgcaggaaaa ctacctggag taccggcag 3780
tgcccggcag tgatcctgca tgctacgagt tctgtgggg tccaagggcc ctcatgaaa 3840
ccagctatgt gaaagtctc caccatacac taaagatcgg tggagaacct cacatttct 3900
acccaccct gcatgaacgg gctttgagag agggagaaga gtgagtctca gcacatgtt 3960
cagccagggc cagtgggagg gggcttgggc cagtgcacct tccaggggcc catccattg 4020
cttccactgc ctctgtgat atgagccca ttctgcctc tttgaagaga gcagtcagca 4080
ttcttagcag tgagtttctg ttctgttga tgactttgag atttatctt ctttctgtt 4140
ggaattgttc aaatgttctt ttaacaaat ggttgatga acttcagcat ccaagtttat 4200

```

gaatgacagt agtcacacat agtgctgttt atatatgttta ggggtaagag tcctgttttt 4260
 tattcagatt gggaaatcca ttccattttg tgagttgtca cataataaca gcagtggaaat 4320
 atgtatttgc ctatattgtg aacgaattag cagtaaaata catgatacaa ggaactcaaa 4380
 agatagttaa ttcttgccctt atacctcagt ctattatgta aaattaaaaa tatgtgtatg 4440
 tttttgcttc tttgagaatg caaaagaat taaatctgaa taaattcttc ctgttccactg 4500
 gctcatttct ttaccattca ctcagcatct gctctgtgga aggccctggt agtagtggg 4559

<210> 83

<211> 4204

<212> DNA

<213> Homo sapiens

<400> 83

acgcaggcag tgatgtcacc cagaccacac cccctccccc aatgccactt caggggggtac 60
 tcagagtcag agacttggtc tgaggggagc agaagcaatc tgcagaggat ggcgggtccag 120
 gctcagccag gcatcaactt caggaccctg agggatgacc gaaggccccc cccaccacc 180
 cccaactccc ccgaccccac caggatctac agcctcagga ccccgctccc aatccttacc 240
 ccttgcccca tcaccatctt catgcttacc tccaccccca tccgatcccc atccaggcag 300
 aatccagttc caccctgccc cggaaaccag ggtagtaccg ttgccaggat gtgacgccac 360
 tgacttgccc atttgagggtc agaagaccgc gagattctcg ccctgagcaa cgagcgacgg 420
 cctgacgtcg gcgaggaggaa gccggcccag gctcgggtgag gaggcaagggt aagacgctga 480
 gggaggactg aggcgggccc cacctcagac agaggggcctc aaataatcca gtgctgcctc 540
 tgctgcccgg cctggggccac cccgcagggg aagacttcca ggctgggtcg cactacctc 600
 accccgccga ccccgcccgc tttagccacg gggaaactctg gggacagagc ttaatgtggc 660
 cagggcaggg ctggttagaa gaggtcaggg cccacgctgt ggcaggaatc aaggtcagga 720
 ccccgagagg gaactgaggg cagcctaacc accaccctca ccaccattcc cgtccccc 780
 caccacaacc cacccccata cccattccc atccccacc ccaccctat cctggcagaa 840
 tccgggcttt gccctggta tcaagtcacg gaagctccgg gaatggcggc caggcacgtg 900
 agtctgagg ttcacatcta cggctaaggg aggggaaggg ttcggtatcg cgagtatggc 960
 cgttggggagg cagcgaaagg gcccaggcct cctggaagac agtggagtcc tgaggggacc 1020
 cagcatgcca ggacaggggg cccactgtac ccctgtctca aaccgaggca ccttttcatt 1080
 cggctacggg aatcctaggg atgcagacc acttcagcag ggggttgagg cccagccctg 1140
 cgaggagtca tggggaggaa gaagaggagg gactgagggg accttgagg ccagatcagt 1200
 ggcaaccttg ggctggggga tgctgggcac agtggcctaa tgtgctctgt gctcattgag 1260
 ccttcagggt gaccagagag ttgagggtcg tggctgaaag agtgggactt cagggtcagca 1320
 gagggaggaa tcccaggatc tgcagggccc aaggtgtacc cccaaggggc ccctatgtg 1380
 tggacagatg cagtggctct aggatctgcc aagcatccag gtgaagagac tgagggagga 1440
 ttgaggggtac cctggggaca gaatgcggac tgggggcccc ataaaaatct gccctgtctc 1500
 tgctgttacc tcagagagcc tgggcagggc tgcagctga ggtccctcca ttatcctagg 1560
 atcactgatg tcagggaagg ggaagccttg gctcagggg gctgcactca gggcagtaga 1620
 gggaggctct cagaccctac taggagtggg ggtgaggacc aagcagtctc ctcaccagg 1680
 gtacatggac ttcaataaat ttggacatct ctggtgttcc tttccgggag gacctgggaa 1740
 tgtatggcca gatgtgggtc cctcatgtt tttctgtacc atatcaggta tgtgagttct 1800
 tgacatgaga gattctcagg ccagcagaag ggagggatta ggccctataa ggagaaagg 1860
 gagggccctg agtgagcaca gaggggatcc tccacccag tagagtggg acctcacaga 1920
 gtctggccaa cctcctgac agttctggga atccgtggct gcgtttgctg tctgcacatt 1980
 gggggccctg ggattcctct cccagggaatc aggagctcca ggaacaaggc agtgaggact 2040
 ttgtctgagg cagtgtctc aggtcacaga gttagagggg ctcatagat gccaacggtg 2100
 aaggtttgac ttggattcaa accaagggcc ccacctgccc cagaacacat ggactccaga 2160
 gcgcttgccc tcacctcaa tactttcagt cctgcagcct cagcatgcgc tggccggatg 2220
 taccctgagg tgccctctca ctctctctt caggttctga ggggacaggg tgacctggag 2280
 gaccagaggc ccccgaggga gcaactgaag agaagatctg taagtaagcc tttgttagag 2340
 cctccaaggt tccattcagt actcagctga ggtctctcac atgtctccctc tctccccagg 2400
 ccagtgggtc tccattgccc agctcctgcc cacactccc cctgttgccc tgaccagagt 2460
 catcatgcct cttgagcaga ggagtcagca ctgcaagcct gaagaaggcc ttgaggcccg 2520
 aggagaggcc ctgggccttg tgggtgcgca ggctcctgct actgaggagc aggaggctgc 2580
 ctctctctct tctactctag ttgaagtca cctgggggag gtgcctgctg ccgagtcacc 2640
 agatcctccc cagagtctc agggagcctc cagcctcccc actaccatga actaccctct 2700
 ctggagccaa tctatgagg actccagcaa ccaagaagag gaggggccaa gcacctccc 2760
 tgacctggag tccgagttcc aagcagcact cagtaggaag gtggccgagt tgggttcattt 2820
 tctgctctc aagtatcgag ccaggagagg ggtcacaaag gcagaaatgc tggggagtgt 2880


```

cgctcggaat tggcagtatt tctttcctgt gatcttcagc aaagcttcca gttccttgca 2940
gctgggtcttt ggcacgcagc tgatgggaagt ggaccccatc ggccacttgt acatctttgc 3000
cacctgcctg ggcctctcct acgatggcct gctgggtgac aatcagatca tgcccaaggc 3060
aggcctcctg ataatcgccc tggccataat cgcaagagag ggcgactgtg ccctgagga 3120
gaaaatctcg gaggagctga gtgtgttaga ggtgtttgag gggaggggaag acagtatctt 3180
gggggatccc aagaagctgc tcaccaaca tttcgtgcag gaaaactacc tggagtaccg 3240
gcagggtccc ggcagtgatc ctgcatgtta tgaattcctg tggggtccaa gggccctcgt 3300
tgaaaccagc tatgtgaaag tcctgcacca tatggtaaag atcagtggag gacctcacat 3360
ttcctaccca cccctgcatg agtgggtttt gagagagggg gaagagtga tctgagcacg 3420
agttgcagcc agggccagtg ggaggggggtc tgggccagtg caccctccgg ggcgcgcatc 3480
cttatgttcc atgcctcct gtgacgtgag gccattctt cactctttga agcagcagc 3540
cagcattctt agtagtgggt ttctgttctg ttggatgact ttgagattat tctttgtttc 3600
ctgttgaggt tgttcaaatg ttctttttaa cggatggttg aatgagcgtc agcatccagg 3660
tttatgaatg acagtatgca cacatagtgc tgtttatata gtttaggagt aagagtcttg 3720
ttttttactc aaattgggaa atccattcca ttttgtgaat tgtgacataa taatagcagt 3780
ggtaaaagta tttgcttaaa attgtgagcg aattagcaat aacatacatg agataactca 3840
agaaatcaaa agatagtga ttcttgccct gtacctcaat ctattctgta aaattaaaca 3900
aatatgcaaa ccaggatttc cttgacttct ttgagaatgc aagcgaaatt aaatctgaat 3960
aaataattct tcctcttcac tggctcgttt cttttccgtt cactcagcat ctgctctgtg 4020
ggaggccctg ggttagtagt ggggatgcta aggtaagcca gactcacgcc taccatagg 4080
gctgtagagc ctaggacctg cagtcataata attaagggtg tgagaagtcc tgtaagatgt 4140
agaggaaatg taagagaggg gtgaggggtg ggcgctccgg gtgagagtag tggagtgtca 4200
gtgc 4204

```

<210> 84

<211> 752

<212> DNA

<213> Homo sapiens

<400> 84

```

atcctcgttg gccctgacct tctctctgag agccggggcag aggctccgga gccatgcagg 60
ccgaaggccg gggcacaggg ggttcgacgg gcgatgctga tggcccagga ggccctggca 120
ttcctgatgg ccaggggggc aatgctggcg gccaggaga ggcgggtgcc acggggcgca 180
gaggtccccg gggcgagggg gcagcaaggg cctcggggcc gggaggaggc gcccgcggg 240
gtccgcatgg cggcgcggtc tcagggtgta atggatgctg cagatgcggg gccagggggc 300
cggagagccg cctgcttgag ttctacctcg ccatgccttt cgcgacaccc atggaagcag 360
agctggcccc caggagcctg gccaggatg cccacccgct tcccgtgcca ggggtgcttc 420
tgaaaggagt cactgtgtcc ggcaacatac tgactatccg actgactgct gcagaccacc 480
gccaaactgca gctctccatc agctcctgtc tccagcagct ttccctgttg atgtggatca 540
cgcagtgttt tctgcccgtg tttttggctc agcctccctc agggcagagg cgctaagccc 600
agcctggcgc cccttcctag gtcatgcctc ctcccctagg gaatgggtccc agcacgagt 660
gccagttcat tgtggggggc tgattgtttg tcgctggagg aggacggctt acatgtttgt 720
ttctgtagaa aataaaactg agctacgaaa aa 752

```

<210> 85

<211> 2148

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(2)

<223> n = A,T,C or G

<400> 85

```

gtttcagggt acagctcccc cgcagccaga agccggggcct gcagcccctc agcaccgctc 60
cgggacaccc caccgcttc ccaggcgtga cctgtcaaca gcaacttcgc ggtgtggtga 120
actctctgag gaaaaacat tttgattatt actctcagac gtgcgtggca acaagtgact 180
gagacctaga aatccaagcg ttggaggtcc tgaggccagc ctaagtgcgt tcaaaatgga 240
acgaaggcgt ttgtgggggt ccattcagag ccgatacatc agcatgagtg tgtggacaag 300
cccacggaga cttgtggagc tggcagggca gagcctgctg aaggatgagg ccctggccat 360

```

```

tgccgccttg gagttgctgc ccagggagct cttcccgcca ctcttcatgg cagcctttga 420
cgggagacac agccagaccc tgaaggcaat ggtgcaggcc tggcccttca cctgcctccc 480
tctgggagtg ctgatgaagg gacaacatct tcacctggag accttcaaag ctgtgcttga 540
tggacttgat gtgctccttg cccaggaggt tcgccccagg aggtggaaac ttcaagtgtc 600
ggatttacgg aagaactctc atcaggactt ctggactgta tggctctggaa acagggccag 660
tctgtactca ttccagagc cagaagcagc tcagcccatg acaaagaagc gaaaagtaga 720
tggtttgagc acagaggcag agcagccctt cattccagta gaggtgctcg tagacctgtt 780
cctcaaggaa ggtgcctgtg atgaattgtt ctccctacct attgagaaaag tgaagcgaaa 840
gaaaaatgta ctacgcctgt gctgtaagaa gctgaagatt tttgcaatgc ccatgcagga 900
tatcaagatg atcctgaaaa tgggtgcagct ggactctatt gaagatttgg aagtgacttg 960
tacctggaa g ctaccacct tggcgaaatt ttctccttac ctgggccaga tgattaatct 1020
gcgtagactc ctccctctcc acatccatgc atcttcttac atttccccgg agaaggaaga 1080
gcagtataac gccagttca cctctcagtt cctcagctcg cagtgcctgc aggtctctca 1140
tgtggactct ttatttttcc tttagaggcc cctggatcag ttgctcagga acgtgatgaa 1200
ccccttgga accctctcaa taactaactg ccggctttcg gaaggggatg tgatgcctct 1260
gtcccagagt cccagcgtca gtcagctaag tgtcctgagt ctaagtgggg tcatgctgac 1320
cgatgtaagt cccagacccc tccaagctct gctggagaga gcctctgcca cctccagga 1380
cctggctctt gatgagtgtg ggatcacgga tgatcagctc cttgccctcc tgccttccct 1440
gagccactgc tcccagctta caaccttaag cttctacggg aattccatct ccatatctgc 1500
cttgagagat ctccctgcagc acctcatcgg gctgagcaat ctgacccacg tgcgtatctc 1560
tgtccccctg gagagtatat aggacatcca tggtaacctc cacttgaga ggcttgcta 1620
tctgcatgcc aggtcaggg agttgctgtg tgagttgggg cggcccagca tggctctggc 1680
tagtgccaac cctgtcctc actgtgggga cagaaccttc tatgacccgg agcccatcct 1740
gtgcccctgt ttcattgccta actagctggg tgcacatata aaatgcttca ttctgcatac 1800
ttggacacta aagccaggat gtgcatgcat cttgaagcaa caaagcagcc acagtttcag 1860
acaaatgttc agtgtgagtg aggaaaacat gttcagtgag gaaaaaacat tcagacaaat 1920
gttcagtgag gaaaaaaagg ggaagttggg gataggcaga tgttgacttg aggagttaat 1980
gtgatctttg gggagataca tcttatagag tttagaaatag aatctgaatt tctaaaggga 2040
gattctggct tgggaagtac atgtaggagt taatccctgt gtagactgtt gtaaagaaac 2100
tgttgaaaat aaagagaagc aatgtgaagc aaaaaaaaaa aaaaaaaa 2148

```

<210> 86

<211> 1466

<212> DNA

<213> Homo sapiens

<400> 86

```

agccccaagc ttaccacctg caccgcgaga gctgtgtgtc accatgtggg tcccggttgt 60
cttctccacc ctgtccgtga cgtggattgg tgcgcacccc ctcactctgt ctccgattgt 120
gggaggtctg gagtgcgaga agcattccca acctggcag gtgcttctgt cctctcgtgg 180
cagggcagtc tgcggcggtg ttctgtgtga ccccagtggt gtcctcacag ctgccactg 240
catcaggaac aaaagcgtga tcttgcgtgg tggcacagc ctgtttcctc ctgaagacac 300
aggccaggta tttcagggtca gccacagctt cccacacccc ctctacgata tgagcctcct 360
gaagaatcga ttctcagggc caggtgatga ctccagccac gacctcatgc tgcctccgct 420
gtcagagcct gccagctca cggatgctgt gaaggtcatg gacctgccc cccaggagcc 480
agcactgggg accacctgct acgcctcagg ctggggcagc attgaaccag aggagttctt 540
gaccccaaag aaacttcagt gtgtggacct ccatgttatt tccaatgacg tgtgtgcgca 600
agttcacccct cagaaggtga ccaagttcat gctgtgtgct ggacgctgga cagggggcaa 660
aagcacctgc tcgggtgatt ctgggggccc acttgtctgt aatgggtgtg ttcaaggtat 720
cacgtcatgg ggcagtgaac catgtgccct gcccgaaagg ccttccctgt acaccaaggt 780
ggtgcattac cggaagtggg tcaaggacac catcgtggcc aaccctgag caccctatc 840
aaccctctat ttagtaaaac ttggaacctt ggaaatgacc aggccaagac tcaagcctcc 900
ccagttctac tgacctttgt ccttaggtgt gaggtccagg gttgctagga aaagaaatca 960
gcagacacag gtgtagacca gagtgtttct taaatgggtg aattttgtcc tctctgtgtc 1020
ctggggaata ctggccatgc ctggagacat atcactcaat ttctctgagg acacagatag 1080
gatggggtgt ctgtgttatt tgtggggtac agagatgaaa gaggggtggg atccacactg 1140
agagagtggg gagtgacatg tgctggacac tgtccatgaa gactgagca gaagctggag 1200
gcacaacgca ccagacactc acagcaagga tggagctgaa aacataaccc actctgtcct 1260
ggaggcactg ggaagcctag agaaggctgt gagccaagga gggagggctt tcctttggca 1320
tgggatgggg atgaagtaag gagagggact ggacccctg gaagctgatt cactatgggg 1380
ggaggtgtat tgaagtcctc cagacaaccc tcagatttga tgatttccta gtagaactca 1440

```

cagaaataaa gagctgttat actgtg

1466

<210> 87
 <211> 990
 <212> DNA
 <213> Homo sapiens
 <220>
 <221> misc_feature
 <222> (1)...(990)
 <223> n = A,T,C or G

<400> 87
 agggagagggc agtgaccatg aaggctgtgc tgcttgcctt gttgatggca ggcttggccc 60
 tgcagccagg cactgccctg ctgtgctact cctgcaaagc ccaggtgagc aacgaggact 120
 gcctgcaggt ggagaactgc acccagctgg gggagcagtg ctggaccgcg cgcacccgcg 180
 cagttggcct cctgaccgtc atcagcaaag gctgcagctt gaactgcgtg gatgactcac 240
 aggactacta cgtgggcaag aagaacatca cgtgctgtga caccgacttg tgcaacgcca 300
 gcggggccca tgcctgcag ccggctgccg ccaccccttg gctgctccct gcaactcgcc 360
 tgctgctctg gggacccggc cagctatagg ctctgggggg ccccgctgca gccacactg 420
 ggtgtggtgc cccaggcctt tgtgccactc ctcacagaac ctggcccagt gggagcctgt 480
 cctggttctt gaggcacatc ctaacgcaag tttgaccatg tatgtttgca ccccttttcc 540
 ccnaaccctg accttcccat gggccttttc caggattccn accnggcaga tcagtttttag 600
 tganacanat ccgcntgcag atggcccctc caacnnttn tggtgntgtt tccatggccc 660
 agcattttcc acccttaacc ctgtgttcag gcacttnttc ccccaggaag ccttccctgc 720
 ccacccatt tatgaattga gccaggtttg gtccgtggtg tccccgcac ccagcagggg 780
 acaggcaatc aggagggccc agtaaaggct gagatgaagt ggactgagta gaactggagg 840
 acaagagttg acgtgagttc ctgggagttt ccagagatgg ggcctggagg cctggaggaa 900
 ggggccaggc ctcacatttg tggggntccc gaatggcagc ctgagcacag cgtaggccct 960
 taataaacac ctgttgata agccaaaaaa 990

<210> 88
 <211> 702
 <212> PRT
 <213> Homo sapiens

<400> 88
 Met Glu Ser Pro Ser Ala Pro Pro His Arg Trp Cys Ile Pro Trp Gln
 1 5 10 15
 Arg Leu Leu Leu Thr Ala Ser Leu Leu Thr Phe Trp Asn Pro Pro Thr
 20 25 30
 Thr Ala Lys Leu Thr Ile Glu Ser Thr Pro Phe Asn Val Ala Glu Gly
 35 40 45
 Lys Glu Val Leu Leu Leu Val His Asn Leu Pro Gln His Leu Phe Gly
 50 55 60
 Tyr Ser Trp Tyr Lys Gly Glu Arg Val Asp Gly Asn Arg Gln Ile Ile
 65 70 75 80
 Gly Tyr Val Ile Gly Thr Gln Gln Ala Thr Pro Gly Pro Ala Tyr Ser
 85 90 95
 Gly Arg Glu Ile Ile Tyr Pro Asn Ala Ser Leu Leu Ile Gln Asn Ile
 100 105 110
 Ile Gln Asn Asp Thr Gly Phe Tyr Thr Leu His Val Ile Lys Ser Asp
 115 120 125
 Leu Val Asn Glu Glu Ala Thr Gly Gln Phe Arg Val Tyr Pro Glu Leu
 130 135 140
 Pro Lys Pro Ser Ile Ser Ser Asn Asn Ser Lys Pro Val Glu Asp Lys
 145 150 155 160
 Asp Ala Val Ala Phe Thr Cys Glu Pro Glu Thr Gln Asp Ala Thr Tyr
 165 170 175
 Leu Trp Trp Val Asn Asn Gln Ser Leu Pro Val Ser Pro Arg Leu Gln
 180 185 190

Leu Ser Asn Gly Asn Arg Thr Leu Thr Leu Phe Asn Val Thr Arg Asn
 195 200 205
 Asp Thr Ala Ser Tyr Lys Cys Glu Thr Gln Asn Pro Val Ser Ala Arg
 210 215 220
 Arg Ser Asp Ser Val Ile Leu Asn Val Leu Tyr Gly Pro Asp Ala Pro
 225 230 235 240
 Thr Ile Ser Pro Leu Asn Thr Ser Tyr Arg Ser Gly Glu Asn Leu Asn
 245 250 255
 Leu Ser Cys His Ala Ala Ser Asn Pro Pro Ala Gln Tyr Ser Trp Phe
 260 265 270
 Val Asn Gly Thr Phe Gln Gln Ser Thr Gln Glu Leu Phe Ile Pro Asn
 275 280 285
 Ile Thr Val Asn Asn Ser Gly Ser Tyr Thr Cys Gln Ala His Asn Ser
 290 295 300
 Asp Thr Gly Leu Asn Arg Thr Thr Val Thr Thr Ile Thr Val Tyr Ala
 305 310 315 320
 Glu Pro Pro Lys Pro Phe Ile Thr Ser Asn Asn Ser Asn Pro Val Glu
 325 330 335
 Asp Glu Asp Ala Val Ala Leu Thr Cys Glu Pro Glu Ile Gln Asn Thr
 340 345 350
 Thr Tyr Leu Trp Trp Val Asn Asn Gln Ser Leu Pro Val Ser Pro Arg
 355 360 365
 Leu Gln Leu Ser Asn Asp Asn Arg Thr Leu Thr Leu Leu Ser Val Thr
 370 375 380
 Arg Asn Asp Val Gly Pro Tyr Glu Cys Gly Ile Gln Asn Glu Leu Ser
 385 390 395 400
 Val Asp His Ser Asp Pro Val Ile Leu Asn Val Leu Tyr Gly Pro Asp
 405 410 415
 Asp Pro Thr Ile Ser Pro Ser Tyr Thr Tyr Tyr Arg Pro Gly Val Asn
 420 425 430
 Leu Ser Leu Ser Cys His Ala Ala Ser Asn Pro Pro Ala Gln Tyr Ser
 435 440 445
 Trp Leu Ile Asp Gly Asn Ile Gln Gln His Thr Gln Glu Leu Phe Ile
 450 455 460
 Ser Asn Ile Thr Glu Lys Asn Ser Gly Leu Tyr Thr Cys Gln Ala Asn
 465 470 475 480
 Asn Ser Ala Ser Gly His Ser Arg Thr Thr Val Lys Thr Ile Thr Val
 485 490 495
 Ser Ala Glu Leu Pro Lys Pro Ser Ile Ser Ser Asn Asn Ser Lys Pro
 500 505 510
 Val Glu Asp Lys Asp Ala Val Ala Phe Thr Cys Glu Pro Glu Ala Gln
 515 520 525
 Asn Thr Thr Tyr Leu Trp Trp Val Asn Gly Gln Ser Leu Pro Val Ser
 530 535 540
 Pro Arg Leu Gln Leu Ser Asn Gly Asn Arg Thr Leu Thr Leu Phe Asn
 545 550 555 560
 Val Thr Arg Asn Asp Ala Arg Ala Tyr Val Cys Gly Ile Gln Asn Ser
 565 570 575
 Val Ser Ala Asn Arg Ser Asp Pro Val Thr Leu Asp Val Leu Tyr Gly
 580 585 590
 Pro Asp Thr Pro Ile Ile Ser Pro Pro Asp Ser Ser Tyr Leu Ser Gly
 595 600 605
 Ala Asn Leu Asn Leu Ser Cys His Ser Ala Ser Asn Pro Ser Pro Gln
 610 615 620
 Tyr Ser Trp Arg Ile Asn Gly Ile Pro Gln Gln His Thr Gln Val Leu
 625 630 635 640
 Phe Ile Ala Lys Ile Thr Pro Asn Asn Asn Gly Thr Tyr Ala Cys Phe
 645 650 655
 Val Ser Asn Leu Ala Thr Gly Arg Asn Asn Ser Ile Val Lys Ser Ile
 660 665 670
 Thr Val Ser Ala Ser Gly Thr Ser Pro Gly Leu Ser Ala Gly Ala Thr

675 680 685
 Val Gly Ile Met Ile Gly Val Leu Val Gly Val Ala Leu Ile
 690 695 700

<210> 89
 <211> 2974
 <212> DNA
 <213> Homo sapiens

<400> 89
 ctcagggcag agggaggaag gacagcagac cagacagtca cagcagcctt gacaaaacgt 60
 tcctggaact caagctcttc tccacagagg aggcagagagc agacagcaga gaccatggag 120
 tctccctcgg cccctcccca cagatggtgc atcccctggc agaggctcct gctcacagcc 180
 tcacttctaa ccttctggaa cccgccacc actgccaagc tcaactattga atccacgccg 240
 ttcaatgtcg cagaggggaa ggaggtgctt ctacttgtcc acaatctgcc ccagcatctt 300
 tttggctaca gctggtacaa aggtgaaaga gtggatggca accgtcaaata tataggatat 360
 gtaataggaa ctcaacaagc taccacaggg cccgcataca gtggtcgaga gataatatac 420
 cccaatgcac ccctgctgat ccagaacatc atccagaatg acacaggatt ctacacccta 480
 cagctcataa agtcagatct tgtgaatgaa gaagcaactg gccagttccg ggtatacccg 540
 gagctgcccc agccctccat ctccagcaac aactccaaac ccgtggagga caaggatgct 600
 gtggccttca cctgtgaacc tgagactcag gacgcaacct acctgtggtg ggtaaacaaat 660
 cagagcctcc cggtcagtc caggctgcag ctgtccaatg gcaacaggac cctcactcta 720
 ttcaatgtca caagaaatga cacagcaagc tacaatgtg aaaccagaa cccagttagt 780
 gccaggcgca gtgattcagt catctgaat gtctcttatg gcccggtatg cccaccatt 840
 tccctcttaa acacatctta cagatcaggg gaaaatctga acctctctg ccacgcagcc 900
 tctaaccacac ctgcacagta ctcttggttt gtcaatggga cttccagca atccaccaa 960
 gagctcttta tcccaacat cactgtgaat aatagtggat cctatactg ccaagcccat 1020
 aactcagaca ctggcctcaa taggaccaca gtcacgacga tcacagtcta tgcagagcca 1080
 cccaaacccg tcatcaccag caacaactcc aaccccggtg aggatgagga tgctgtagcc 1140
 ttaacctgtg aacctgagat tcagaacaca acctacctgt ggtgggtaaa taatcagagc 1200
 ctcccggtca gtccaggct gcagctgtcc aatgacaaca ggacctcac tctactcagt 1260
 gtcacaagga atgatgtagg acctatgag tgtggaatcc agaacgaatt aagtgttagc 1320
 cacagcgacc cagtcactct gaatgtcttc tatggcccag acgacccac catttcccc 1380
 tcatacacct attaccgtcc aggggtgaac ctccagcctc cctgccatgc agcctctaac 1440
 ccacctgcac agtattcttg gctgattgat gggaacatcc agcaacacac acaagagctc 1500
 tttatctcca acatcactga gaagaacagc ggactctata cctgccaggc caataactca 1560
 gccagtggcc acagcaggac tacagtcaag acaatcacag tctctgcgga gctgcccaag 1620
 cctccatct ccagcaacaa ctccaaaccc gtggaggaca aggatgctgt gcccttcacc 1680
 tgtgaacctg aggtcagaa cacaacctac ctgtggtggg taaatggtca gagcctccca 1740
 gtcagtccca ggctgcagct gtccaatggc aacaggaccc tcaactctatt caatgtcaca 1800
 agaaatgacg caagagccta tgtatgtgga atccagaact cagttagtgc aaaccgcagt 1860
 gaccagtcac ccctggatgt cctctatggg ccggacaccc ccatcatttc cccccagac 1920
 tegtcttacc tttcgggagc gaacctcaac ctctctgccc actcggcctc taacctatcc 1980
 ccgcagtatt cttggcgtat caatgggata ccgcagcaac acacacaagt tctctttatc 2040
 gccaaaatca cgccaaataa taacgggacc tatgcctgtt ttgtctctaa cttggctact 2100
 ggccgcaata attccatagt caagagcatc acagtctctg catctggaac ttctcctggt 2160
 ctctcagctg ggccactgt cggcatcatg attggagtgc tggttggggt tgcctctgata 2220
 tagcagccct ggtgtagttt cttcatttca ggaagactga cagttgtttt gcttcttctc 2280
 taaagcattt gcaacagcta cagtctaaaa ttgcttcttt accaaggata tttacagaaa 2340
 agactctgac cagagatcga gaccatccta gccaacatcg tgaaacccca tctctactaa 2400
 aaatacaaaa atgagctggg cttggtggcg cgcacctgta gtcccagtta ctccggaggc 2460
 tgaggcagga gaatcgcttg aacccgggag gtggagattg cagttagccc agatcgacc 2520
 actgcactcc agtctggcaa cagagcaaga ctccatctca aaaagaaaag aaaagaagac 2580
 tctgacctgt actcttgaat acaagtttct gataccactg cactgtctga gaatttccaa 2640
 aactttaatg aactaactga cagcttcatg aaactgtcca ccaagatcaa gcagagaaaa 2700
 taattaattt catgggacta aatgaactaa tgaggattgc tgattcttta aatgtcttgt 2760
 ttccagatt tcaggaaact tttttcttt taagctatcc actcttacag caatttgata 2820
 aaatataact ttgtgaacaa aaattgagac atttacattt tctccctatg tggctcgctc 2880
 agacttggga aactattcat gaatatttat attgtatggt aatatagtta ttgcacaagt 2940
 tcaataaaaa tctgctcttt gtataacaga aaaa 2974

<210> 90
 <211> 1255
 <212> PRT
 <213> Homo sapiens

<400> 90
 Met Glu Leu Ala Ala Leu Cys Arg Trp Gly Leu Leu Leu Ala Leu Leu
 1 5 10 15
 Pro Pro Gly Ala Ala Ser Thr Gln Val Cys Thr Gly Thr Asp Met Lys
 20 25 30
 Leu Arg Leu Pro Ala Ser Pro Glu Thr His Leu Asp Met Leu Arg His
 35 40 45
 Leu Tyr Gln Gly Cys Gln Val Val Gln Gly Asn Leu Glu Leu Thr Tyr
 50 55 60
 Leu Pro Thr Asn Ala Ser Leu Ser Phe Leu Gln Asp Ile Gln Glu Val
 65 70 75 80
 Gln Gly Tyr Val Leu Ile Ala His Asn Gln Val Arg Gln Val Pro Leu
 85 90 95
 Gln Arg Leu Arg Ile Val Arg Gly Thr Gln Leu Phe Glu Asp Asn Tyr
 100 105 110
 Ala Leu Ala Val Leu Asp Asn Gly Asp Pro Leu Asn Asn Thr Thr Pro
 115 120 125
 Val Thr Gly Ala Ser Pro Gly Gly Leu Arg Glu Leu Gln Leu Arg Ser
 130 135 140
 Leu Thr Glu Ile Leu Lys Gly Gly Val Leu Ile Gln Arg Asn Pro Gln
 145 150 155 160
 Leu Cys Tyr Gln Asp Thr Ile Leu Trp Lys Asp Ile Phe His Lys Asn
 165 170 175
 Asn Gln Leu Ala Leu Thr Leu Ile Asp Thr Asn Arg Ser Arg Ala Cys
 180 185 190
 His Pro Cys Ser Pro Met Cys Lys Gly Ser Arg Cys Trp Gly Glu Ser
 195 200 205
 Ser Glu Asp Cys Gln Ser Leu Thr Arg Thr Val Cys Ala Gly Gly Cys
 210 215 220
 Ala Arg Cys Lys Gly Pro Leu Pro Thr Asp Cys Cys His Glu Gln Cys
 225 230 235 240
 Ala Ala Gly Cys Thr Gly Pro Lys His Ser Asp Cys Leu Ala Cys Leu
 245 250 255
 His Phe Asn His Ser Gly Ile Cys Glu Leu His Cys Pro Ala Leu Val
 260 265 270
 Thr Tyr Asn Thr Asp Thr Phe Glu Ser Met Pro Asn Pro Glu Gly Arg
 275 280 285
 Tyr Thr Phe Gly Ala Ser Cys Val Thr Ala Cys Pro Tyr Asn Tyr Leu
 290 295 300
 Ser Thr Asp Val Gly Ser Cys Thr Leu Val Cys Pro Leu His Asn Gln
 305 310 315 320
 Glu Val Thr Ala Glu Asp Gly Thr Gln Arg Cys Glu Lys Cys Ser Lys
 325 330 335
 Pro Cys Ala Arg Val Cys Tyr Gly Leu Gly Met Glu His Leu Arg Glu
 340 345 350
 Val Arg Ala Val Thr Ser Ala Asn Ile Gln Glu Phe Ala Gly Cys Lys
 355 360 365
 Lys Ile Phe Gly Ser Leu Ala Phe Leu Pro Glu Ser Phe Asp Gly Asp
 370 375 380
 Pro Ala Ser Asn Thr Ala Pro Leu Gln Pro Glu Gln Leu Gln Val Phe
 385 390 395 400
 Glu Thr Leu Glu Glu Ile Thr Gly Tyr Leu Tyr Ile Ser Ala Trp Pro
 405 410 415
 Asp Ser Leu Pro Asp Leu Ser Val Phe Gln Asn Leu Gln Val Ile Arg
 420 425 430

Gly Arg Ile Leu His Asn Gly Ala Tyr Ser Leu Thr Leu Gln Gly Leu
 435 440 445
 Gly Ile Ser Trp Leu Gly Leu Arg Ser Leu Arg Glu Leu Gly Ser Gly
 450 455 460
 Leu Ala Leu Ile His His Asn Thr His Leu Cys Phe Val His Thr Val
 465 470 475 480
 Pro Trp Asp Gln Leu Phe Arg Asn Pro His Gln Ala Leu Leu His Thr
 485 490 495
 Ala Asn Arg Pro Glu Asp Glu Cys Val Gly Glu Gly Leu Ala Cys His
 500 505 510
 Gln Leu Cys Ala Arg Gly His Cys Trp Gly Pro Gly Pro Thr Gln Cys
 515 520 525
 Val Asn Cys Ser Gln Phe Leu Arg Gly Gln Glu Cys Val Glu Glu Cys
 530 535 540
 Arg Val Leu Gln Gly Leu Pro Arg Glu Tyr Val Asn Ala Arg His Cys
 545 550 555 560
 Leu Pro Cys His Pro Glu Cys Gln Pro Gln Asn Gly Ser Val Thr Cys
 565 570 575
 Phe Gly Pro Glu Ala Asp Gln Cys Val Ala Cys Ala His Tyr Lys Asp
 580 585 590
 Pro Pro Phe Cys Val Ala Arg Cys Pro Ser Gly Val Lys Pro Asp Leu
 595 600 605
 Ser Tyr Met Pro Ile Trp Lys Phe Pro Asp Glu Glu Gly Ala Cys Gln
 610 615 620
 Pro Cys Pro Ile Asn Cys Thr His Ser Cys Val Asp Leu Asp Asp Lys
 625 630 635 640
 Gly Cys Pro Ala Glu Gln Arg Ala Ser Pro Leu Thr Ser Ile Val Ser
 645 650 655
 Ala Val Val Gly Ile Leu Leu Val Val Leu Gly Val Val Phe Gly
 660 665 670
 Ile Leu Ile Lys Arg Arg Gln Gln Lys Ile Arg Lys Tyr Thr Met Arg
 675 680 685
 Arg Leu Leu Gln Glu Thr Glu Leu Val Glu Pro Leu Thr Pro Ser Gly
 690 695 700
 Ala Met Pro Asn Gln Ala Gln Met Arg Ile Leu Lys Glu Thr Glu Leu
 705 710 715 720
 Arg Lys Val Lys Val Leu Gly Ser Gly Ala Phe Gly Thr Val Tyr Lys
 725 730 735
 Gly Ile Trp Ile Pro Asp Gly Glu Asn Val Lys Ile Pro Val Ala Ile
 740 745 750
 Lys Val Leu Arg Glu Asn Thr Ser Pro Lys Ala Asn Lys Glu Ile Leu
 755 760 765
 Asp Glu Ala Tyr Val Met Ala Gly Val Gly Ser Pro Tyr Val Ser Arg
 770 775 780
 Leu Leu Gly Ile Cys Leu Thr Ser Thr Val Gln Leu Val Thr Gln Leu
 785 790 795 800
 Met Pro Tyr Gly Cys Leu Leu Asp His Val Arg Glu Asn Arg Gly Arg
 805 810 815
 Leu Gly Ser Gln Asp Leu Leu Asn Trp Cys Met Gln Ile Ala Lys Gly
 820 825 830
 Met Ser Tyr Leu Glu Asp Val Arg Leu Val His Arg Asp Leu Ala Ala
 835 840 845
 Arg Asn Val Leu Val Lys Ser Pro Asn His Val Lys Ile Thr Asp Phe
 850 855 860
 Gly Leu Ala Arg Leu Leu Asp Ile Asp Glu Thr Glu Tyr His Ala Asp
 865 870 875 880
 Gly Gly Lys Val Pro Ile Lys Trp Met Ala Leu Glu Ser Ile Leu Arg
 885 890 895
 Arg Arg Phe Thr His Gln Ser Asp Val Trp Ser Tyr Gly Val Thr Val
 900 905 910
 Trp Glu Leu Met Thr Phe Gly Ala Lys Pro Tyr Asp Gly Ile Pro Ala

915	920	925
Arg Glu Ile Pro Asp Leu	Leu Glu Lys Gly Glu Arg	Leu Pro Gln Pro
930	935	940
Pro Ile Cys Thr Ile Asp	Val Tyr Met Ile Met	Val Lys Cys Trp Met
945	950	955
Ile Asp Ser Glu Cys Arg	Pro Arg Phe Arg	Glu Leu Val Ser Glu Phe
965	970	975
Ser Arg Met Ala Arg Asp	Pro Gln Arg Phe	Val Val Ile Gln Asn Glu
980	985	990
Asp Leu Gly Pro Ala Ser	Pro Leu Asp Ser Thr	Phe Tyr Arg Ser Leu
995	1000	1005
Leu Glu Asp Asp Asp Met	Gly Asp Leu Val Asp	Ala Glu Glu Tyr Leu
1010	1015	1020
Val Pro Gln Gln Gly Phe	Phe Cys Pro Asp	Pro Ala Pro Gly Ala Gly
1025	1030	1035
Gly Met Val His His Arg	His Arg Ser Ser	Ser Thr Arg Ser Gly Gly
1045	1050	1055
Gly Asp Leu Thr Leu Gly	Leu Glu Pro Ser	Glu Glu Glu Ala Pro Arg
1060	1065	1070
Ser Pro Leu Ala Pro Ser	Glu Gly Ala Gly	Ser Asp Val Phe Asp Gly
1075	1080	1085
Asp Leu Gly Met Gly Ala	Ala Lys Gly Leu Gln	Ser Leu Pro Thr His
1090	1095	1100
Asp Pro Ser Pro Leu Gln	Arg Tyr Ser Glu	Asp Pro Thr Val Pro Leu
1105	1110	1115
Pro Ser Glu Thr Asp Gly	Tyr Val Ala Pro	Leu Thr Cys Ser Pro Gln
1125	1130	1135
Pro Glu Tyr Val Asn Gln	Pro Asp Val Arg	Pro Gln Pro Pro Ser Pro
1140	1145	1150
Arg Glu Gly Pro Leu Pro	Ala Ala Arg Pro	Ala Gly Ala Thr Leu Glu
1155	1160	1165
Arg Ala Lys Thr Leu Ser	Pro Gly Lys Asn	Gly Val Val Lys Asp Val
1170	1175	1180
Phe Ala Phe Gly Gly Ala	Val Glu Asn Pro	Glu Tyr Leu Thr Pro Gln
1185	1190	1195
Gly Gly Ala Ala Pro Gln	Pro His Pro Pro	Pro Ala Phe Ser Pro Ala
1205	1210	1215
Phe Asp Asn Leu Tyr Tyr	Trp Asp Gln Asp	Pro Pro Glu Arg Gly Ala
1220	1225	1230
Pro Pro Ser Thr Phe Lys	Gly Thr Pro Thr	Ala Glu Asn Pro Glu Tyr
1235	1240	1245
Leu Gly Leu Asp Val Pro	Val	
1250	1255	

<210> 91

<211> 4530

<212> DNA

<213> Homo sapiens

<400> 91

```

aattctcgag ctctcgacc ggtcgacgag ctctgagggtc gacgagctcg agggcgcgcg 60
ccccgcccc acccctcgca gcaccccgcg ccccgcgccc tcccagccgg gtccagccgg 120
agccatgggg ccggagccgc agtgagcacc atggagctgg cggccttggt ccgctggggg 180
ctcctcctcg ccctcttgcc ccccgagcc gcgagcacc aagtgtgcac cggcacagac 240
atgaagctgc ggctccctgc cagtcccgag acccacctgg acatgctccg ccacctctac 300
cagggtgccc aggtggtgca gggaaacctg gaactcacct acctgcccac caatgccagc 360
ctgtccttcc tgcaggatat ccaggaggtg cagggtctacg tgctcatcgc tcacaaccaa 420
gtgaggcagg tcccactgca gaggctgcgg attgtgcgag gcacccagct ctttgaggac 480
aactatgccc tggccgtgct agacaatgga gaccgctga acaataccac ccctgtcaca 540
ggggcctccc caggaggcct gcgggagctg cagcttcgaa gcctcacaga gatcttgaaa 600

```



```

ggaggggtct tgatccagcg gaacccccag ctctgctacc aggacacgat tttgtggaag 660
gacatcttcc acaagaacaa ccagctggct ctoacactga tagacaccaa ccgctctcgg 720
gcctgccacc cctgttctcc gatgtgtaag ggctcccgtc gctggggaga gagttctgag 780
gattgtcaga gctgacgcg cactgtctgt gccgggtggt gtgcccgtcg caaggggcca 840
ctgcccactg actgctgcca tgagcagtgt gctgccggtc gcacgggccc caagcactct 900
gactgcctgg cctgcctcca cttcaaccac agtggcatct gtgagctgca ctgccagacc 960
ctggtcacct acaacacaga cacgtttgag tccatgcca atcccaggag ccggtataca 1020
ttcggcgcca gctgtgtgac tgctgtcccc tacaactacc tttctacgga cgtgggatcc 1080
tgcaccctcg tctgccccct gcacaaccaa gaggtgacag cagaggatgg aacacagcgg 1140
tgtgagaagt gcagcaagcc ctgtgcccga gtgtgctatg gtctgggcat ggagcacttg 1200
cgagaggtga gggcagttac cagtggccaa atccaggagt ttgctggctg caagaagatc 1260
tttgggagcc tggcatttct gccggagagc tttgatgggg acccagcctc caaactgccc 1320
ccgctccagc cagagcagct ccaagtgttt gagactctgg aagagatcac aggttaccta 1380
tacatctcag catggccgga cagcctgcct gacctcagcg tcttccagaa cctgcaagta 1440
atccggggag gaattctgca caatggcgcc tactcgctga ccctgcaagg gctgggcatc 1500
agctggctgg ggtgctgctc actgagggaa ctgggcagtg gactggccct catccaccat 1560
aacacccacc tctgcttcgt gcacacggtg ccctgggacc agctctttcg gaacccgcac 1620
caagctctgc tccacactgc caaccggcca gaggacgagt gtgtggcgga gggcctggcc 1680
tgccaccagc tgtgcccccg agggcactgc tgggggtccag ggcccaccca gtgtgtcaac 1740
tgcagccagt tccctcgggg ccaggagtgc gtggaggaaat gccgagtaact gcaggggctc 1800
cccagggagt atgtgaatgc caggcactgt ttgccgtgcc accctgagtg tcagcccccag 1860
aatggctcag tgacctgttt tggaccggag gctgaccagt gtgtggcctg tgcccactat 1920
aaggaccctc ccttctgcgt ggcccgtgct cccagcggtg tgaaacctga cctctcctac 1980
atgcccatct ggaagtttcc agatgaggag ggcgcatgcc agccttgccc catcaactgc 2040
accactcctt gtgtggacct ggatgacaag ggctgccccg ccgagcagag agccagccct 2100
ctgacgtcca tegtctctgc ggtggttggc attctgctgg tctgtgtctt gggggtggtc 2160
tttgggatcc tcatcaagcg acggcagcag aagatccgga agtacacgat gcggagactg 2220
ctgcaggaaa cggagctggt ggagccgctg acacctagcg gagcagatgcc caaccaggcg 2280
cagatgcgga tccatgaaga gacggagctg aggaaggtga aggtgcttgg atctggcgct 2340
tttggcacag tctacaaggg catctggatc cctgatgggg agaattgtga aattccagtg 2400
gccatcaaag tgttgaggga aaacacatcc cccaaagcca acaaagaaat cttagacgaa 2460
gcatacgtga tggctgggtg gggctcccca tatgtctccc gccttctggg catctgcctg 2520
acatccacgg tgacagctgt gacacagctt atgccctatg gctgcctctt agaccatgtc 2580
cgggaaaacc gggacgcctt gggctcccag gacctgctga actggtgtat gcagattgcc 2640
aaggggatga gctacctgga ggatgtgcgg ctctacaca gggacttggc cgctcggaac 2700
gtgctggtca agagtcccaa ccatgtcaaa attacagact tgggctggc tcggctgctg 2760
gacattgacg agacagatga ccatgcagat gggggcaagg tgcccatcaa gtggatggcg 2820
ctggagtcca ttctccgccc gcggttcacc caccagagtg atgtgtggag ttatggctg 2880
actgtgtggg agctgatgac ttttggggcc aaaccttacg atgggatccc agcccgggag 2940
atccctgacc tgcctgaaaa gggggagcgg ctgcccagc ccccatctg caccattgat 3000
gtctacatga tcatggtcaa atgttgatg attgactctg aatgtcggcc aagattccgg 3060
gagttggtgt ctgaattctc ccgcatggcc agggacccc agcgtcttgt ggtcatccag 3120
aatgaggact tgggcccagc cagtcccttg gacagcacct tctaccgctc actgctggag 3180
gacgatgaca tgggggacct ggtggatgct gaggagtatc tggtaaccca gcaggcctc 3240
ttctgtccag accctgcccc gggcgtggg ggcattgtcc accacaggca ccgcagctca 3300
tctaccagga gtggcggtgg ggacctgaca ctagggtgg agccctctga agaggaggcc 3360
cccaggtctc cactggcacc ctccgaaggg gctgcaaagc ctccccacac atgaccccag ccctctacag 3480
cggatagctg aggaccccac agtacccttg ccctctgaga ctgatggcta cgttgcccc 3540
ctgacctgca gccccagcc tgaatatgtg aaccagccag atgttcggcc ccagccccct 3600
tcgccccgag agggccctct gcctgctgcc cgacctgctg gtgccactct ggaaagggcc 3660
aagactctct ccccaggga gaatggggtc gtcaaagacg tttttgcctt tgggggtgcc 3720
gtggagaacc ccgagtactt gacaccccag ggaggagctg cccctcagcc ccacctcct 3780
cctgccttca gcccagcctt cgacaacctc tattactggg accaggaccc accagagcgg 3840
ggggctccac ccagcacctt caaagggaca cctacggcag agaaccocaga gtacctgggt 3900
ctggacgtgc cagtgtgaac cagaaggcca agtccgcaga agccctgatg .tgtcctcagg 3960
gagcagggaa ggcctgactt ctgctggcat caagaggtgg gagggccctc cgaccacttc 4020
caggggaacc tgccatgcca ggaacctgtc ctaaggaaac ttccctcctg cttgagttcc 4080
cagatggctg gaaggggtcc agcctcgttg gaagaggaa agcactgggg agtctttgtg 4140
gattctgagg ccctgcccac tgagactcta gggtcagtg gatgccacag ccagcttg 4200
ccctttcctt ccagatcctg ggtactgaaa gccttaggga agctggcctg agaggggaag 4260

```

```

cggccctaag ggagtgtcta agaacaaaag cgacccattc agagactgtc cctgaaacct 4320
agtactgccc cccatgagga aggaacagca atgggtgtcag tatccaggct ttgtacagag 4380
tgctttttctg tttagttttt actttttttt ttttggtttt ttaaagacga aataaagacc 4440
caggggagaa tgggtgttgt atggggaggc aagtgtgggg ggtccttctc cacaccact 4500
ttgtccattt gcaaatatat ttggaaaac 4530

```

<210> 92

<211> 976

<212> PRT

<213> Homo sapiens

<400> 92

```

Met Glu Lys Gln Lys Pro Phe Ala Leu Phe Val Pro Pro Arg Ser Ser
 1          5          10          15
Ser Ser Gln Val Ser Ala Val Lys Pro Gln Thr Leu Gly Gly Asp Ser
          20          25          30
Thr Phe Phe Lys Ser Phe Asn Lys Cys Thr Glu Asp Asp Leu Glu Phe
          35          40          45
Pro Phe Ala Lys Thr Asn Leu Ser Lys Asn Gly Glu Asn Ile Asp Ser
          50          55          60
Asp Pro Ala Leu Gln Lys Val Asn Phe Leu Pro Val Leu Glu Gln Val
          65          70          75          80
Gly Asn Ser Asp Cys His Tyr Gln Glu Gly Leu Lys Asp Ser Asp Leu
          85          90          95
Glu Asn Ser Glu Gly Leu Ser Arg Val Phe Ser Lys Leu Tyr Lys Glu
          100          105          110
Ala Glu Lys Ile Lys Lys Trp Lys Val Ser Thr Glu Ala Glu Leu Arg
          115          120          125
Gln Lys Glu Ser Lys Leu Gln Glu Asn Arg Lys Ile Ile Glu Ala Gln
          130          135          140
Arg Lys Ala Ile Gln Glu Leu Gln Phe Gly Asn Glu Lys Val Ser Leu
          145          150          155          160
Lys Leu Glu Glu Gly Ile Gln Glu Asn Lys Asp Leu Ile Lys Glu Asn
          165          170          175
Asn Ala Thr Arg His Leu Cys Asn Leu Leu Lys Glu Thr Cys Ala Arg
          180          185          190
Ser Ala Glu Lys Thr Lys Lys Tyr Glu Tyr Glu Arg Glu Glu Thr Arg
          195          200          205
Gln Val Tyr Met Asp Leu Asn Asn Asn Ile Glu Lys Met Ile Thr Ala
          210          215          220
His Gly Glu Leu Arg Val Gln Ala Glu Asn Ser Arg Leu Glu Met His
          225          230          235          240
Phe Lys Leu Lys Glu Asp Tyr Glu Lys Ile Gln His Leu Glu Gln Glu
          245          250          255
Tyr Lys Lys Glu Ile Asn Asp Lys Glu Lys Gln Val Ser Leu Leu Leu
          260          265          270
Ile Gln Ile Thr Glu Lys Glu Asn Lys Met Lys Asp Leu Thr Phe Leu
          275          280          285
Leu Glu Glu Ser Arg Asp Lys Val Asn Gln Leu Glu Glu Lys Thr Lys
          290          295          300
Leu Gln Ser Glu Asn Leu Lys Gln Ser Ile Glu Lys Gln His His Leu
          305          310          315          320
Thr Lys Glu Leu Glu Asp Ile Lys Val Ser Leu Gln Arg Ser Val Ser
          325          330          335
Thr Gln Lys Ala Leu Glu Glu Asp Leu Gln Ile Ala Thr Lys Thr Ile
          340          345          350
Cys Gln Leu Thr Glu Glu Lys Glu Thr Gln Met Glu Glu Ser Asn Lys
          355          360          365
Ala Arg Ala Ala His Ser Phe Val Val Thr Glu Phe Glu Thr Thr Val
          370          375          380
Cys Ser Leu Glu Glu Leu Leu Arg Thr Glu Gln Gln Arg Leu Glu Lys

```

385					390					395				400
Asn	Glu	Asp	Gln	Leu	Lys	Ile	Leu	Thr	Met	Glu	Leu	Gln	Lys	Lys
				405					410					415
Ser	Glu	Leu	Glu	Glu	Met	Thr	Lys	Leu	Thr	Asn	Asn	Lys	Glu	Val
			420					425					430	
Leu	Glu	Glu	Leu	Lys	Lys	Val	Leu	Gly	Glu	Lys	Glu	Thr	Leu	Leu
		435					440					445		Tyr
Glu	Asn	Lys	Gln	Phe	Glu	Lys	Ile	Ala	Glu	Glu	Leu	Lys	Gly	Thr
	450					455					460			
Gln	Glu	Leu	Ile	Gly	Leu	Leu	Gln	Ala	Arg	Glu	Lys	Glu	Val	His
465					470					475				480
Leu	Glu	Ile	Gln	Leu	Thr	Ala	Ile	Thr	Thr	Ser	Glu	Gln	Tyr	Tyr
			485					490						495
Lys	Glu	Val	Lys	Asp	Leu	Lys	Thr	Glu	Leu	Glu	Asn	Glu	Lys	Leu
			500					505					510	Lys
Asn	Thr	Glu	Leu	Thr	Ser	His	Cys	Asn	Lys	Leu	Ser	Leu	Glu	Asn
		515					520					525		Lys
Glu	Leu	Thr	Gln	Glu	Thr	Ser	Asp	Met	Thr	Leu	Glu	Leu	Lys	Asn
	530					535					540			Gln
Gln	Glu	Asp	Ile	Asn	Asn	Lys	Lys	Gln	Glu	Glu	Arg	Met	Leu	Lys
545				550					555					560
Gln	Ile	Glu	Asn	Leu	Gln	Glu	Thr	Glu	Thr	Gln	Leu	Arg	Asn	Glu
			565					570						575
Glu	Tyr	Val	Arg	Glu	Glu	Leu	Lys	Gln	Lys	Arg	Asp	Glu	Val	Lys
			580					585				590		Cys
Lys	Leu	Asp	Lys	Ser	Glu	Glu	Asn	Cys	Asn	Asn	Leu	Arg	Lys	Gln
		595				600					605			Val
Glu	Asn	Lys	Asn	Lys	Tyr	Ile	Glu	Glu	Leu	Gln	Gln	Glu	Asn	Lys
	610				615						620			Ala
Leu	Lys	Lys	Lys	Gly	Thr	Ala	Glu	Ser	Lys	Gln	Leu	Asn	Val	Tyr
625				630						635				640
Ile	Lys	Val	Asn	Lys	Leu	Glu	Leu	Glu	Leu	Glu	Ser	Ala	Lys	Gln
			645					650						655
Phe	Gly	Glu	Ile	Thr	Asp	Thr	Tyr	Gln	Lys	Glu	Ile	Glu	Asp	Lys
		660						665				670		Lys
Ile	Ser	Glu	Asn	Leu	Leu	Glu	Glu	Val	Glu	Lys	Ala	Lys	Val	Ile
		675				680					685			
Ala	Asp	Glu	Ala	Val	Lys	Leu	Gln	Lys	Glu	Ile	Asp	Lys	Arg	Cys
	690					695					700			Gln
His	Lys	Ile	Ala	Glu	Met	Val	Ala	Leu	Met	Glu	Lys	His	Lys	His
705				710						715				720
Tyr	Asp	Lys	Ile	Ile	Glu	Glu	Arg	Asp	Ser	Glu	Leu	Gly	Leu	Tyr
			725					730					735	Lys
Ser	Lys	Glu	Gln	Glu	Gln	Ser	Ser	Leu	Arg	Ala	Ser	Leu	Glu	Ile
		740					745					750		Glu
Leu	Ser	Asn	Leu	Lys	Ala	Glu	Leu	Ser	Val	Lys	Lys	Gln	Leu	Glu
		755				760					765			
Ile	Glu	Arg	Glu	Glu	Lys	Glu	Lys	Leu	Lys	Arg	Glu	Ala	Lys	Glu
	770					775					780			Asn
Thr	Ala	Thr	Leu	Lys	Glu	Lys	Lys	Asp	Lys	Lys	Thr	Gln	Thr	Phe
785				790					795					800
Leu	Glu	Thr	Pro	Glu	Ile	Tyr	Trp	Lys	Leu	Asp	Ser	Lys	Ala	Val
			805						810					815
Ser	Gln	Thr	Val	Ser	Arg	Asn	Phe	Thr	Ser	Val	Asp	His	Gly	Ile
		820					825					830		Ser
Lys	Asp	Lys	Arg	Asp	Tyr	Leu	Trp	Thr	Ser	Ala	Lys	Asn	Thr	Leu
		835				840					845			Ser
Thr	Pro	Leu	Pro	Lys	Ala	Tyr	Thr	Val	Lys	Thr	Pro	Thr	Lys	Pro
	850					855					860			Lys
Leu	Gln	Gln	Arg	Glu	Asn	Leu	Asn	Ile	Pro	Ile	Glu	Glu	Ser	Lys
865					870				875					880

Lys	Arg	Lys	Met	Ala	Phe	Glu	Phe	Asp	Ile	Asn	Ser	Asp	Ser	Ser	Glu
			885					890						895	
Thr	Thr	Asp	Leu	Leu	Ser	Met	Val	Ser	Glu	Glu	Glu	Thr	Leu	Lys	Thr
			900					905					910		
Leu	Tyr	Arg	Asn	Asn	Asn	Pro	Pro	Ala	Ser	His	Leu	Cys	Val	Lys	Thr
			915				920					925			
Pro	Lys	Lys	Ala	Pro	Ser	Ser	Leu	Thr	Thr	Pro	Gly	Pro	Thr	Leu	Lys
			930			935					940				
Phe	Gly	Ala	Ile	Arg	Lys	Met	Arg	Glu	Asp	Arg	Trp	Ala	Val	Ile	Ala
945					950				955						960
Lys	Met	Asp	Arg	Lys	Lys	Lys	Leu	Lys	Glu	Ala	Glu	Lys	Leu	Phe	Val
				965					970					975	

<210> 93

<211> 3393

<212> DNA

<213> Homo sapiens

<400> 93

```

gccctcatag accgtttgtt gtagttcgcg tgggaacagc aaccacacggt ttcccgatag 60
ttcttcaaa atatttaca ccgtaacaga gaaaatggaa aagcaaaagc cttttgcatt 120
gttcgtacca ccgagatcaa gcagcagtc ggtgtctgcg gtgaaacctc agaccctggg 180
aggcgattcc actttcttca agagtttcaa caaatgtact gaagatgatt tggagtttcc 240
at ttgcaaag actaatctct ccaaaaatgg ggaaaacatt gattcagatc ctgctttaca 300
aaaagttaat ttcttgcccg tgcttgagca ggttggtaat tctgactgtc actatcagga 360
aggactaaaa gactctgatt tggagaattc agagggtatt agcagagtgt tttcaaaact 420
gtataaggag gctgaaaaga taaaaaatg gaaagtaagt acagaagctg aactgagaca 480
gaaagaaagt aagttgcaag aaaacagaaa gataattgaa gcacagcgaa aagccattca 540
ggaactgcaa tttggaatg aaaaagtaag tttgaaatta gaagaaggaa tacaagaaaa 600
taaagattta ataaaagaga ataatgccac aaggcattta tgtaatctac tcaaagaaac 660
ctgtgctaga tctgcagaaa agacaaagaa atatgaatat gaacgggaag aaaccaggca 720
agtttatatg gatctaaata ataacattga gaaaatgata acagctcatg gggaacttcg 780
tgtgcaagct gagaattcca gactggaaat gcatttttaag ttaaaggaa attatgaaaa 840
aatccaacac cttgaacaag aatacaagaa ggaaataaat gacaaggaaa agcagggtatc 900
actactattg atccaatca ctgagaaaga aaataaaatg aaagatttaa catttctgct 960
agaggaatcc agagataaag ttaatcaatt agaggaaaag acaaaattac agagtgaaaa 1020
cttaaaacaa tcaattgaga aacagcatca tttgactaaa gaactagaag atattaaagt 1080
gtcattacaa agaagtgtga gtactcaaaa ggcttttagag gaagatttac agatagcaac 1140
aaaaacaatt tgtcagctaa ctgaagaaaa agaaactcaa atggaagaat ctaataaagc 1200
tagagctgct cattcgttt tggttactga atttgaaact actgtctgca gcttggaaga 1260
attattgaga acagaacagc aaagattgga aaaaaatgaa gatcaattga aaatacttac 1320
catggagctt caaaagaaat caagtgaagc cttgggagaa aaggaaacac ttttatatga 1440
agaagtagaa cttgaagaat tgaaaaaagt cttgggagaa aaggaaacac ttttatatga 1440
aaataaacia tttgagaaga ttgctgaaga attaaaagga acagaacaag aactaattgg 1500
tcttctcaa gccagagaga aagaagtaca tgatttgga atacagttaa ctgccattac 1560
cacaagtga cagtattatt caaaagaggt taaagatcta aaaactgagc ttgaaaacga 1620
gaagcttaag aatactgaat taacttcaca ctgcaacaag ctttcactag aaaacaaaaga 1680
gtcacacag gaaacaagt atatgacct agaactcaag aatcagcaag aagatattaa 1740
taataacaaa aagcaagaag aaaggatgtt gaaacaata gaaaatcttc aagaaacaga 1800
aaccctaata agaatgaac tagaatatgt gagagaagag ctaaaacaga aaagagatga 1860
agttaaatgt aaattggaca agagtgaaga aaattgtaac aatttaagga aacaagttga 1920
aaataaaaac aagtatatgt aagaacttca gcaggagaat aaggccttga aaaaaaaagg 1980
tacagcagaa agcaagcaac tgaatgttta tgagataaag gtcaataaat tagagttaga 2040
actagaaagt gccaaacaga aatttgga aatcacagac acctatcaga aagaaattga 2100
ggacaaaaag atatcagaag aaaatctttt ggaagaggtt gagaaagcaa aagtaatagc 2160
tgatgaagca gtaaaattac agaaagaaat tgataagcga tgtcaacata aaatagctga 2220
aatggttagc cttatggaaa aacataagca ccaatatgat aagatcattg aagaaagaga 2280
ctcagaatta ggactttata agagcaaaga acaagaacag tcatacactga gagcatcttt 2340
ggagattgaa ctatccaatc tcaaagctga acttttgtct gttaaagaagc aacttgaat 2400
agaaagagaa gagaaggaaa aactcaaaag agaggcaaaa gaaaacacag ctactcttaa 2460

```

```

agaaaaaaaa gacaagaaaa cacaacatt tttattggaa acacctgaaa tttattggaa 2520
attggattct aaagcagttc cttcacaaac tgtatctcga aatttcacat cagttgatca 2580
tggcatatcc aaagataaaa gagactatct gtggacatct gccaaaaata ctttatctac 2640
accattgcca aaggcatata cagtgaagac accaacaata ccaaaactac agcaaagaga 2700
aaacttgaat atacccattg aagaaagtaa aaaaaagaga aaaatggcct ttgaatttga 2760
tattaattca gatagttcag aaactactga tcttttgagc atggtttcag aagaagagac 2820
attgaaaaca ctgtatagga acaataatcc accagcttct catctttgtg tcaaaacacc 2880
aaaaaaggcc ctttcattct taacaacccc tggacctaca ctgaagtttg gagctataag 2940
aaaaatgcgg gaggaccgtt gggctgtaat tgctaaaatg gatagaaaaa aaaaactaaa 3000
agaagctgaa aagttatttg ttttaattca gagaatcagt gtagttaagg agcctaataa 3060
cgtgaaactt atagttaata ttttgttctt atttgccaga gccacatttt atctggaagt 3120
tgagacttaa aaaatacttg catgaatgat ttgtgtttct ttatatattt agcctaaatg 3180
ttaactacat attgtctgga aacctgtcat tgtattcaga taattagatg attatatatt 3240
gttgttactt tttcttgtat tcatgaaaac tgtttttact aagttttcaa atttgtaaag 3300
ttagcctttg aatgctagga atgcattatt gagggtcatt ctttattctt tactatttaa 3360
atatatttga tgcaaaaaaa aaaaaaaaaa aaa 3393

```

<210> 94

<211> 188

<212> PRT

<213> Homo sapiens

<400> 94

```

Met Asn Gly Asp Asp Ala Phe Ala Arg Arg Pro Arg Asp Asp Ala Gln
 1          5          10          15
Ile Ser Glu Lys Leu Arg Lys Ala Phe Asp Asp Ile Ala Lys Tyr Phe
          20          25          30
Ser Lys Lys Glu Trp Glu Lys Met Lys Ser Ser Glu Lys Ile Val Tyr
          35          40          45
Val Tyr Met Lys Leu Asn Tyr Glu Val Met Thr Lys Leu Gly Phe Lys
          50          55          60
Val Thr Leu Pro Pro Phe Met Arg Ser Lys Arg Ala Ala Asp Phe His
          65          70          75          80
Gly Asn Asp Phe Gly Asn Asp Arg Asn His Arg Asn Gln Val Glu Arg
          85          90          95
Pro Gln Met Thr Phe Gly Ser Leu Gln Arg Ile Phe Pro Lys Ile Met
          100          105          110
Pro Lys Lys Pro Ala Glu Glu Glu Asn Gly Leu Lys Glu Val Pro Glu
          115          120          125
Ala Ser Gly Pro Gln Asn Asp Gly Lys Gln Leu Cys Pro Pro Gly Asn
          130          135          140
Pro Ser Thr Leu Glu Lys Ile Asn Lys Thr Ser Gly Pro Lys Arg Gly
          145          150          155          160
Lys His Ala Trp Thr His Arg Leu Arg Glu Arg Lys Gln Leu Val Val
          165          170          175
Tyr Glu Glu Ile Ser Asp Pro Glu Glu Asp Asp Glu
          180          185

```

<210> 95

<211> 576

<212> DNA

<213> Homo sapiens

<400> 95

```

atgaacggag acgacgcctt tgcaaggaga cccagggatg atgctcaa atcagagaag 60
ttacgaaagg ctttcgatga tattgccaaa tacttctcta agaaagagtg ggaaaagatg 120
aaatcctcgg agaaaatcgt ctatgtgtat atgaagctaa actatgaggt catgactaaa 180
ctaggtttca aggtcaccct ccacaccttc atgcgtagta aacgggctgc agacttcac 240
gggaatgatt ttggtaacga tcgaaaccac aggaatcagg ttgaacgtcc tcagatgact 300
ttcggcagcc tccagagaat cttcccgaag atcatgccca agaagccagc agaggaagaa 360

```

aatggtttga aggaagtgcc agaggcatct ggcccacaaa atgatgggaa acagctgtgc 420
 cccccgggaa atccaagtac cttggagaag attaacaaga catctggacc caaaaggggg 480
 aaacatgcct ggaccacag actgcgtgag agaaagcagc tgggtggtta tgaagagatc 540
 agcgaccctg aggaagatga cgagtaactc ccctcg 576

<210> 96

<211> 94

<212> PRT

<213> Homo sapiens

<400> 96

Pro Ala Thr Gln Arg Gln Asp Pro Ala Ala Ala Gln Glu Gly Glu Asp
 1 5 10 15
 Glu Gly Ala Ser Ala Gly Gln Gly Pro Lys Pro Glu Ala Asp Ser Gln
 20 25 30
 Glu Gln Gly His Pro Gln Thr Gly Cys Glu Cys Glu Asp Gly Pro Asp
 35 40 45
 Gly Gln Glu Met Asp Pro Pro Asn Pro Glu Glu Val Lys Thr Pro Glu
 50 55 60
 Glu Glu Met Arg Ser His Tyr Val Ala Gln Thr Gly Ile Leu Trp Leu
 65 70 75 80
 Leu Met Asn Asn Cys Phe Leu Asn Leu Ser Pro Arg Lys Pro
 85 90

<210> 97

<211> 646

<212> DNA

<213> Homo sapiens

<400> 97

ctgccgtccg gactcttttt cctctactga gattcatctg tgtgaaatat gagttggcga 60
 ggaagatcga cctatcggcc tagaccaaga cgctacgtag agcctcctga aatgattggg 120
 cctatgcggc ccgagcagtt cagtgatgaa gtggaaccag caacacctga agaaggggaa 180
 ccagcaactc aacgtcagga tcctgcagct gctcaggagg gagaggatga gggagcatct 240
 gcagggtcaag ggccgaagcc tgaagctgat agccaggaac agggtcaccc acagactggg 300
 tgtgagtgtg aagatggtcc tgatgggcag gagatggacc cgccaaatcc agaggaggtg 360
 aaaacgcctg aagaagagat gaggtctcac tatgttgccc agactgggat tctctggctt 420
 ttaatgaaca attgcttttt aaatctttcc ccacggaaac cttgagtgaac tgaaatatca 480
 aatggcgaga gaccgttttag ttctatcat ctgtggcatg tgaagggcaa tcacagtgtt 540
 aaaagaagac atgctgaaat gttgcaggct gctcctatgt tggaaaattc ttcattgaag 600
 ttctcccaat aaagctttac agcctttctgc aaagaaaaaa aaaaaa 646

<210> 98

<211> 98

<212> PRT

<213> Homo sapiens

<400> 98

His Cys Pro Thr Glu Asn Glu Pro Asp Leu Ala Gln Cys Phe Phe Cys
 1 5 10 15
 Phe Lys Glu Leu Glu Gly Trp Glu Pro Asp Asp Asp Pro Ile Glu Glu
 20 25 30
 His Lys Lys His Ser Ser Gly Cys Ala Phe Leu Ser Val Lys Lys Gln
 35 40 45
 Phe Glu Glu Leu Thr Leu Gly Glu Phe Leu Lys Leu Asp Arg Glu Arg
 50 55 60
 Ala Lys Asn Lys Ile Ala Lys Glu Thr Asn Asn Lys Lys Lys Glu Phe
 65 70 75 80
 Glu Glu Thr Ala Lys Lys Val Arg Arg Ala Ile Glu Gln Leu Ala Ala
 85 90 95

Met Asp

<210> 99
 <211> 1619
 <212> DNA
 <213> Homo sapiens

<400> 99
 ccgccagatt tgaatcgccg gacccgttgg cagaggtggc ggccggcgca tgggtgcccc 60
 gacgttgccc cctgcctggc agccctttct caaggaccac cgcattctcta cattcaagaa 120
 ctggcccttc ttggagggtc gcgcctgcac cccggagcgg atggccgagg ctggcttcat 180
 ccactgcccc actgagaacg agccagactt ggcccagtggt ttcttctgct tcaaggagct 240
 ggaaggctgg gagccagatg acgaccccat agaggaacat aaaaagcatt cgtccggttg 300
 cgctttccctt tctgtcaaga agcagtttga agaattaacc cttggtgaat ttttgaact 360
 ggacagagaa agagccaaga acaaaattgc aaaggaaacc aacaataaga agaaagaatt 420
 tgaggaaact gcgaagaaag tgcgcgtgct catcgagcag ctggctgcca tggattgagg 480
 cctctggccg gacgtgcctg gtcccagagt ggctgcacca ctccagagggt ttattccctg 540
 gtgccaccag ccttccctgt ggccccttag caatgtctta ggaaaggaga tcaacatttt 600
 caaattagat gtttcaactg tgcctctggt ttgtcttgaa agtggcacca gaggtgcttc 660
 tgcctgtgca gcgggtgctg ctggtaacag tggctgcttc tctctctctc tctctttttt 720
 gggggctcat ttttctgtt ttgattcccg ggcttaccag gtgagaagtg agggaggag 780
 aaggcagtggt cccttttgct agagctgaca gctttgttcg cgtgggcaga gccttccaca 840
 gtgaatgtgt ctggacctca tgttgttgag gctgtcacag tcctgagtggt ggacttgcca 900
 ggtgcctgtt gaatctgagc tgcaggttcc ttatctgtca cacctgtgcc tcctcagagg 960
 acagtttttt tgttgttggt tttttttgtt tttttttttt ggtagatgca tgacttgtgt 1020
 gtgatgagag aatggagaca gagtccctgg ctctctact gtttaacaac atggctttct 1080
 tattttgttt gaattgttaa ttcacagaat agcacaaact acaattaaaa ctaagcaca 1140
 agccattcta agtcattggg gaaacggggt gaacttcagg tggatgagga gacagaatag 1200
 agtgatagga agcgtctggc agatactcct tttgccactg ctgtgtgatt agacaggccc 1260
 agtgagccgc ggggcacatg ctggccgctc ctccctcaga aaaaggcagt ggcctaaatc 1320
 ctttttaaat gacttggctc gatgctgtgg gggactggct gggctgctgc aggcctgtg 1380
 tctgtcagcc caaccttcac atctgtcacg ttctccacac gggggagaga cgcagtcgc 1440
 ccaggtcccc gctttctttg gaggcagcag ctcccgcagg gctgaagtct ggcgtaagat 1500
 gatggatttg attcgccctc ctccctgtca tagagctgca ggggtggattg ttacagcttc 1560
 gctggaacc tctggaggtc atctcggtcg ttcttgagaa ataaaaagcc tgtcatttc 1619

<210> 100
 <211> 74
 <212> PRT
 <213> Homo sapiens

<400> 100
 Cys Trp Tyr Cys Arg Arg Arg Asn Gly Tyr Arg Ala Leu Met Asp Lys
 1 5 10 15
 Ser Leu His Val Gly Thr Gln Cys Ala Leu Thr Arg Arg Cys Pro Gln
 20 25 30
 Glu Gly Phe Asp His Arg Asp Ser Lys Val Ser Leu Gln Glu Lys Asn
 35 40 45
 Cys Glu Pro Val Val Pro Asn Ala Pro Pro Ala Tyr Glu Lys Leu Ser
 50 55 60
 Ala Glu Gln Ser Pro Pro Tyr Ser Pro
 65 70

<210> 101
 <211> 1524
 <212> DNA
 <213> Homo sapiens

<400> 101

```

agcagacaga ggactctcat taaggaaggt gtcctgtgcc ctgaccctac aagatgccaa 60
gagaagatgc tcaattcatc tatggttacc ccaagaaggg gcacggccac tcttacacca 120
cggctgaaga ggccgctggg atcggcatcc tgacagtgat cctgggagtc ttactgctca 180
tcggctgttg gtattgtaga agacgaaatg gatacagagc cttgatggat aaaagtcttc 240
atgttggcac tcaatgtgcc ttaacaagaa gatgcccaca agaagggttt gatcatcggt 300
acagcaaaagt gtctcttcaa gaaaaaact gtgaacctgt ggttcccaat gctccacctg 360
cttatgagaa actctctgca gaacagtcac caccacctta ttcaccttaa gagccagcga 420
gacacctgag acatgctgaa attatttctc tcacactttt gottgaattt aatacagaca 480
tctaattgttc tcttttgaa tggtgtagga aaaatgcaag ccattctctaa taataagtca 540
gtgttaaaat tttagtaggt ccgctagcag tactaatcat gtgaggaaat gatgagaaat 600
attaaattgg gaaaactcca tcaataaatg ttgcaatgca tgatactatc tgtgccagag 660
gtaatgttag taaatccatg gtgttatttt ctgagagaca gaattcaagt ggggtattctg 720
gggccatcca atttctcttt acttgaaatt tggttaataa caaactagtc aggttttcga 780
accttgaccg acatgaactg tacacagaat tgttccagta ctatggagtg ctcacaaagg 840
atacttttac aggttaagac aaagggttga ctggcctatt tatctgatca agaacatgtc 900
agcaatgtct ctttgtgctc taaaattcta ttatactaca ataataatg gtaaaagatcc 960
tatagctctt tttttttgag atggagtttc gcttttgttg ccagggtgg agtgcaatgg 1020
cgcgatcttg gctcaccata acctccgct ccagggttca agcaattctc ctgccttagc 1080
ctcctgagta gctgggatta caggcgtgag ccactatgcc tgactaattt tgtagtttta 1140
gtagagacgg ggtttctcca tgttggtcag gctgggtctc aactcctgac ctcagggtgat 1200
ctgcccgcct cagcctccca aagtgtctgga attacaggcg tgagccacca cgcctgggtg 1260
gatcctatat cttaggttaag acatataacg cagtctaatt acatttctact tcaaggctca 1320
atgctattct aactaatgac aagtattttc tactaaacca gaaattggta gaaggattta 1380
aataagtaaa agctactatg tactgcctta gtgtgatgc ctgtgtactg ccttaaatgt 1440
acctatggca atttagctct cttgggttcc caaatccctc tcacaagaat gtgcagaaga 1500
aatcataaag gatcagagat tctg 1524

```

<210> 102

<211> 43

<212> PRT

<213> Homo sapiens

<400> 102

```

Met Ala Ala Arg Ala Val Phe Leu Ala Leu Ser Ala Gln Leu Leu Gln
 1           5           10          15
Ala Arg Leu Met Lys Glu Glu Ser Pro Val Val Ser Trp Arg Leu Glu
      20           25          30
Pro Glu Asp Gly Thr Ala Leu Cys Phe Ile Phe
      35           40

```

<210> 103

<211> 1004

<212> DNA

<213> Homo sapiens

<400> 103

```

cgccaattta gggctctcgg tatctccgcg tgagctgctc tgttcccgcc ttagaggacc 60
aggagaaggg ggagctggag gctggagcct gtaacaccgt ggctcgtctc actctggatg 120
gtggttgcaa cagagatggc agcgcagctg gagtgttagg agggcggcct gagcggtagg 180
agtggggctg gagcagtaag atggcggcca gagcggtttt tctggcattg tctgccagc 240
tgctccaagc caggctgatg aaggaggagt cccctgtggt gagctggagg ttggagcctg 300
aagacggcac agctctgtgc ttcattcttc gaggttgggg cagccacggg gatggagacg 360
gcagctcaac aggagcaata ggaggagatg gagtttcaact gtgtcagcca ggtgggtctc 420
gatctctgga cctcgtgatc cgccgcctt ggcttccaa agtgccgaga ttacagcgat 480
gtgcattttg taagcacttt ggagccacta tcaaatgctg tgaagagaaa tgtaccaga 540
tgtatcatta tccttgtgct gcaggagccg gctccttcca ggatttcagt cacatcttcc 600
tgctttgtcc agaacacatt gaccaagctc ctgaaagatg taagtttact acgcatagac 660
ttttaaaact caaccaatgt atttactgaa aataacaaat gttgtaaatt cctgagtgtg 720
tattctactt gtattaaaag gtaataatac ataatacatta aaatctgagg gatcattgcc 780

```


agagattggtt ggggagggaa atgttatcaa cggtttcatt gaaattaaat ccaaaaagtt 840
 atttcctcag aaaaatcaaa taaagtttgc atgtttttta ttcttaaaac attttaaaaa 900
 ccactgtaga atgatgtaaa tagggactgt gcagtatttc tgacatatat tataaaatta 960
 ttaaaaagtc aatcagtatt caacatcttt tacactaaaa agcc 1004

<210> 104
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 104
 Trp Val Leu Thr Ala Ala His Cys Ile
 1 5

<210> 105
 <211> 263
 <212> PRT
 <213> Homo sapiens

<400> 105
 Pro Met Trp Phe Leu Val Leu Cys Leu Ala Leu Ser Leu Gly Gly Thr
 1 5 10 15
 Gly Ala Ala Pro Pro Ile Gln Ser Arg Ile Val Gly Gly Trp Glu Cys
 20 25 30
 Glu Gln His Ser Gln Pro Trp Gln Ala Ala Leu Tyr His Phe Ser Thr
 35 40 45
 Phe Gln Cys Gly Gly Ile Leu Val His Arg Gln Trp Val Leu Thr Ala
 50 55 60
 Ala His Cys Ile Ser Asp Asn Tyr Gln Leu Trp Leu Gly Arg His Asn
 65 70 75 80
 Leu Phe Asp Asp Glu Asn Thr Ala Gln Phe Val His Val Ser Glu Ser
 85 90 95
 Phe Pro His Pro Gly Phe Asn Met Ser Leu Leu Glu Asn His Thr Arg
 100 105 110
 Gln Ala Asp Glu Asp Tyr Ser His Asp Leu Met Leu Leu Arg Leu Thr
 115 120 125
 Glu Pro Ala Asp Thr Ile Thr Asp Ala Val Lys Val Val Glu Leu Pro
 130 135 140
 Thr Gln Glu Pro Glu Val Gly Ser Thr Cys Leu Ala Ser Gly Trp Gly
 145 150 155 160
 Ser Ile Glu Pro Glu Asn Phe Ser Phe Pro Asp Asp Leu Gln Cys Val
 165 170 175
 Asp Leu Lys Ile Leu Pro Asn Asp Glu Cys Glu Lys Ala His Val Gln
 180 185 190
 Lys Val Thr Asp Phe Met Leu Cys Val Gly His Leu Glu Gly Gly Lys
 195 200 205
 Asp Thr Cys Val Gly Asp Ser Gly Gly Pro Leu Met Cys Asp Gly Val
 210 215 220
 Leu Gln Gly Val Thr Ser Trp Gly Tyr Val Pro Cys Gly Thr Pro Asn
 225 230 235 240
 Lys Pro Ser Val Ala Val Arg Val Leu Ser Tyr Val Lys Trp Ile Glu
 245 250 255
 Asp Thr Ile Ala Glu Asn Ser
 260

<210> 106
 <211> 270
 <212> PRT
 <213> Homo sapiens

<400> 106

```

Pro Met Ile Arg Thr Leu Leu Leu Ser Thr Leu Val Ala Gly Ala Leu
 1           5           10           15
Ser Cys Gly Asp Pro Thr Tyr Pro Pro Tyr Val Thr Arg Val Val Gly
          20           25           30
Gly Glu Glu Ala Arg Pro Asn Ser Trp Pro Trp Gln Val Ser Leu Gln
          35           40           45
Tyr Ser Ser Asn Gly Lys Trp Tyr His Thr Cys Gly Gly Ser Leu Ile
 50           55           60
Ala Asn Ser Trp Val Leu Thr Ala Ala His Cys Ile Ser Ser Ser Arg
65           70           75           80
Thr Tyr Arg Val Gly Leu Gly Arg His Asn Leu Tyr Val Ala Glu Ser
          85           90           95
Gly Ser Leu Ala Val Ser Val Ser Lys Ile Val Val His Lys Asp Trp
          100          105          110
Asn Ser Asn Gln Ile Ser Lys Gly Asn Asp Ile Ala Leu Leu Lys Leu
          115          120          125
Ala Asn Pro Val Ser Leu Thr Asp Lys Ile Gln Leu Ala Cys Leu Pro
130          135          140
Pro Ala Gly Thr Ile Leu Pro Asn Asn Tyr Pro Cys Tyr Val Thr Gly
145          150          155          160
Trp Gly Arg Leu Gln Thr Asn Gly Ala Val Pro Asp Val Leu Gln Gln
          165          170          175
Gly Arg Leu Leu Val Val Asp Tyr Ala Thr Cys Ser Ser Ser Ala Trp
          180          185          190
Trp Gly Ser Ser Val Lys Thr Ser Met Ile Cys Ala Gly Gly Asp Gly
195          200          205
Val Ile Ser Ser Cys Asn Gly Asp Ser Gly Gly Pro Leu Asn Cys Gln
210          215          220
Ala Ser Asp Gly Arg Trp Gln Val His Gly Ile Val Ser Phe Gly Ser
225          230          235          240
Arg Leu Gly Cys Asn Tyr Tyr His Lys Pro Ser Val Phe Thr Arg Val
          245          250          255
Ser Asn Tyr Ile Asp Trp Ile Asn Ser Val Ile Ala Asn Asn
          260          265          270

```

<210> 107

<211> 270

<212> PRT

<213> Homo sapiens

<400> 107

```

Pro Met Ile Arg Thr Leu Leu Leu Ser Thr Leu Val Ala Gly Ala Leu
 1           5           10           15
Ser Cys Gly Val Ser Thr Tyr Ala Pro Asp Met Ser Arg Met Leu Gly
          20           25           30
Gly Glu Glu Ala Arg Pro Asn Ser Trp Pro Trp Gln Val Ser Leu Gln
          35           40           45
Tyr Ser Ser Asn Gly Gln Trp Tyr His Thr Cys Gly Gly Ser Leu Ile
 50           55           60
Ala Asn Ser Trp Val Leu Thr Ala Ala His Cys Ile Ser Ser Ser Arg
65           70           75           80
Ile Tyr Arg Val Met Leu Gly Gln His Asn Leu Tyr Val Ala Glu Ser
          85           90           95
Gly Ser Leu Ala Val Ser Val Ser Lys Ile Val Val His Lys Asp Trp
          100          105          110
Asn Ser Asn Gln Val Ser Lys Gly Asn Asp Ile Ala Leu Leu Lys Leu
          115          120          125
Ala Asn Pro Val Ser Leu Thr Asp Lys Ile Gln Leu Ala Cys Leu Pro

```

130		135		140											
Pro	Ala	Gly	Thr	Ile	Leu	Pro	Asn	Asn	Tyr	Pro	Cys	Tyr	Val	Thr	Gly
145					150					155					160
Trp	Gly	Arg	Leu	Gln	Thr	Asn	Gly	Ala	Leu	Pro	Asp	Asp	Leu	Lys	Gln
			165							170					175
Gly	Arg	Leu	Leu	Val	Val	Asp	Tyr	Ala	Thr	Cys	Ser	Ser	Ser	Gly	Trp
			180					185					190		
Trp	Gly	Ser	Thr	Val	Lys	Thr	Asn	Met	Ile	Cys	Ala	Gly	Gly	Asp	Gly
		195				200						205			
Val	Ile	Cys	Thr	Cys	Asn	Gly	Asp	Ser	Gly	Gly	Pro	Leu	Asn	Cys	Gln
	210					215					220				
Ala	Ser	Asp	Gly	Arg	Trp	Glu	Val	His	Gly	Ile	Gly	Ser	Leu	Thr	Ser
225					230					235					240
Val	Leu	Gly	Cys	Asn	Tyr	Tyr	Tyr	Lys	Pro	Ser	Ile	Phe	Thr	Arg	Val
			245						250					255	
Ser	Asn	Tyr	Asn	Asp	Trp	Ile	Asn	Ser	Val	Ile	Ala	Asn	Asn		
			260					265					270		

<210> 108
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 108
 Asn Ile Tyr Asp Leu Phe Val Trp Met
 1 5

<210> 109
 <211> 10
 <212> PRT
 <213> Homo sapiens

<400> 109
 Tyr Asp Leu Phe Val Trp Met His Tyr Tyr
 1 5 10

<210> 110
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 110
 Asp Leu Phe Val Trp Met His Tyr Tyr
 1 5

<210> 111
 <211> 9
 <212> PRT
 <213> Homo sapiens

<400> 111
 Asp Ala Leu Leu Gly Gly Ser Glu Ile
 1 5

<210> 112
 <211> 10

<212> PRT
<213> Homo sapiens

<400> 112
Gly Ser Glu Ile Trp Arg Asp Ile Asp Phe
1 5 10

<210> 113
<211> 9
<212> PRT
<213> Homo sapiens

<400> 113
Ser Glu Ile Trp Arg Asp Ile Asp Phe
1 5

<210> 114
<211> 9
<212> PRT
<213> Homo sapiens

<400> 114
Glu Ile Trp Arg Asp Ile Asp Phe Ala
1 5

<210> 115
<211> 10
<212> PRT
<213> Homo sapiens

<400> 115
Leu Gln Glu Val Tyr Pro Glu Ala Asn Ala
1 5 10

<210> 116
<211> 10
<212> PRT
<213> Homosapiens

<400> 116
Glu Val Tyr Pro Glu Ala Asn Ala Pro Ile
1 5 10

<210> 117
<211> 9
<212> PRT
<213> Homosapiens

<400> 117
Val Tyr Pro Glu Ala Asn Ala Pro Ile
1 5

<210> 118
<211> 8
<212> PRT

<213> Homosapiens

<400> 118

Tyr Pro Glu Ala Asn Ala Pro Ile
1 5

<210> 119

<211> 10

<212> PRT

<213> Homosapiens

<400> 119

Tyr Pro Glu Ala Asn Ala Pro Ile Gly His
1 5 10

<210> 120

<211> 10

<212> PRT

<213> Homosapiens

<400> 120

Ala Pro Ile Gly His Asn Arg Glu Ser Tyr
1 5 10

<210> 121

<211> 9

<212> PRT

<213> Homosapiens

<400> 121

Pro Ile Gly His Asn Arg Glu Ser Tyr
1 5

<210> 122

<211> 10

<212> PRT

<213> Homosapiens

<400> 122

Pro Ile Gly His Asn Arg Glu Ser Tyr Met
1 5 10

<210> 123

<211> 10

<212> PRT

<213> Homosapiens

<400> 123

Ala Pro Ile Gly His Asn Arg Glu Ser Tyr
1 5 10

<210> 124

<211> 9

<212> PRT

<213> Homosapiens

<400> 124

Pro Ile Gly His Asn Arg Glu Ser Tyr
1 5

<210> 125

<211> 8

<212> PRT

<213> Homosapiens

<400> 125

Glu Ser Tyr Met Val Pro Phe Ile
1 5

<210> 126

<211> 10

<212> PRT

<213> Homosapiens

<400> 126

Glu Ser Tyr Met Val Pro Phe Ile Pro Leu
1 5 10

<210> 127

<211> 9

<212> PRT

<213> Homosapiens

<400> 127

Ser Tyr Met Val Pro Phe Ile Pro Leu
1 5

<210> 128

<211> 10

<212> PRT

<213> Homosapiens

<400> 128

Ser Tyr Met Val Pro Phe Ile Pro Leu Tyr
1 5 10

<210> 129

<211> 9

<212> PRT

<213> Homosapiens

<400> 129

Tyr Met Val Pro Phe Ile Pro Leu Tyr
1 5

<210> 130

<211> 9

<212> PRT

<213> Homosapiens

<400> 130
Met Val Pro Phe Ile Pro Leu Tyr Arg
1 5

<210> 131
<211> 10
<212> PRT
<213> Homosapiens

<400> 131
Met Val Pro Phe Ile Pro Leu Tyr Arg Asn
1 5 10

<210> 132
<211> 8
<212> PRT
<213> Homosapiens

<400> 132
Val Pro Phe Ile Pro Leu Tyr Arg
1 5

<210> 133
<211> 8
<212> PRT
<213> Homosapiens

<400> 133
Ile Pro Leu Tyr Arg Asn Gly Asp
1 5

<210> 134
<211> 10
<212> PRT
<213> Homosapiens

<400> 134
Ile Pro Leu Tyr Arg Asn Gly Asp Phe Phe
1 5 10

<210> 135
<211> 9
<212> PRT
<213> Homosapiens

<400> 135
Pro Leu Tyr Arg Asn Gly Asp Phe Phe
1 5

<210> 136
<211> 10
<212> PRT
<213> Homosapiens

<400> 136

Pro Leu Tyr Arg Asn Gly Asp Phe Phe Ile
1 5 10

<210> 137
<211> 10
<212> PRT
<213> Homosapiens

<400> 137
Arg Asn Gly Asp Phe Phe Ile Ser Ser Lys
1 5 10

<210> 138
<211> 9
<212> PRT
<213> Homosapiens

<400> 138
Asn Gly Asp Phe Phe Ile Ser Ser Lys
1 5

<210> 139
<211> 9
<212> PRT
<213> Homosapiens

<400> 139
Tyr Ile Lys Ser Tyr Leu Glu Gln Ala
1 5

<210> 140
<211> 9
<212> PRT
<213> Homosapiens

<400> 140
Ser Tyr Leu Glu Gln Ala Ser Arg Ile
1 5

<210> 141
<211> 10
<212> PRT
<213> Homosapiens

<400> 141
Glu Gln Ala Ser Arg Ile Trp Ser Trp Leu
1 5 10

<210> 142
<211> 9
<212> PRT
<213> Homosapiens

<400> 142
Gln Ala Ser Arg Ile Trp Ser Trp Leu

1 5

<210> 143
<211> 8
<212> PRT
<213> Homosapiens

<400> 143
Ala Ser Arg Ile Trp Ser Trp Leu
1 5

<210> 144
<211> 9
<212> PRT
<213> Homosapiens

<400> 144
Ala Ser Arg Ile Trp Ser Trp Leu Leu
1 5

<210> 145
<211> 9
<212> PRT
<213> Homosapiens

<400> 145
Arg Ile Trp Ser Trp Leu Leu Gly Ala
1 5

<210> 146
<211> 9
<212> PRT
<213> Homosapiens

<400> 146
Gly Pro Ala Tyr Ser Gly Arg Glu Ile
1 5

<210> 147
<211> 10
<212> PRT
<213> Homosapiens

<400> 147
Gly Pro Ala Tyr Ser Gly Arg Glu Ile Ile
1 5 10

<210> 148
<211> 8
<212> PRT
<213> Homosapiens

<400> 148
Pro Ala Tyr Ser Gly Arg Glu Ile
1 5

<210> 149
<211> 9
<212> PRT
<213> Homosapiens

<400> 149
Pro Ala Tyr Ser Gly Arg Glu Ile Ile
1 5

<210> 150
<211> 10
<212> PRT
<213> Homosapiens

<400> 150
Pro Ala Tyr Ser Gly Arg Glu Ile Ile Tyr
1 5 10

<210> 151
<211> 9
<212> PRT
<213> Homosapiens

<400> 151
Ala Tyr Ser Gly Arg Glu Ile Ile Tyr
1 5

<210> 152
<211> 9
<212> PRT
<213> Homosapiens

<400> 152
Gly Arg Glu Ile Ile Tyr Pro Asn Ala
1 5

<210> 153
<211> 10
<212> PRT
<213> Homosapiens

<400> 153
Arg Glu Ile Ile Tyr Pro Asn Ala Ser Leu
1 5 10

<210> 154
<211> 9
<212> PRT
<213> Homosapiens

<400> 154
Glu Ile Ile Tyr Pro Asn Ala Ser Leu
1 5

<210> 155
<211> 10
<212> PRT
<213> Homosapiens

<400> 155
Glu Ile Ile Tyr Pro Asn Ala Ser Leu Leu
1 5 10

<210> 156
<211> 8
<212> PRT
<213> Homosapiens

<400> 156
Ile Ile Tyr Pro Asn Ala Ser Leu
1 5

<210> 157
<211> 9
<212> PRT
<213> Homosapiens

<400> 157
Ile Ile Tyr Pro Asn Ala Ser Leu Leu
1 5

<210> 158
<211> 10
<212> PRT
<213> Homosapiens

<400> 158
Ile Ile Tyr Pro Asn Ala Ser Leu Leu Ile
1 5 10

<210> 159
<211> 8
<212> PRT
<213> Homosapiens

<400> 159
Tyr Pro Asn Ala Ser Leu Leu Ile
1 5

<210> 160
<211> 10
<212> PRT
<213> Homosapiens

<400> 160
Leu Leu Ile Gln Asn Ile Ile Gln Asn Asp
1 5 10

<210> 161
<211> 10
<212> PRT
<213> Homosapiens

<400> 161
Glu Glu Ala Thr Gly Gln Phe Arg Val Tyr
1 5 10

<210> 162
<211> 9
<212> PRT
<213> Homosapiens

<400> 162
Glu Ala Thr Gly Gln Phe Arg Val Tyr
1 5

<210> 163
<211> 9
<212> PRT
<213> Homosapiens

<400> 163
Tyr Pro Glu Leu Pro Lys Pro Ser Ile
1 5

<210> 164
<211> 8
<212> PRT
<213> Homosapiens

<400> 164
Pro Glu Leu Pro Lys Pro Ser Ile
1 5

<210> 165
<211> 9
<212> PRT
<213> Homosapiens

<400> 165
Arg Ser Asp Ser Val Ile Leu Asn Val
1 5

<210> 166
<211> 10
<212> PRT
<213> Homosapiens

<400> 166
Arg Ser Asp Ser Val Ile Leu Asn Val Leu
1 5 10

<210> 167

<211> 9
<212> PRT
<213> Homosapiens

<400> 167
Ser Asp Ser Val Ile Leu Asn Val Leu
1 5

<210> 168
<211> 10
<212> PRT
<213> Homosapiens

<400> 168
Ser Asp Ser Val Ile Leu Asn Val Leu Tyr
1 5 10

<210> 169
<211> 9
<212> PRT
<213> Homosapiens

<400> 169
Asp Ser Val Ile Leu Asn Val Leu Tyr
1 5

<210> 170
<211> 10
<212> PRT
<213> Homosapiens

<400> 170
Val Leu Tyr Gly Pro Asp Ala Pro Thr Ile
1 5 10

<210> 171
<211> 9
<212> PRT
<213> Homosapiens

<400> 171
Leu Tyr Gly Pro Asp Ala Pro Thr Ile
1 5

<210> 172
<211> 8
<212> PRT
<213> Homosapiens

<400> 172
Tyr Gly Pro Asp Ala Pro Thr Ile
1 5

<210> 173
<211> 10

<212> PRT
<213> Homosapiens

<400> 173
Gly Pro Asp Ala Pro Thr Ile Ser Pro Leu
1 5 10

<210> 174
<211> 9
<212> PRT
<213> Homosapiens

<400> 174
Pro Asp Ala Pro Thr Ile Ser Pro Leu
1 5

<210> 175
<211> 8
<212> PRT
<213> Homosapiens

<400> 175
Asp Ala Pro Thr Ile Ser Pro Leu
1 5

<210> 176
<211> 9
<212> PRT
<213> Homosapiens

<400> 176
Ala Pro Thr Ile Ser Pro Leu Asn Thr
1 5

<210> 177
<211> 10
<212> PRT
<213> Homosapiens

<400> 177
Pro Thr Ile Ser Pro Leu Asn Thr Ser Tyr
1 5 10

<210> 178
<211> 9
<212> PRT
<213> Homosapiens

<400> 178
Thr Ile Ser Pro Leu Asn Thr Ser Tyr
1 5

<210> 179
<211> 10
<212> PRT

<213> Homosapiens

<400> 179

Pro Thr Ile Ser Pro Leu Asn Thr Ser Tyr
1 5 10

<210> 180

<211> 9

<212> PRT

<213> Homosapiens

<400> 180

Thr Ile Ser Pro Leu Asn Thr Ser Tyr
1 5

<210> 181

<211> 10

<212> PRT

<213> Homosapiens

<400> 181

Asn Thr Ser Tyr Arg Ser Gly Glu Asn Leu
1 5 10

<210> 182

<211> 9

<212> PRT

<213> Homosapiens

<400> 182

Thr Ser Tyr Arg Ser Gly Glu Asn Leu
1 5

<210> 183

<211> 8

<212> PRT

<213> Homosapiens

<400> 183

Ser Tyr Arg Ser Gly Glu Asn Leu
1 5

<210> 184

<211> 10

<212> PRT

<213> Homosapiens

<400> 184

Ser Tyr Arg Ser Gly Glu Asn Leu Asn Leu
1 5 10

<210> 185

<211> 9

<212> PRT

<213> Homosapiens

<400> 185

Tyr Arg Ser Gly Glu Asn Leu Asn Leu
1 5

<210> 186

<211> 9

<212> PRT

<213> Homosapiens

<400> 186

Ser Gly Glu Asn Leu Asn Leu Ser Cys
1 5

<210> 187

<211> 10

<212> PRT

<213> Homosapiens

<400> 187

Glu Asn Leu Asn Leu Ser Cys His Ala Ala
1 5 10

<210> 188

<211> 9

<212> PRT

<213> Homosapiens

<400> 188

Asn Leu Asn Leu Ser Cys His Ala Ala
1 5

<210> 189

<211> 10

<212> PRT

<213> Homosapiens

<400> 189

His Ala Ala Ser Asn Pro Pro Ala Gln Tyr
1 5 10

<210> 190

<211> 9

<212> PRT

<213> Homosapiens

<400> 190

Ala Ala Ser Asn Pro Pro Ala Gln Tyr
1 5

<210> 191

<211> 10

<212> PRT

<213> Homosapiens

<400> 191
Asn Pro Pro Ala Gln Tyr Ser Trp Phe Val
1 5 10

<210> 192
<211> 9
<212> PRT
<213> Homosapiens

<400> 192
Pro Pro Ala Gln Tyr Ser Trp Phe Val
1 5

<210> 193
<211> 8
<212> PRT
<213> Homosapiens

<400> 193
Pro Ala Gln Tyr Ser Trp Phe Val
1 5

<210> 194
<211> 9
<212> PRT
<213> Homosapiens

<400> 194
Phe Val Asn Gly Thr Phe Gln Gln Ser
1 5

<210> 195
<211> 10
<212> PRT
<213> Homosapiens

<400> 195
Arg Thr Thr Val Thr Thr Ile Thr Val Tyr
1 5 10

<210> 196
<211> 9
<212> PRT
<213> Homosapiens

<400> 196
Thr Thr Val Thr Thr Ile Thr Val Tyr
1 5

<210> 197
<211> 9
<212> PRT
<213> Homosapiens

<400> 197

Tyr Ala Glu Pro Pro Lys Pro Phe Ile
1 5

<210> 198
<211> 10
<212> PRT
<213> Homosapiens

<400> 198
Tyr Ala Glu Pro Pro Lys Pro Phe Ile Thr
1 5 10

<210> 199
<211> 8
<212> PRT
<213> Homosapiens

<400> 199
Ala Glu Pro Pro Lys Pro Phe Ile
1 5

<210> 200
<211> 8
<212> PRT
<213> Homosapiens

<400> 200
Glu Pro Pro Lys Pro Phe Ile Thr
1 5

<210> 201
<211> 9
<212> PRT
<213> Homosapiens

<400> 201
Glu Pro Pro Lys Pro Phe Ile Thr Ser
1 5

<210> 202
<211> 8
<212> PRT
<213> Homosapiens

<400> 202
Pro Pro Lys Pro Phe Ile Thr Ser
1 5

<210> 203
<211> 10
<212> PRT
<213> Homosapiens

<400> 203
Ser Val Thr Arg Asn Asp Val Gly Pro Tyr

1 5 10

<210> 204
<211> 9
<212> PRT
<213> Homosapiens

<400> 204
Val Thr Arg Asn Asp Val Gly Pro Tyr
1 5

<210> 205
<211> 9
<212> PRT
<213> Homosapiens

<400> 205
Gly Pro Tyr Glu Cys Gly Ile Gln Asn
1 5

<210> 206
<211> 9
<212> PRT
<213> Homosapiens

<400> 206
Tyr Glu Cys Gly Ile Gln Asn Glu Leu
1 5

<210> 207
<211> 9
<212> PRT
<213> Homosapiens

<400> 207
Gly Ile Gln Asn Glu Leu Ser Val Asp
1 5

<210> 208
<211> 9
<212> PRT
<213> Homosapiens

<400> 208
His Ser Asp Pro Val Ile Leu Asn Val
1 5

<210> 209
<211> 10
<212> PRT
<213> Homosapiens

<400> 209
His Ser Asp Pro Val Ile Leu Asn Val Leu
1 5 10

<210> 210
<211> 9
<212> PRT
<213> Homosapiens

<400> 210
Ser Asp Pro Val Ile Leu Asn Val Leu
1 5

<210> 211
<211> 10
<212> PRT
<213> Homosapiens

<400> 211
Ser Asp Pro Val Ile Leu Asn Val Leu Tyr
1 5 10

<210> 212
<211> 8
<212> PRT
<213> Homosapiens

<400> 212
Asp Pro Val Ile Leu Asn Val Leu
1 5

<210> 213
<211> 9
<212> PRT
<213> Homosapiens

<400> 213
Asp Pro Val Ile Leu Asn Val Leu Tyr
1 5

<210> 214
<211> 10
<212> PRT
<213> Homosapiens

<400> 214
Ile Leu Asn Val Leu Tyr Gly Pro Asp Asp
1 5 10

<210> 215
<211> 10
<212> PRT
<213> Homosapiens

<400> 215
Val Leu Tyr Gly Pro Asp Asp Pro Thr Ile
1 5 10

<210> 216
<211> 9
<212> PRT
<213> Homosapiens

<400> 216
Leu Tyr Gly Pro Asp Asp Pro Thr Ile
1 5

<210> 217
<211> 8
<212> PRT
<213> Homosapiens

<400> 217
Tyr Gly Pro Asp Asp Pro Thr Ile
1 5

<210> 218
<211> 9
<212> PRT
<213> Homosapiens

<400> 218
Asp Pro Thr Ile Ser Pro Ser Tyr Thr
1 5

<210> 219
<211> 10
<212> PRT
<213> Homosapiens

<400> 219
Pro Thr Ile Ser Pro Ser Tyr Thr Tyr Tyr
1 5 10

<210> 220
<211> 9
<212> PRT
<213> Homosapiens

<400> 220
Thr Ile Ser Pro Ser Tyr Thr Tyr Tyr
1 5

<210> 221
<211> 10
<212> PRT
<213> Homosapiens

<400> 221
Pro Thr Ile Ser Pro Ser Tyr Thr Tyr Tyr
1 5 10

<210> 222
<211> 9
<212> PRT
<213> Homosapiens

<400> 222
Thr Ile Ser Pro Ser Tyr Thr Tyr Tyr
1 5

<210> 223
<211> 10
<212> PRT
<213> Homosapiens

<400> 223
Thr Ile Ser Pro Ser Tyr Thr Tyr Tyr Arg
1 5 10

<210> 224
<211> 10
<212> PRT
<213> Homosapiens

<400> 224
Tyr Thr Tyr Tyr Arg Pro Gly Val Asn Leu
1 5 10

<210> 225
<211> 9
<212> PRT
<213> Homosapiens

<400> 225
Thr Tyr Tyr Arg Pro Gly Val Asn Leu
1 5

<210> 226
<211> 8
<212> PRT
<213> Homosapiens

<400> 226
Tyr Tyr Arg Pro Gly Val Asn Leu
1 5

<210> 227
<211> 10
<212> PRT
<213> Homosapiens

<400> 227
Tyr Tyr Arg Pro Gly Val Asn Leu Ser Leu
1 5 10

<210> 228

<211> 9
<212> PRT
<213> Homosapiens

<400> 228
Tyr Arg Pro Gly Val Asn Leu Ser Leu
1 5

<210> 229
<211> 8
<212> PRT
<213> Homosapiens

<400> 229
Arg Pro Gly Val Asn Leu Ser Leu
1 5

<210> 230
<211> 10
<212> PRT
<213> Homosapiens

<400> 230
Arg Pro Gly Val Asn Leu Ser Leu Ser Cys
1 5 10

<210> 231
<211> 9
<212> PRT
<213> Homosapiens

<400> 231
Gly Val Asn Leu Ser Leu Ser Cys His
1 5

<210> 232
<211> 10
<212> PRT
<213> Homosapiens

<400> 232
Val Asn Leu Ser Leu Ser Cys His Ala Ala
1 5 10

<210> 233
<211> 9
<212> PRT
<213> Homosapiens

<400> 233
Asn Leu Ser Leu Ser Cys His Ala Ala
1 5

<210> 234
<211> 10

<212> PRT

<213> Homosapiens

<400> 234

His Ala Ala Ser Asn Pro Pro Ala Gln Tyr
1 5 10

<210> 235

<211> 9

<212> PRT

<213> Homosapiens

<400> 235

Ala Ala Ser Asn Pro Pro Ala Gln Tyr
1 5

<210> 236

<211> 10

<212> PRT

<213> Homosapiens

<400> 236

Asn Pro Pro Ala Gln Tyr Ser Trp Leu Ile
1 5 10

<210> 237

<211> 9

<212> PRT

<213> Homosapiens

<400> 237

Pro Pro Ala Gln Tyr Ser Trp Leu Ile
1 5

<210> 238

<211> 8

<212> PRT

<213> Homosapiens

<400> 238

Pro Ala Gln Tyr Ser Trp Leu Ile
1 5

<210> 239

<211> 10

<212> PRT

<213> Homosapiens

<400> 239

Trp Leu Ile Asp Gly Asn Ile Gln Gln His
1 5 10

<210> 240

<211> 9

<212> PRT

<213> Homosapiens

<400> 240

Leu Ile Asp Gly Asn Ile Gln Gln His
1 5

<210> 241

<211> 10

<212> PRT

<213> Homosapiens

<400> 241

Leu Ile Asp Gly Asn Ile Gln Gln His Thr
1 5 10

<210> 242

<211> 10

<212> PRT

<213> Homosapiens

<400> 242

Arg Ser Asp Pro Val Thr Leu Asp Val Leu
1 5 10

<210> 243

<211> 9

<212> PRT

<213> Homosapiens

<400> 243

Ser Asp Pro Val Thr Leu Asp Val Leu
1 5

<210> 244

<211> 10

<212> PRT

<213> Homosapiens

<400> 244

Ser Asp Pro Val Thr Leu Asp Val Leu Tyr
1 5 10

<210> 245

<211> 8

<212> PRT

<213> Homosapiens

<400> 245

Asp Pro Val Thr Leu Asp Val Leu
1 5

<210> 246

<211> 9

<212> PRT

<213> Homosapiens

<400> 246

Asp Pro Val Thr Leu Asp Val Leu Tyr
1 5

<210> 247

<211> 10

<212> PRT

<213> Homosapiens

<400> 247

Asp Val Leu Tyr Gly Pro Asp Thr Pro Ile
1 5 10

<210> 248

<211> 9

<212> PRT

<213> Homosapiens

<400> 248

Val Leu Tyr Gly Pro Asp Thr Pro Ile
1 5

<210> 249

<211> 10

<212> PRT

<213> Homosapiens

<400> 249

Pro Ile Ile Ser Pro Pro Asp Ser Ser Tyr
1 5 10

<210> 250

<211> 9

<212> PRT

<213> Homosapiens

<400> 250

Ile Ile Ser Pro Pro Asp Ser Ser Tyr
1 5

<210> 251

<211> 10

<212> PRT

<213> Homosapiens

<400> 251

Ile Ile Ser Pro Pro Asp Ser Ser Tyr Leu
1 5 10

<210> 252

<211> 8

<212> PRT

<213> Homosapiens

<400> 252

Ser Pro Pro Asp Ser Ser Tyr Leu
1 5

<210> 253

<211> 9

<212> PRT

<213> Homosapiens

<400> 253

Pro Pro Asp Ser Ser Tyr Leu Ser Gly
1 5

<210> 254

<211> 10

<212> PRT

<213> Homosapiens

<400> 254

Pro Pro Asp Ser Ser Tyr Leu Ser Gly Ala
1 5 10

<210> 255

<211> 10

<212> PRT

<213> Homosapiens

<400> 255

Asp Ser Ser Tyr Leu Ser Gly Ala Asn Leu
1 5 10

<210> 256

<211> 9

<212> PRT

<213> Homosapiens

<400> 256

Ser Ser Tyr Leu Ser Gly Ala Asn Leu
1 5

<210> 257

<211> 10

<212> PRT

<213> Homosapiens

<400> 257

Ser Tyr Leu Ser Gly Ala Asn Leu Asn Leu
1 5 10

<210> 258

<211> 9

<212> PRT

<213> Homosapiens

<400> 258

Tyr Leu Ser Gly Ala Asn Leu Asn Leu
1 5

<210> 259
<211> 9
<212> PRT
<213> Homosapiens

<400> 259
Asn Leu Asn Leu Ser Cys His Ser Ala
1 5

<210> 260
<211> 10
<212> PRT
<213> Homosapiens

<400> 260
Asn Pro Ser Pro Gln Tyr Ser Trp Arg Ile
1 5 10

<210> 261
<211> 8
<212> PRT
<213> Homosapiens

<400> 261
Ser Pro Gln Tyr Ser Trp Arg Ile
1 5

<210> 262
<211> 9
<212> PRT
<213> Homosapiens

<400> 262
Trp Arg Ile Asn Gly Ile Pro Gln Gln
1 5

<210> 263
<211> 9
<212> PRT
<213> Homosapiens

<400> 263
Arg Ile Asn Gly Ile Pro Gln Gln His
1 5

<210> 264
<211> 10
<212> PRT
<213> Homosapiens

<400> 264
Arg Ile Asn Gly Ile Pro Gln Gln His Thr

1 5 10

<210> 265
<211> 9
<212> PRT
<213> Homosapiens

<400> 265
Gly Ile Pro Gln Gln His Thr Gln Val
1 5

<210> 266
<211> 8
<212> PRT
<213> Homosapiens

<400> 266
Ile Pro Gln Gln His Thr Gln Val
1 5

<210> 267
<211> 10
<212> PRT
<213> Homosapiens

<400> 267
Lys Ile Thr Pro Asn Asn Asn Gly Thr Tyr
1 5 10

<210> 268
<211> 9
<212> PRT
<213> Homosapiens

<400> 268
Ile Thr Pro Asn Asn Asn Gly Thr Tyr
1 5

<210> 269
<211> 10
<212> PRT
<213> Homosapiens

<400> 269
Pro Asn Asn Asn Gly Thr Tyr Ala Cys Phe
1 5 10

<210> 270
<211> 9
<212> PRT
<213> Homosapiens

<400> 270
Asn Asn Asn Gly Thr Tyr Ala Cys Phe
1 5

<210> 271
<211> 8
<212> PRT
<213> Homosapiens

<400> 271
Asn Gly Thr Tyr Ala Cys Phe Val
1 5

<210> 272
<211> 10
<212> PRT
<213> Homosapiens

<400> 272
Ala Thr Gly Arg Asn Asn Ser Ile Val Lys
1 5 10

<210> 273
<211> 9
<212> PRT
<213> Homosapiens

<400> 273
Thr Gly Arg Asn Asn Ser Ile Val Lys
1 5

<210> 274
<211> 9
<212> PRT
<213> Homosapiens

<400> 274
Arg Asn Asn Ser Ile Val Lys Ser Ile
1 5

<210> 275
<211> 9
<212> PRT
<213> Homosapiens

<400> 275
Asn Ser Ile Val Lys Ser Ile Thr Val
1 5

<210> 276
<211> 10
<212> PRT
<213> Homosapiens

<400> 276
Ser Thr Tyr Arg Pro Arg Pro Arg Arg Tyr
1 5 10

<210> 277
<211> 9
<212> PRT
<213> Homosapiens

<400> 277
Thr Tyr Arg Pro Arg Pro Arg Arg Tyr
1 5

<210> 278
<211> 9
<212> PRT
<213> Homosapiens

<400> 278
Arg Pro Arg Pro Arg Arg Tyr Val Glu
1 5

<210> 279
<211> 8
<212> PRT
<213> Homosapiens

<400> 279
Tyr Val Glu Pro Pro Glu Met Ile
1 5

<210> 280
<211> 10
<212> PRT
<213> Homosapiens

<400> 280
Met Ile Gly Pro Met Arg Pro Glu Gln Phe
1 5 10

<210> 281
<211> 9
<212> PRT
<213> Homosapiens

<400> 281
Ile Gly Pro Met Arg Pro Glu Gln Phe
1 5

<210> 282
<211> 8
<212> PRT
<213> Homosapiens

<400> 282
Gly Pro Met Arg Pro Glu Gln Phe
1 5

<210> 283
<211> 10
<212> PRT
<213> Homosapiens

<400> 283
Lys Thr Pro Glu Glu Glu Met Arg Ser His
1 5 10

<210> 284
<211> 10
<212> PRT
<213> Homosapiens

<400> 284
Thr Pro Glu Glu Glu Met Arg Ser His Tyr
1 5 10

<210> 285
<211> 9
<212> PRT
<213> Homosapiens

<400> 285
Pro Glu Glu Glu Met Arg Ser His Tyr
1 5

<210> 286
<211> 10
<212> PRT
<213> Homosapiens

<400> 286
Glu Met Arg Ser His Tyr Val Ala Gln Thr
1 5 10

<210> 287
<211> 9
<212> PRT
<213> Homosapiens

<400> 287
Ser His Tyr Val Ala Gln Thr Gly Ile
1 5

<210> 288
<211> 10
<212> PRT
<213> Homosapiens

<400> 288
Tyr Val Ala Gln Thr Gly Ile Leu Trp Leu
1 5 10

<210> 289

<211> 9
<212> PRT
<213> Homosapiens

<400> 289
Val Ala Gln Thr Gly Ile Leu Trp Leu
1 5

<210> 290
<211> 10
<212> PRT
<213> Homosapiens

<400> 290
Val Ala Gln Thr Gly Ile Leu Trp Leu Leu
1 5 10

<210> 291
<211> 9
<212> PRT
<213> Homosapiens

<400> 291
Ala Gln Thr Gly Ile Leu Trp Leu Leu
1 5

<210> 292
<211> 9
<212> PRT
<213> Homosapiens

<400> 292
Gln Thr Gly Ile Leu Trp Leu Leu Met
1 5

<210> 293
<211> 10
<212> PRT
<213> Homosapiens

<400> 293
Gln Thr Gly Ile Leu Trp Leu Leu Met Asn
1 5 10

<210> 294
<211> 10
<212> PRT
<213> Homosapiens

<400> 294
Gly Ile Leu Trp Leu Leu Met Asn Asn Cys
1 5 10

<210> 295
<211> 9

<212> PRT

<213> Homosapiens

<400> 295

Ile Leu Trp Leu Leu Met Asn Asn Cys
1 5

<210> 296

<211> 8

<212> PRT

<213> Homosapiens

<400> 296

Leu Leu Met Asn Asn Cys Phe Leu
1 5

<210> 297

<211> 9

<212> PRT

<213> Homosapiens

<400> 297

Trp Leu Leu Met Asn Asn Cys Phe Leu
1 5

<210> 298

<211> 9

<212> PRT

<213> Homosapiens

<400> 298

Leu Trp Leu Leu Met Asn Asn Cys Phe
1 5

<210> 299

<211> 10

<212> PRT

<213> Homosapiens

<400> 299

Ile Leu Trp Leu Leu Met Asn Asn Cys Phe
1 5 10

<210> 300

<211> 9

<212> PRT

<213> Homosapiens

<400> 300

Ile Leu Trp Leu Leu Met Asn Asn Cys
1 5

<210> 301

<211> 10

<212> PRT

<213> Homosapiens

<400> 301

Gly Ile Leu Trp Leu Leu Met Asn Asn Cys
1 5 10

<210> 302

<211> 10

<212> PRT

<213> Homosapiens

<400> 302

Gln Thr Gly Ile Leu Trp Leu Leu Met Asn
1 5 10

<210> 303

<211> 9

<212> PRT

<213> Homosapiens

<400> 303

Gln Thr Gly Ile Leu Trp Leu Leu Met
1 5

<210> 304

<211> 9

<212> PRT

<213> Homosapiens

<400> 304

Ala Gln Thr Gly Ile Leu Trp Leu Leu
1 5

<210> 305

<211> 10

<212> PRT

<213> Homosapiens

<400> 305

Val Ala Gln Thr Gly Ile Leu Trp Leu Leu
1 5 10

<210> 306

<211> 9

<212> PRT

<213> Homosapiens

<400> 306

Val Ala Gln Thr Gly Ile Leu Trp Leu
1 5

<210> 307

<211> 10

<212> PRT

<213> Homosapiens

<400> 307
Tyr Val Ala Gln Thr Gly Ile Leu Trp Leu
1 5 10

<210> 308
<211> 9
<212> PRT
<213> Homosapiens

<400> 308
Ser His Tyr Val Ala Gln Thr Gly Ile
1 5

<210> 309
<211> 9
<212> PRT
<213> Homosapiens

<400> 309
Ser Ala Phe Pro Thr Thr Ile Asn Phe
1 5

<210> 310
<211> 10
<212> PRT
<213> Homosapiens

<400> 310
Ala Ser Ala Phe Pro Thr Thr Ile Asn Phe
1 5 10

<210> 311
<211> 9
<212> PRT
<213> Homosapiens

<400> 311
Gly Ala Ser Ala Phe Pro Thr Thr Ile
1 5

<210> 312
<211> 10
<212> PRT
<213> Homosapiens

<400> 312
Ser Pro Gln Gly Ala Ser Ala Phe Pro Thr
1 5 10

<210> 313
<211> 8
<212> PRT
<213> Homosapiens

<400> 313

Phe Gly Lys Ala Ser Glu Ser Leu
1 5

<210> 314

<211> 9

<212> PRT

<213> Homosapiens

<400> 314

Ile Phe Gly Lys Ala Ser Glu Ser Leu
1 5

<210> 315

<211> 10

<212> PRT

<213> Homosapiens

<400> 315

Glu Ile Phe Gly Lys Ala Ser Glu Ser Leu
1 5 10

<210> 316

<211> 8

<212> PRT

<213> Homosapiens

<400> 316

Glu Ile Phe Gly Lys Ala Ser Glu
1 5

<210> 317

<211> 8

<212> PRT

<213> Homosapiens

<400> 317

Ile Lys Asn Tyr Lys His Cys Phe
1 5

<210> 318

<211> 9

<212> PRT

<213> Homosapiens

<400> 318

Val Ile Lys Asn Tyr Lys His Cys Phe
1 5

<210> 319

<211> 10

<212> PRT

<213> Homosapiens

<400> 319

Ser Val Ile Lys Asn Tyr Lys His Cys Phe
1 5 10

<210> 320
<211> 8
<212> PRT
<213> Homosapiens

<400> 320
Val Ile Lys Asn Tyr Lys His Cys
1 5

<210> 321
<211> 9
<212> PRT
<213> Homosapiens

<400> 321
Ser Val Ile Lys Asn Tyr Lys His Cys
1 5

<210> 322
<211> 9
<212> PRT
<213> Homosapiens

<400> 322
Met Leu Glu Ser Val Ile Lys Asn Tyr
1 5

<210> 323
<211> 10
<212> PRT
<213> Homosapiens

<400> 323
Glu Met Leu Glu Ser Val Ile Lys Asn Tyr
1 5 10

<210> 324
<211> 9
<212> PRT
<213> Homosapiens

<400> 324
Ala Glu Met Leu Glu Ser Val Ile Lys
1 5

<210> 325
<211> 10
<212> PRT
<213> Homosapiens

<400> 325
Gly Pro Arg Ala Leu Ile Glu Thr Ser Tyr

1 5 10

<210> 326
<211> 9
<212> PRT
<213> Homosapiens

<400> 326
Pro Arg Ala Leu Ile Glu Thr Ser Tyr
1 5

<210> 327
<211> 9
<212> PRT
<213> Homosapiens

<400> 327
Arg Ala Leu Ile Glu Thr Ser Tyr Val
1 5

<210> 328
<211> 10
<212> PRT
<213> Homosapiens

<400> 328
Ala Leu Ile Glu Thr Ser Tyr Val Lys Val
1 5 10

<210> 329
<211> 9
<212> PRT
<213> Homosapiens

<400> 329
Leu Ile Glu Thr Ser Tyr Val Lys Val
1 5

<210> 330
<211> 10
<212> PRT
<213> Homosapiens

<400> 330
Leu Ile Glu Thr Ser Tyr Val Lys Val Leu
1 5 10

<210> 331
<211> 9
<212> PRT
<213> Homosapiens

<400> 331
Ile Glu Thr Ser Tyr Val Lys Val Leu
1 5

<210> 332
<211> 10
<212> PRT
<213> Homosapiens

<400> 332
Glu Thr Ser Tyr Val Lys Val Leu His His
1 5 10

<210> 333
<211> 10
<212> PRT
<213> Homosapiens

<400> 333
Ser Tyr Val Lys Val Leu His His Thr Leu
1 5 10

<210> 334
<211> 9
<212> PRT
<213> Homosapiens

<400> 334
Tyr Val Lys Val Leu His His Thr Leu
1 5

<210> 335
<211> 9
<212> PRT
<213> Homosapiens

<400> 335
Lys Val Leu His His Thr Leu Lys Ile
1 5

<210> 336
<211> 9
<212> PRT
<213> Homosapiens

<400> 336
Pro Leu His Glu Arg Ala Leu Arg Glu
1 5

<210> 337
<211> 8
<212> PRT
<213> Homosapiens

<400> 337
Pro Pro Leu His Glu Arg Ala Leu
1 5

<210> 338
<211> 9
<212> PRT
<213> Homosapiens

<400> 338
Tyr Pro Pro Leu His Glu Arg Ala Leu
1 5

<210> 339
<211> 10
<212> PRT
<213> Homosapiens

<400> 339
Ser Tyr Pro Pro Leu His Glu Arg Ala Leu
1 5 10

<210> 340
<211> 9
<212> PRT
<213> Homosapiens

<400> 340
Ile Ser Tyr Pro Pro Leu His Glu Arg
1 5

<210> 341
<211> 10
<212> PRT
<213> Homosapiens

<400> 341
His Ile Ser Tyr Pro Pro Leu His Glu Arg
1 5 10

<210> 342
<211> 8
<212> PRT
<213> Homosapiens

<400> 342
Lys Ile Gly Gly Glu Pro His Ile
1 5

<210> 343
<211> 9
<212> PRT
<213> Homosapiens

<400> 343
Leu Lys Ile Gly Gly Glu Pro His Ile
1 5

<210> 344
<211> 10
<212> PRT
<213> Homosapiens

<400> 344
Thr Leu Lys Ile Gly Gly Glu Pro His Ile
1 5 10

<210> 345
<211> 9
<212> PRT
<213> Homosapiens

<400> 345
Pro Leu His Glu Trp Val Leu Arg Glu
1 5

<210> 346
<211> 8
<212> PRT
<213> Homosapiens

<400> 346
Pro Pro Leu His Glu Trp Val Leu
1 5

<210> 347
<211> 9
<212> PRT
<213> Homosapiens

<400> 347
Tyr Pro Pro Leu His Glu Trp Val Leu
1 5

<210> 348
<211> 8
<212> PRT
<213> Homosapiens

<400> 348
Tyr Pro Pro Leu His Glu Trp Val
1 5

<210> 349
<211> 9
<212> PRT
<213> Homosapiens

<400> 349
Ser Tyr Pro Pro Leu His Glu Trp Val
1 5

<210> 350

<211> 10
<212> PRT
<213> Homosapiens

<400> 350
Ile Ser Tyr Pro Pro Leu His Glu Trp Val
1 5 10

<210> 351
<211> 10
<212> PRT
<213> Homosapiens

<400> 351
His Ile Ser Tyr Pro Pro Leu His Glu Trp
1 5 10

<210> 352
<211> 9
<212> PRT
<213> Homosapiens

<400> 352
Ile Ser Gly Gly Pro His Ile Ser Tyr
1 5

<210> 353
<211> 10
<212> PRT
<213> Homosapiens

<400> 353
Lys Ile Ser Gly Gly Pro His Ile Ser Tyr
1 5 10

<210> 354
<211> 10
<212> PRT
<213> Homosapiens

<400> 354
Cys Trp Tyr Cys Arg Arg Arg Asn Gly Tyr
1 5 10

<210> 355
<211> 9
<212> PRT
<213> Homosapiens

<400> 355
Trp Tyr Cys Arg Arg Arg Asn Gly Tyr
1 5

<210> 356
<211> 9

<212> PRT

<213> Homosapiens

<400> 356

Tyr Cys Arg Arg Arg Asn Gly Tyr Arg
1 5

<210> 357

<211> 9

<212> PRT

<213> Homosapiens

<400> 357

Arg Arg Arg Asn Gly Tyr Arg Ala Leu
1 5

<210> 358

<211> 10

<212> PRT

<213> Homosapiens

<400> 358

Arg Asn Gly Tyr Arg Ala Leu Met Asp Lys
1 5 10

<210> 359

<211> 9

<212> PRT

<213> Homosapiens

<400> 359

Asn Gly Tyr Arg Ala Leu Met Asp Lys
1 5

<210> 360

<211> 9

<212> PRT

<213> Homosapiens

<400> 360

Arg Ala Leu Met Asp Lys Ser Leu His
1 5

<210> 361

<211> 8

<212> PRT

<213> Homosapiens

<400> 361

Ala Leu Met Asp Lys Ser Leu His
1 5

<210> 362

<211> 10

<212> PRT

<213> Homosapiens

<400> 362

Arg Ala Leu Met Asp Lys Ser Leu His Val
1 5 10

<210> 363

<211> 9

<212> PRT

<213> Homosapiens

<400> 363

Ala Leu Met Asp Lys Ser Leu His Val
1 5

<210> 364

<211> 10

<212> PRT

<213> Homosapiens

<400> 364

Tyr Ile Ser Pro Glu Lys Glu Glu Gln Tyr
1 5 10

<210> 365

<211> 9

<212> PRT

<213> Homosapiens

<400> 365

Ile Ser Pro Glu Lys Glu Glu Gln Tyr
1 5

<210> 366

<211> 9

<212> PRT

<213> Homosapiens

<400> 366

Ser Pro Glu Lys Glu Glu Gln Tyr Ile
1 5

<210> 367

<211> 8

<212> PRT

<213> Homosapiens

<400> 367

Pro Glu Lys Glu Glu Gln Tyr Ile
1 5

<210> 368

<211> 10

<212> PRT

<213> Homosapiens

<400> 368
Glu Lys Glu Glu Gln Tyr Ile Ala Gln Phe
1 5 10

<210> 369
<211> 9
<212> PRT
<213> Homosapiens

<400> 369
Lys Glu Glu Gln Tyr Ile Ala Gln Phe
1 5

<210> 370
<211> 10
<212> PRT
<213> Homosapiens

<400> 370
Gln Tyr Ile Ala Gln Phe Thr Ser Gln Phe
1 5 10

<210> 371
<211> 9
<212> PRT
<213> Homosapiens

<400> 371
Tyr Ile Ala Gln Phe Thr Ser Gln Phe
1 5

<210> 372
<211> 10
<212> PRT
<213> Homosapiens

<400> 372
Tyr Ile Ala Gln Phe Thr Ser Gln Phe Leu
1 5 10

<210> 373
<211> 9
<212> PRT
<213> Homosapiens

<400> 373
Ile Ala Gln Phe Thr Ser Gln Phe Leu
1 5

<210> 374
<211> 10
<212> PRT
<213> Homosapiens

<400> 374
Ala Gln Phe Thr Ser Gln Phe Leu Ser Leu
1 5 10

<210> 375
<211> 9
<212> PRT
<213> Homosapiens

<400> 375
Gln Phe Thr Ser Gln Phe Leu Ser Leu
1 5

<210> 376
<211> 9
<212> PRT
<213> Homosapiens

<400> 376
Ser Gln Phe Leu Ser Leu Gln Cys Leu
1 5

<210> 377
<211> 10
<212> PRT
<213> Homosapiens

<400> 377
Val Leu Tyr Pro Val Pro Leu Glu Ser Tyr
1 5 10

<210> 378
<211> 9
<212> PRT
<213> Homosapiens

<400> 378
Leu Tyr Pro Val Pro Leu Glu Ser Tyr
1 5

<210> 379
<211> 10
<212> PRT
<213> Homosapiens

<400> 379
Glu Ser Tyr Glu Asp Ile His Gly Thr Leu
1 5 10

<210> 380
<211> 10
<212> PRT
<213> Homosapiens

<400> 380

Tyr Glu Asp Ile His Gly Thr Leu His Leu
1 5 10

<210> 381
<211> 9
<212> PRT
<213> Homosapiens

<400> 381
Glu Asp Ile His Gly Thr Leu His Leu
1 5

<210> 382
<211> 10
<212> PRT
<213> Homosapiens

<400> 382
Ile His Gly Thr Leu His Leu Glu Arg Leu
1 5 10

<210> 383
<211> 10
<212> PRT
<213> Homosapiens

<400> 383
Thr Leu His Leu Glu Arg Leu Ala Tyr Leu
1 5 10

<210> 384
<211> 9
<212> PRT
<213> Homosapiens

<400> 384
Leu His Leu Glu Arg Leu Ala Tyr Leu
1 5

<210> 385
<211> 8
<212> PRT
<213> Homosapiens

<400> 385
His Leu Glu Arg Leu Ala Tyr Leu
1 5

<210> 386
<211> 10
<212> PRT
<213> Homosapiens

<400> 386
His Leu Glu Arg Leu Ala Tyr Leu His Ala

1 5 10

<210> 387
<211> 10
<212> PRT
<213> Homosapiens

<400> 387
Glu Arg Leu Ala Tyr Leu His Ala Arg Leu
1 5 10

<210> 388
<211> 9
<212> PRT
<213> Homosapiens

<400> 388
Arg Leu Ala Tyr Leu His Ala Arg Leu
1 5

<210> 389
<211> 10
<212> PRT
<213> Homosapiens

<400> 389
Arg Leu Ala Tyr Leu His Ala Arg Leu Arg
1 5 10

<210> 390
<211> 8
<212> PRT
<213> Homosapiens

<400> 390
Leu Ala Tyr Leu His Ala Arg Leu
1 5

<210> 391
<211> 9
<212> PRT
<213> Homosapiens

<400> 391
Leu Ala Tyr Leu His Ala Arg Leu Arg
1 5

<210> 392
<211> 10
<212> PRT
<213> Homosapiens

<400> 392
Ala Tyr Leu His Ala Arg Leu Arg Glu Leu
1 5 10

<210> 393

<211> 9

<212> PRT

<213> Homosapiens

<400> 393

Tyr Leu His Ala Arg Leu Arg Glu Leu
1 5

<210> 394

<211> 10

<212> PRT

<213> Homosapiens

<400> 394

Tyr Leu His Ala Arg Leu Arg Glu Leu Leu
1 5 10

<210> 395

<211> 9

<212> PRT

<213> Homosapiens

<400> 395

Leu His Ala Arg Leu Arg Glu Leu Leu
1 5

<210> 396

<211> 8

<212> PRT

<213> Homosapiens

<400> 396

His Ala Arg Leu Arg Glu Leu Leu
1 5

<210> 397

<211> 9

<212> PRT

<213> Homosapiens

<400> 397

His Ala Arg Leu Arg Glu Leu Leu Cys
1 5

<210> 398

<211> 10

<212> PRT

<213> Homosapiens

<400> 398

Glu Leu Leu Cys Glu Leu Gly Arg Pro Ser
1 5 10

<210> 399

<211> 9

<212> PRT

<213> Homosapiens

<400> 399

Leu Leu Cys Glu Leu Gly Arg Pro Ser

1

5

<210> 400

<211> 10

<212> PRT

<213> Homosapiens

<400> 400

Gln Glu Pro Ala Leu Gly Thr Thr Cys Tyr

1

5

10

<210> 401

<211> 9

<212> PRT

<213> Homosapiens

<400> 401

Glu Pro Ala Leu Gly Thr Thr Cys Tyr

1

5

<210> 402

<211> 10

<212> PRT

<213> Homosapiens

<400> 402

Pro Glu Glu Phe Leu Thr Pro Lys Lys Leu

1

5

10

<210> 403

<211> 9

<212> PRT

<213> Homosapiens

<400> 403

Glu Glu Phe Leu Thr Pro Lys Lys Leu

1

5

<210> 404

<211> 9

<212> PRT

<213> Homosapiens

<400> 404

Phe Leu Thr Pro Lys Lys Leu Gln Cys

1

5

<210> 405
<211> 10
<212> PRT
<213> Homosapiens

<400> 405
Phe Leu Thr Pro Lys Lys Leu Gln Cys Val
1 5 10

<210> 406
<211> 9
<212> PRT
<213> Homosapiens

<400> 406
Leu Thr Pro Lys Lys Leu Gln Cys Val
1 5

<210> 407
<211> 8
<212> PRT
<213> Homosapiens

<400> 407
Thr Pro Lys Lys Leu Gln Cys Val
1 5

<210> 408
<211> 9
<212> PRT
<213> Homosapiens

<400> 408
Thr Pro Lys Lys Leu Gln Cys Val Asp
1 5

<210> 409
<211> 10
<212> PRT
<213> Homosapiens

<400> 409
Lys Leu Gln Cys Val Asp Leu His Val Ile
1 5 10

<210> 410
<211> 9
<212> PRT
<213> Homosapiens

<400> 410
Leu Gln Cys Val Asp Leu His Val Ile
1 5

<210> 411

<211> 9
<212> PRT
<213> Homosapiens

<400> 411
Asp Ser Gln Asp Tyr Tyr Val Gly Lys
1 5

<210> 412
<211> 9
<212> PRT
<213> Homosapiens

<400> 412
Ser Gln Asp Tyr Tyr Val Gly Lys Lys
1 5

<210> 413
<211> 10
<212> PRT
<213> Homosapiens

<400> 413
Ser Gln Asp Tyr Tyr Val Gly Lys Lys Asn
1 5 10

<210> 414
<211> 9
<212> PRT
<213> Homosapiens

<400> 414
Asp Tyr Tyr Val Gly Lys Lys Asn Ile
1 5

<210> 415
<211> 8
<212> PRT
<213> Homosapiens

<400> 415
Tyr Tyr Val Gly Lys Lys Asn Ile
1 5

<210> 416
<211> 9
<212> PRT
<213> Homosapiens

<400> 416
Tyr Val Gly Lys Lys Asn Ile Thr Cys
1 5

<210> 417
<211> 10

<212> PRT
<213> Homosapiens

<400> 417
Tyr Val Gly Lys Lys Asn Ile Thr Cys Cys
1 5 10

<210> 418
<211> 10
<212> PRT
<213> Homosapiens

<400> 418
Trp Val Phe Gly Gly Ile Asp Pro Gln Ser
1 5 10

<210> 419
<211> 10
<212> PRT
<213> Homosapiens

<400> 419
Gly Ile Asp Pro Gln Ser Gly Ala Ala Val
1 5 10

<210> 420
<211> 9
<212> PRT
<213> Homosapiens

<400> 420
Ile Asp Pro Gln Ser Gly Ala Ala Val
1 5

<210> 421
<211> 8
<212> PRT
<213> Homosapiens

<400> 421
Asp Pro Gln Ser Gly Ala Ala Val
1 5

<210> 422
<211> 9
<212> PRT
<213> Homosapiens

<400> 422
Asp Pro Gln Ser Gly Ala Ala Val Val
1 5

<210> 423
<211> 10
<212> PRT

<213> Homosapiens

<400> 423

Asp Pro Gln Ser Gly Ala Ala Val Val His
1 5 10

<210> 424

<211> 9

<212> PRT

<213> Homosapiens

<400> 424

Pro Gln Ser Gly Ala Ala Val Val His
1 5

<210> 425

<211> 10

<212> PRT

<213> Homosapiens

<400> 425

Gln Ser Gly Ala Ala Val Val His Glu Ile
1 5 10

<210> 426

<211> 9

<212> PRT

<213> Homosapiens

<400> 426

Ser Gly Ala Ala Val Val His Glu Ile
1 5

<210> 427

<211> 8

<212> PRT

<213> Homosapiens

<400> 427

Gly Ala Ala Val Val His Glu Ile
1 5

<210> 428

<211> 9

<212> PRT

<213> Homosapiens

<400> 428

Gly Ala Ala Val Val His Glu Ile Val
1 5

<210> 429

<211> 8

<212> PRT

<213> Homosapiens

<400> 429

Ala Ala Val Val His Glu Ile Val
1 5

<210> 430

<211> 9

<212> PRT

<213> Homosapiens

<400> 430

Cys Arg Asp Tyr Ala Val Val Leu Arg
1 5

<210> 431

<211> 10

<212> PRT

<213> Homosapiens

<400> 431

Arg Asp Tyr Ala Val Val Leu Arg Lys Tyr
1 5 10

<210> 432

<211> 9

<212> PRT

<213> Homosapiens

<400> 432

Asp Tyr Ala Val Val Leu Arg Lys Tyr
1 5

<210> 433

<211> 8

<212> PRT

<213> Homosapiens

<400> 433

Tyr Ala Val Val Leu Arg Lys Tyr
1 5

<210> 434

<211> 10

<212> PRT

<213> Homosapiens

<400> 434

Val Val Leu Arg Lys Tyr Ala Asp Lys Ile
1 5 10

<210> 435

<211> 9

<212> PRT

<213> Homosapiens

<400> 435

Val Leu Arg Lys Tyr Ala Asp Lys Ile
1 5

<210> 436

<211> 10

<212> PRT

<213> Homosapiens

<400> 436

Val Leu Arg Lys Tyr Ala Asp Lys Ile Tyr
1 5 10

<210> 437

<211> 8

<212> PRT

<213> Homosapiens

<400> 437

Leu Arg Lys Tyr Ala Asp Lys Ile
1 5

<210> 438

<211> 9

<212> PRT

<213> Homosapiens

<400> 438

Leu Arg Lys Tyr Ala Asp Lys Ile Tyr
1 5

<210> 439

<211> 10

<212> PRT

<213> Homosapiens

<400> 439

Arg Lys Tyr Ala Asp Lys Ile Tyr Ser Ile
1 5 10

<210> 440

<211> 9

<212> PRT

<213> Homosapiens

<400> 440

Lys Tyr Ala Asp Lys Ile Tyr Ser Ile
1 5

<210> 441

<211> 8

<212> PRT

<213> Homosapiens

<400> 441

Tyr Ala Asp Lys Ile Tyr Ser Ile
1 5

<210> 442
<211> 10
<212> PRT
<213> Homosapiens

<400> 442
Met Lys His Pro Gln Glu Met Lys Thr Tyr
1 5 10

<210> 443
<211> 9
<212> PRT
<213> Homosapiens

<400> 443
Lys His Pro Gln Glu Met Lys Thr Tyr
1 5

<210> 444
<211> 10
<212> PRT
<213> Homosapiens

<400> 444
His Pro Gln Glu Met Lys Thr Tyr Ser Val
1 5 10

<210> 445
<211> 10
<212> PRT
<213> Homosapiens

<400> 445
Ile Asp Ser Asp Pro Ala Leu Gln Lys Val
1 5 10

<210> 446
<211> 9
<212> PRT
<213> Homosapiens

<400> 446
Asp Ser Asp Pro Ala Leu Gln Lys Val
1 5

<210> 447
<211> 10
<212> PRT
<213> Homosapiens

<400> 447
Ala Leu Gln Lys Val Asn Phe Leu Pro Val

1 5 10

<210> 448
<211> 9
<212> PRT
<213> Homosapiens

<400> 448
Lys Val Asn Phe Leu Pro Val Leu Glu
1 5

<210> 449
<211> 10
<212> PRT
<213> Homosapiens

<400> 449
Val Asn Phe Leu Pro Val Leu Glu Gln Val
1 5 10

<210> 450
<211> 9
<212> PRT
<213> Homosapiens

<400> 450
Asn Phe Leu Pro Val Leu Glu Gln Val
1 5

<210> 451
<211> 10
<212> PRT
<213> Homosapiens

<400> 451
Pro Val Leu Glu Gln Val Gly Asn Ser Asp
1 5 10

<210> 452
<211> 9
<212> PRT
<213> Homosapiens

<400> 452
Val Leu Glu Gln Val Gly Asn Ser Asp
1 5

<210> 453
<211> 9
<212> PRT
<213> Homosapiens

<400> 453
Tyr Glu Arg Glu Glu Thr Arg Gln Val
1 5

<210> 454
<211> 10
<212> PRT
<213> Homosapiens

<400> 454
Tyr Glu Arg Glu Glu Thr Arg Gln Val Tyr
1 5 10

<210> 455
<211> 9
<212> PRT
<213> Homosapiens

<400> 455
Glu Arg Glu Glu Thr Arg Gln Val Tyr
1 5

<210> 456
<211> 10
<212> PRT
<213> Homosapiens

<400> 456
Glu Arg Glu Glu Thr Arg Gln Val Tyr Met
1 5 10

<210> 457
<211> 9
<212> PRT
<213> Homosapiens

<400> 457
Arg Glu Glu Thr Arg Gln Val Tyr Met
1 5

<210> 458
<211> 10
<212> PRT
<213> Homosapiens

<400> 458
Tyr Met Asp Leu Asn Ser Asn Ile Glu Lys
1 5 10

<210> 459
<211> 9
<212> PRT
<213> Homosapiens

<400> 459
Asp Leu Asn Ser Asn Ile Glu Lys Met
1 5

<210> 460
<211> 10
<212> PRT
<213> Homosapiens

<400> 460
Ser Asn Ile Glu Lys Met Ile Thr Ala Phe
1 5 10

<210> 461
<211> 9
<212> PRT
<213> Homosapiens

<400> 461
Asn Ile Glu Lys Met Ile Thr Ala Phe
1 5

<210> 462
<211> 8
<212> PRT
<213> Homosapiens

<400> 462
Ile Glu Lys Met Ile Thr Ala Phe
1 5

<210> 463
<211> 10
<212> PRT
<213> Homosapiens

<400> 463
Arg Leu Glu Asn Tyr Glu Asp Gln Leu Ile
1 5 10

<210> 464
<211> 9
<212> PRT
<213> Homosapiens

<400> 464
Leu Glu Asn Tyr Glu Asp Gln Leu Ile
1 5

<210> 465
<211> 10
<212> PRT
<213> Homosapiens

<400> 465
Leu Glu Asn Tyr Glu Asp Gln Leu Ile Ile
1 5 10

<210> 466
<211> 9
<212> PRT
<213> Homosapiens

<400> 466
Glu Asn Tyr Glu Asp Gln Leu Ile Ile
1 5

<210> 467
<211> 10
<212> PRT
<213> Homosapiens

<400> 467
Glu Asn Tyr Glu Asp Gln Leu Ile Ile Leu
1 5 10

<210> 468
<211> 9
<212> PRT
<213> Homosapiens

<400> 468
Asn Tyr Glu Asp Gln Leu Ile Ile Leu
1 5

<210> 469
<211> 10
<212> PRT
<213> Homosapiens

<400> 469
Asn Tyr Glu Asp Gln Leu Ile Ile Leu Thr
1 5 10

<210> 470
<211> 9
<212> PRT
<213> Homosapiens

<400> 470
Tyr Glu Asp Gln Leu Ile Ile Leu Thr
1 5

<210> 471
<211> 10
<212> PRT
<213> Homosapiens

<400> 471
Tyr Glu Asp Gln Leu Ile Ile Leu Thr Met
1 5 10

<210> 472

<211> 9
<212> PRT
<213> Homosapiens

<400> 472
Glu Asp Gln Leu Ile Ile Leu Thr Met
1 5

<210> 473
<211> 10
<212> PRT
<213> Homosapiens

<400> 473
Ile Ile Leu Thr Met Glu Leu Gln Lys Thr
1 5 10

<210> 474
<211> 9
<212> PRT
<213> Homosapiens

<400> 474
Ile Leu Thr Met Glu Leu Gln Lys Thr
1 5

<210> 475
<211> 9
<212> PRT
<213> Homosapiens

<400> 475
Lys Leu Thr Asn Asn Lys Glu Val Glu
1 5

<210> 476
<211> 10
<212> PRT
<213> Homosapiens

<400> 476
Lys Leu Thr Asn Asn Lys Glu Val Glu Leu
1 5 10

<210> 477
<211> 9
<212> PRT
<213> Homosapiens

<400> 477
Leu Thr Asn Asn Lys Glu Val Glu Leu
1 5

<210> 478
<211> 10

<212> PRT

<213> Homosapiens

<400> 478

Lys Glu Val Glu Leu Glu Glu Leu Lys Lys
1 5 10

<210> 479

<211> 9

<212> PRT

<213> Homosapiens

<400> 479

Glu Val Glu Leu Glu Glu Leu Lys Lys
1 5

<210> 480

<211> 10

<212> PRT

<213> Homosapiens

<400> 480

Glu Val Glu Leu Glu Glu Leu Lys Lys Val
1 5 10

<210> 481

<211> 9

<212> PRT

<213> Homosapiens

<400> 481

Val Glu Leu Glu Glu Leu Lys Lys Val
1 5

<210> 482

<211> 10

<212> PRT

<213> Homosapiens

<400> 482

Glu Thr Ser Asp Met Thr Leu Glu Leu Lys
1 5 10

<210> 483

<211> 9

<212> PRT

<213> Homosapiens

<400> 483

Thr Ser Asp Met Thr Leu Glu Leu Lys
1 5

<210> 484

<211> 9

<212> PRT

<213> Homosapiens

<400> 484

Asn Lys Lys Gln Glu Glu Arg Met Leu
1 5

<210> 485

<211> 10

<212> PRT

<213> Homosapiens

<400> 485

Glu Arg Met Leu Thr Gln Ile Glu Asn Leu
1 5 10

<210> 486

<211> 9

<212> PRT

<213> Homosapiens

<400> 486

Arg Met Leu Thr Gln Ile Glu Asn Leu
1 5

<210> 487

<211> 8

<212> PRT

<213> Homosapiens

<400> 487

Met Leu Thr Gln Ile Glu Asn Leu
1 5

<210> 488

<211> 10

<212> PRT

<213> Homosapiens

<400> 488

Met Leu Thr Gln Ile Glu Asn Leu Gln Glu
1 5 10

<210> 489

<211> 10

<212> PRT

<213> Homosapiens

<400> 489

Glu Asn Leu Gln Glu Thr Glu Thr Gln Leu
1 5 10

<210> 490

<211> 9

<212> PRT

<213> Homosapiens

<400> 490

Asn Leu Gln Glu Thr Glu Thr Gln Leu
1 5

<210> 491

<211> 10

<212> PRT

<213> Homosapiens

<400> 491

Asn Leu Gln Glu Thr Glu Thr Gln Leu Arg
1 5 10

<210> 492

<211> 10

<212> PRT

<213> Homosapiens

<400> 492

Thr Gln Leu Arg Asn Glu Leu Glu Tyr Val
1 5 10

<210> 493

<211> 9

<212> PRT

<213> Homosapiens

<400> 493

Gln Leu Arg Asn Glu Leu Glu Tyr Val
1 5

<210> 494

<211> 10

<212> PRT

<213> Homosapiens

<400> 494

Asn Glu Leu Glu Tyr Val Arg Glu Glu Leu
1 5 10

<210> 495

<211> 9

<212> PRT

<213> Homosapiens

<400> 495

Glu Leu Glu Tyr Val Arg Glu Glu Leu
1 5

<210> 496

<211> 8

<212> PRT

<213> Homosapiens

<400> 496

Leu Glu Tyr Val Arg Glu Glu Leu
1 5

<210> 497

<211> 10

<212> PRT

<213> Homosapiens

<400> 497

Glu Tyr Val Arg Glu Glu Leu Lys Gln Lys
1 5 10

<210> 498

<211> 9

<212> PRT

<213> Homosapiens

<400> 498

Tyr Val Arg Glu Glu Leu Lys Gln Lys
1 5

<210> 499

<211> 10

<212> PRT

<213> Homosapiens

<400> 499

Leu Leu Glu Glu Val Glu Lys Ala Lys Val
1 5 10

<210> 500

<211> 9

<212> PRT

<213> Homosapiens

<400> 500

Leu Glu Glu Val Glu Lys Ala Lys Val
1 5

<210> 501

<211> 10

<212> PRT

<213> Homosapiens

<400> 501

Leu Glu Glu Val Glu Lys Ala Lys Val Ile
1 5 10

<210> 502

<211> 9

<212> PRT

<213> Homosapiens

<400> 502

Glu Glu Val Glu Lys Ala Lys Val Ile
1 5

<210> 503
<211> 10
<212> PRT
<213> Homosapiens

<400> 503
Lys Ala Lys Val Ile Ala Asp Glu Ala Val
1 5 10

<210> 504
<211> 10
<212> PRT
<213> Homosapiens

<400> 504
Lys Val Ile Ala Asp Glu Ala Val Lys Leu
1 5 10

<210> 505
<211> 9
<212> PRT
<213> Homosapiens

<400> 505
Val Ile Ala Asp Glu Ala Val Lys Leu
1 5

<210> 506
<211> 8
<212> PRT
<213> Homosapiens

<400> 506
Ile Ala Asp Glu Ala Val Lys Leu
1 5

<210> 507
<211> 9
<212> PRT
<213> Homosapiens

<400> 507
Lys Glu Ile Asp Lys Arg Cys Gln His
1 5

<210> 508
<211> 10
<212> PRT
<213> Homosapiens

<400> 508
Lys Glu Ile Asp Lys Arg Cys Gln His Lys

1 5 10

<210> 509
<211> 9
<212> PRT
<213> Homosapiens

<400> 509
Glu Ile Asp Lys Arg Cys Gln His Lys
1 5

<210> 510
<211> 10
<212> PRT
<213> Homosapiens

<400> 510
Glu Ile Asp Lys Arg Cys Gln His Lys Ile
1 5 10

<210> 511
<211> 9
<212> PRT
<213> Homosapiens

<400> 511
Ile Asp Lys Arg Cys Gln His Lys Ile
1 5

<210> 512
<211> 8
<212> PRT
<213> Homosapiens

<400> 512
Asp Lys Arg Cys Gln His Lys Ile
1 5

<210> 513
<211> 9
<212> PRT
<213> Homosapiens

<400> 513
Lys Arg Cys Gln His Lys Ile Ala Glu
1 5

<210> 514
<211> 10
<212> PRT
<213> Homosapiens

<400> 514
Lys Arg Cys Gln His Lys Ile Ala Glu Met
1 5 10

<210> 515
<211> 9
<212> PRT
<213> Homosapiens

<400> 515
Arg Cys Gln His Lys Ile Ala Glu Met
1 5

<210> 516
<211> 10
<212> PRT
<213> Homosapiens

<400> 516
Gln His Lys Ile Ala Glu Met Val Ala Leu
1 5 10

<210> 517
<211> 9
<212> PRT
<213> Homosapiens

<400> 517
His Lys Ile Ala Glu Met Val Ala Leu
1 5

<210> 518
<211> 8
<212> PRT
<213> Homosapiens

<400> 518
Lys Ile Ala Glu Met Val Ala Leu
1 5

<210> 519
<211> 10
<212> PRT
<213> Homosapiens

<400> 519
Gln Glu Gln Ser Ser Leu Arg Ala Ser Leu
1 5 10

<210> 520
<211> 9
<212> PRT
<213> Homosapiens

<400> 520
Glu Gln Ser Ser Leu Arg Ala Ser Leu
1 5

<210> 521
<211> 8
<212> PRT
<213> Homosapiens

<400> 521
Gln Ser Ser Leu Arg Ala Ser Leu
1 5

<210> 522
<211> 10
<212> PRT
<213> Homosapiens

<400> 522
Ser Leu Arg Ala Ser Leu Glu Ile Glu Leu
1 5 10

<210> 523
<211> 9
<212> PRT
<213> Homosapiens

<400> 523
Leu Arg Ala Ser Leu Glu Ile Glu Leu
1 5

<210> 524
<211> 8
<212> PRT
<213> Homosapiens

<400> 524
Arg Ala Ser Leu Glu Ile Glu Leu
1 5

<210> 525
<211> 10
<212> PRT
<213> Homosapiens

<400> 525
Ala Ser Leu Glu Ile Glu Leu Ser Asn Leu
1 5 10

<210> 526
<211> 9
<212> PRT
<213> Homosapiens

<400> 526
Ser Leu Glu Ile Glu Leu Ser Asn Leu
1 5

<210> 527
<211> 10
<212> PRT
<213> Homosapiens

<400> 527
Ser Leu Glu Ile Glu Leu Ser Asn Leu Lys
1 5 10

<210> 528
<211> 9
<212> PRT
<213> Homosapiens

<400> 528
Leu Glu Ile Glu Leu Ser Asn Leu Lys
1 5

<210> 529
<211> 9
<212> PRT
<213> Homosapiens

<400> 529
Glu Ile Glu Leu Ser Asn Leu Lys Ala
1 5

<210> 530
<211> 10
<212> PRT
<213> Homosapiens

<400> 530
Glu Leu Ser Asn Leu Lys Ala Glu Leu Leu
1 5 10

<210> 531
<211> 9
<212> PRT
<213> Homosapiens

<400> 531
Leu Ser Asn Leu Lys Ala Glu Leu Leu
1 5

<210> 532
<211> 10
<212> PRT
<213> Homosapiens

<400> 532
Ser Asn Leu Lys Ala Glu Leu Leu Ser Val
1 5 10

<210> 533

<211> 9
<212> PRT
<213> Homosapiens

<400> 533
Asn Leu Lys Ala Glu Leu Leu Ser Val
1 5

<210> 534
<211> 10
<212> PRT
<213> Homosapiens

<400> 534
Asn Leu Lys Ala Glu Leu Leu Ser Val Lys
1 5 10

<210> 535
<211> 9
<212> PRT
<213> Homosapiens

<400> 535
Leu Lys Ala Glu Leu Leu Ser Val Lys
1 5

<210> 536
<211> 10
<212> PRT
<213> Homosapiens

<400> 536
Leu Lys Ala Glu Leu Leu Ser Val Lys Lys
1 5 10

<210> 537
<211> 9
<212> PRT
<213> Homosapiens

<400> 537
Lys Ala Glu Leu Leu Ser Val Lys Lys
1 5

<210> 538
<211> 9
<212> PRT
<213> Homosapiens

<400> 538
Ala Glu Leu Leu Ser Val Lys Lys Gln
1 5

<210> 539
<211> 10

<212> PRT

<213> Homosapiens

<400> 539

Glu	Lys	Lys	Asp	Lys	Lys	Thr	Gln	Thr	Phe
1				5					10

<210> 540

<211> 9

<212> PRT

<213> Homosapiens

<400> 540

Lys	Lys	Asp	Lys	Lys	Thr	Gln	Thr	Phe
1				5				

<210> 541

<211> 8

<212> PRT

<213> Homosapiens

<400> 541

Lys	Asp	Lys	Lys	Thr	Gln	Thr	Phe
1				5			

<210> 542

<211> 10

<212> PRT

<213> Homosapiens

<400> 542

Leu	Leu	Glu	Thr	Pro	Asp	Ile	Tyr	Trp	Lys
1					5				10

<210> 543

<211> 9

<212> PRT

<213> Homosapiens

<400> 543

Leu	Glu	Thr	Pro	Asp	Ile	Tyr	Trp	Lys
1					5			

<210> 544

<211> 10

<212> PRT

<213> Homosapiens

<400> 544

Leu	Glu	Thr	Pro	Asp	Ile	Tyr	Trp	Lys	Leu
1					5				10

<210> 545

<211> 9

<212> PRT

<213> Homosapiens

<400> 545

Glu Thr Pro Asp Ile Tyr Trp Lys Leu
1 5

<210> 546

<211> 8

<212> PRT

<213> Homosapiens

<400> 546

Thr Pro Asp Ile Tyr Trp Lys Leu
1 5

<210> 547

<211> 9

<212> PRT

<213> Homosapiens

<400> 547

Ser Lys Ala Val Pro Ser Gln Thr Val
1 5

<210> 548

<211> 8

<212> PRT

<213> Homosapiens

<400> 548

Lys Ala Val Pro Ser Gln Thr Val
1 5

<210> 549

<211> 10

<212> PRT

<213> Homosapiens

<400> 549

Val Pro Ser Gln Thr Val Ser Arg Asn Phe
1 5 10

<210> 550

<211> 10

<212> PRT

<213> Homosapiens

<400> 550

Gln Thr Val Ser Arg Asn Phe Thr Ser Val
1 5 10

<210> 551

<211> 9

<212> PRT

<213> Homosapiens

<400> 551

Thr Val Ser Arg Asn Phe Thr Ser Val
1 5

<210> 552

<211> 10

<212> PRT

<213> Homosapiens

<400> 552

Thr Val Ser Arg Asn Phe Thr Ser Val Asp
1 5 10

<210> 553

<211> 10

<212> PRT

<213> Homosapiens

<400> 553

Ser Val Asp His Gly Ile Ser Lys Asp Lys
1 5 10

<210> 554

<211> 10

<212> PRT

<213> Homosapiens

<400> 554

Ser Lys Asp Lys Arg Asp Tyr Leu Trp Thr
1 5 10

<210> 555

<211> 9

<212> PRT

<213> Homosapiens

<400> 555

Lys Arg Asp Tyr Leu Trp Thr Ser Ala
1 5

<210> 556

<211> 10

<212> PRT

<213> Homosapiens

<400> 556

Lys Arg Asp Tyr Leu Trp Thr Ser Ala Lys
1 5 10

<210> 557

<211> 9

<212> PRT

<213> Homosapiens

<400> 557

Arg Asp Tyr Leu Trp Thr Ser Ala Lys
1 5

<210> 558

<211> 9

<212> PRT

<213> Homosapiens

<400> 558

Tyr Leu Trp Thr Ser Ala Lys Asn Thr
1 5

<210> 559

<211> 10

<212> PRT

<213> Homosapiens

<400> 559

Tyr Leu Trp Thr Ser Ala Lys Asn Thr Leu
1 5 10

<210> 560

<211> 8

<212> PRT

<213> Homosapiens

<400> 560

Trp Thr Ser Ala Lys Asn Thr Leu
1 5

<210> 561

<211> 10

<212> PRT

<213> Homosapiens

<400> 561

Lys Asn Thr Leu Ser Thr Pro Leu Pro Lys
1 5 10

<210> 562

<211> 9

<212> PRT

<213> Homosapiens

<400> 562

Asn Thr Leu Ser Thr Pro Leu Pro Lys
1 5

<210> 563

<211> 9

<212> PRT

<213> Homosapiens

<400> 563

Lys Arg Asp Tyr Leu Trp Thr Ser Ala
1 5

<210> 564
<211> 10
<212> PRT
<213> Homosapiens

<400> 564
Lys Arg Asp Tyr Leu Trp Thr Ser Ala Lys
1 5 10

<210> 565
<211> 9
<212> PRT
<213> Homosapiens

<400> 565
Arg Asp Tyr Leu Trp Thr Ser Ala Lys
1 5

<210> 566
<211> 9
<212> PRT
<213> Homosapiens

<400> 566
Tyr Leu Trp Thr Ser Ala Lys Asn Thr
1 5

<210> 567
<211> 8
<212> PRT
<213> Homosapiens

<400> 567
Ser Ala Lys Asn Thr Leu Ser Thr
1 5

<210> 568
<211> 10
<212> PRT
<213> Homosapiens

<400> 568
Lys Asn Thr Leu Ser Thr Pro Leu Pro Lys
1 5 10

<210> 569
<211> 9
<212> PRT
<213> Homosapiens

<400> 569
Asn Thr Leu Ser Thr Pro Leu Pro Lys

1 5

<210> 570
<211> 10
<212> PRT
<213> Homosapiens

<400> 570
Thr Leu Ser Thr Pro Leu Pro Lys Ala Tyr
1 5 10

<210> 571
<211> 9
<212> PRT
<213> Homosapiens

<400> 571
Leu Ser Thr Pro Leu Pro Lys Ala Tyr
1 5

<210> 572
<211> 8
<212> PRT
<213> Homosapiens

<400> 572
Asp Ala Phe Ala Arg Arg Pro Thr
1 5

<210> 573
<211> 9
<212> PRT
<213> Homosapiens

<400> 573
Phe Ala Arg Arg Pro Thr Val Gly Ala
1 5

<210> 574
<211> 10
<212> PRT
<213> Homosapiens

<400> 574
Ala Arg Arg Pro Thr Val Gly Ala Gln Ile
1 5 10

<210> 575
<211> 9
<212> PRT
<213> Homosapiens

<400> 575
Arg Arg Pro Thr Val Gly Ala Gln Ile
1 5

<210> 576

<211> 8

<212> PRT

<213> Homosapiens

<400> 576

Arg Pro Thr Val Gly Ala Gln Ile
1 5

<210> 577

<211> 9

<212> PRT

<213> Homosapiens

<400> 577

Val Gly Ala Gln Ile Pro Glu Lys Ile
1 5

<210> 578

<211> 8

<212> PRT

<213> Homosapiens

<400> 578

Gly Ala Gln Ile Pro Glu Lys Ile
1 5

<210> 579

<211> 10

<212> PRT

<213> Homosapiens

<400> 579

Ala Gln Ile Pro Glu Lys Ile Gln Lys Ala
1 5 10

<210> 580

<211> 9

<212> PRT

<213> Homosapiens

<400> 580

Gln Ile Pro Glu Lys Ile Gln Lys Ala
1 5

<210> 581

<211> 10

<212> PRT

<213> Homosapiens

<400> 581

Gln Ile Pro Glu Lys Ile Gln Lys Ala Phe
1 5 10

<210> 582

<211> 8

<212> PRT

<213> Homosapiens

<400> 582

Ile Pro Glu Lys Ile Gln Lys Ala

1 5

<210> 583

<211> 9

<212> PRT

<213> Homosapiens

<400> 583

Ile Pro Glu Lys Ile Gln Lys Ala Phe

1 5

<210> 584

<211> 8

<212> PRT

<213> Homosapiens

<400> 584

Pro Glu Lys Ile Gln Lys Ala Phe

1 5

<210> 585

<211> 9

<212> PRT

<213> Homosapiens

<400> 585

Glu Thr Asn Asn Lys Lys Lys Glu Phe

1 5

<210> 586

<211> 8

<212> PRT

<213> Homosapiens

<400> 586

Thr Asn Asn Lys Lys Lys Glu Phe

1 5

<210> 587

<211> 10

<212> PRT

<213> Homosapiens

<400> 587

Lys Glu Phe Glu Glu Thr Ala Lys Lys Val

1 5 10

<210> 588
<211> 9
<212> PRT
<213> Homosapiens

<400> 588
Glu Phe Glu Glu Thr Ala Lys Lys Val
1 5

<210> 589
<211> 8
<212> PRT
<213> Homosapiens

<400> 589
Thr Ala Lys Lys Val Arg Arg Ala
1 5

<210> 590
<211> 9
<212> PRT
<213> Homosapiens

<400> 590
Glu Thr Ala Lys Lys Val Arg Arg Ala
1 5

<210> 591
<211> 9
<212> PRT
<213> Homosapiens

<400> 591
Ala Lys Lys Val Arg Arg Ala Ile Glu
1 5

<210> 592
<211> 10
<212> PRT
<213> Homosapiens

<400> 592
Lys Lys Val Arg Arg Ala Ile Glu Gln Leu
1 5 10

<210> 593
<211> 9
<212> PRT
<213> Homosapiens

<400> 593
Lys Val Arg Arg Ala Ile Glu Gln Leu
1 5

<210> 594

<211> 10
<212> PRT
<213> Homosapiens

<400> 594
Lys Val Arg Arg Ala Ile Glu Gln Leu Ala
1 5 10

<210> 595
<211> 8
<212> PRT
<213> Homosapiens

<400> 595
Val Arg Arg Ala Ile Glu Gln Leu
1 5

<210> 596
<211> 8
<212> PRT
<213> Homosapiens

<400> 596
Ser Pro Val Val Ser Trp Arg Leu
1 5

<210> 597
<211> 9
<212> PRT
<213> Homosapiens

<400> 597
Lys Glu Glu Ser Pro Val Val Ser Trp
1 5

<210> 598
<211> 9
<212> PRT
<213> Homosapiens

<400> 598
Leu Met Lys Glu Glu Ser Pro Val Val
1 5

<210> 599
<211> 10
<212> PRT
<213> Homosapiens

<400> 599
Arg Leu Met Lys Glu Glu Ser Pro Val Val
1 5 10

<210> 600
<211> 9

<212> PRT

<213> Homosapiens

<400> 600

Arg Leu Met Lys Glu Glu Ser Pro Val
1 5

<210> 601

<211> 9

<212> PRT

<213> Homosapiens

<400> 601

Leu Leu Gln Ala Arg Leu Met Lys Glu
1 5

<210> 602

<211> 10

<212> PRT

<213> Homosapiens

<400> 602

Gln Leu Leu Gln Ala Arg Leu Met Lys Glu
1 5 10

<210> 603

<211> 16

<212> PRT

<213> Homosapiens

<400> 603

Phe Leu Lys Asp His Arg Ile Ser Thr Phe Lys Asn Trp Pro Phe Leu
1 5 10 15

<210> 604

<211> 33

<212> PRT

<213> Homosapiens

<400> 604

Lys His Ser Ser Gly Cys Ala Phe Leu Ser Val Lys Lys Gln Phe Glu
1 5 10 15
Glu Leu Thr Leu Gly Glu Phe Leu Lys Leu Asp Arg Glu Arg Ala Lys
20 25 30
Asn

<210> 605

<211> 12

<212> PRT

<213> Homosapiens

<400> 605

Lys Val Arg Arg Ala Ile Glu Gln Leu Ala Ala Met
1 5 10

<210> 606
<211> 18
<212> PRT
<213> Homosapiens

<400> 606
Val Ala Gln Thr Gly Ile Leu Trp Leu Leu Met Asn Asn Cys Phe Leu
1 5 10 15
Asn Leu

<210> 607
<211> 11
<212> PRT
<213> Homosapiens

<400> 607
Phe Leu Ala Leu Ser Ala Gln Leu Leu Gln Ala
1 5 10

<210> 608
<211> 10
<212> PRT
<213> Homosapiens

<400> 608
Arg Leu Met Lys Glu Glu Ser Pro Val Val
1 5 10

<210> 609
<211> 26
<212> PRT
<213> Homosapiens

<400> 609
Ala Ala Arg Ala Val Phe Leu Ala Leu Ser Ala Gln Leu Leu Gln Ala
1 5 10 15
Arg Leu Met Lys Glu Glu Ser Pro Val Val
20 25

<210> 610
<211> 10
<212> PRT
<213> Homosapiens

<400> 610
Arg Leu Glu Pro Glu Asp Gly Thr Ala Leu
1 5 10

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
18 March 2004 (18.03.2004)

PCT

(10) International Publication Number
WO 2004/022709 A3

- (51) International Patent Classification⁷: **A61K 39/395**, 39/00, 38/03, 48/00, A01N 63/00, C12N 15/12, 15/63
- (21) International Application Number:
PCT/US2003/027706
- (22) International Filing Date:
5 September 2003 (05.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/409,123 6 September 2002 (06.09.2002) US
- (71) Applicant: **MANNKIND CORPORATION** [US/US];
28903 North Avenue Paine, Valencia, CA 91355 (US).
- (72) Inventors: **SIMARD, John, J.-L.**; Suite #7, 1684 Alberni Street, Vancouver, British Columbia Z6G1A6 (CA). **DIAMOND, David, C.**; 23135 Schoenborn Street, West Hills, CA 91304 (US). **LIU, Liping**; 22228 Victory Boulevard, H-111, Woodland Hills, CA 91367 (US). **LIU, Zheng**; 22216 Victory Boulevard, C302, Woodland Hills, CA 91367 (US).
- (74) Agent: **MALLON, Joseph, J.**; **KNOBBE, MARTENS, OLSON & BEAR, LLP**, 2040 Main Street, 14th Floor, Irvine, CA 92614 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK (utility model), SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— with international search report
— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report:
21 May 2004
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 2004/022709 A3

(54) Title: EPITOPE SEQUENCES

(57) Abstract: Disclosed herein are polypeptides, including epitopes, clusters, and antigens. Also disclosed are compositions that include said polypeptides and methods for their use.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/27706

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A61K 39/395, 39/00, 38/03, 48/00; A01N 63/00; C12N 15/12, 15/63

US CL : 424/184.1, 185, 1, 93.71; 435/320.1; 514/2, 44; 530/300; 536/23.1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/184.1, 185, 1, 93.71; 435/320.1; 514/2, 44; 530/300; 536/23.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
Please See Continuation Sheet

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 6,037,135 A (KUBO et al.) 14 March 2000 (14.03.2000), see entire document.	1-82
Y	WO 94/020127 A1 (CYTEL CORPOARTION) 15 September 1994 (15.09.1994), see entire document.	1-82

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"B" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

18 March 2004 (18.03.2004)

Date of mailing of the international search report

31 MAR 2004

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Facsimile No. (703) 305-3230

Authorized officer

Ron Schwadron, Ph.D.

Telephone No. 571-272-1600

Y.D.R. for

INTERNATIONAL SEARCH REPORT

PCT/US03/27706

Continuation of B. FIELDS SEARCHED Item 3:

WEST 2.1, MEDICINE/BIOTECH (compendium databases on DIALOG) search terms: inventor names, mage?, cea?, gage?, hla?,
peptid?, mhc

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ ~~FADED~~ TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ ~~LINES~~ OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.